

KÄRCHER



KÄRCHER PRODUCT RANGE 2015

HOME & GARDEN

Perfect Cleanliness - Perfect Hygiene



High-pressure washers

Model No.



- Portable
- Accessory stowage
- Hose and power cable stowage



- Portable
- Add-on Accessories
- Hose and power cable stowage



- Especially long service life due to water-cooled motor
- Quick Connect
- Cleaning agent hose

Technical data		K 2 Compact	K 2 Car	K 2 Premium Car
Pressure	bar / Mpa	max. 110 / max. 11	max. 110 / max. 11	max. 110 / max. 11
Water flow rate	l/h	Max. 360	Max. 360	Max. 360
Max. water feed temperature	°C	40	40	40
Connected load	kW	1.4	1.4	1.4
Weight without accessories	kg	4	4.8	4.8
Dimensions (L x W x H)	mm	280 x 176 x 443	280 x 176 x 443	280 x 242 x 783
Detergent tank	l	-	-	■
Area performance	m²/h	20	20	20
Equipment				
High-pressure hose		4 m	4 m	6 m
Single spray lance		■	■	-
Cleaning agent		-	-	Car & Bike Shampoo
Vario-power spray lance		-	-	■
Dirt blaster		-	■	■
Integrated fine mesh water filter		■	■	■
Quick Connect / Wash Brush		-	-	- / ■
Order No.		1.673-121.0	1.673-228.0	1.673-307.0

■ - Available

Model No.



- Especially long service life due to water-cooled motor
- Quick connect
- Plug 'n' Clean System



- High-pressure hose drum
- Plug 'n' Clean System
- Hard case for stowing accessories



- High-pressure hose drum
- Plug 'n' Clean System
- Large, all-terrain wheels

Technical data		K 4 Car	K 5 Car	K 7 Car
Pressure	bar / Mpa	max. 130 / max. 13	20-max. 145 / 2-max. 14.5	20-max. 160 / 2-max. 16
Water flow rate	l/h	Max. 420	Max. 500	Max. 600
Max. water feed temperature	°C	40	40	60
Connected load	kW	1.8	2.1	3
Weight without accessories	kg	11.8	13.3	19.2
Dimensions (L x W x H)	mm	300 x 394 x 876	349 x 427 x 867	404 x 461 x 968
Detergent tank	l	■	-	-
Area performance	m²/h	30	40	60
Equipment				
High-pressure hose		6 m	8 m	10 m
Hose drum		-	■	■
Quick connect		■	■	■
Foam Jet / Drying Cloth		-	■ / ■	■ / ■
Vario-power spray lance		■	■	■
Dirt blaster		■	■	■
Washing brush		Rotating	Rotating	Power Brush
Plug 'n' clean system		-	■	■
Cleaning agent		Car & Bike Shampoo	Car & Bike Shampoo	Car & Bike Shampoo
Water filter		■	■	■
Integrated fine mesh water filter		■	■	■
Order No.		1.180-155.0	1.180-636.0	1.168-505.0

*product shown in photograph may vary from the actual



Steam Cleaners



Model No.	SC 1	SC 2	SC 3	SC 4	SV 7
	<ul style="list-style-type: none"> ■ Compact shape makes storage easy. ■ For a deep cleaning in between ■ Quick to use 	<ul style="list-style-type: none"> ■ Light and compact handling ■ With cleaning equipment & steam iron ■ Space saving 	<ul style="list-style-type: none"> ■ Uninterrupted work due to the 2-tank system ■ Detachable tank ■ Compartment for cable storage on the unit ■ Quick heat-up time 	<ul style="list-style-type: none"> ■ Uninterrupted work due to the 2-tank system ■ Detachable tank ■ Compartment for cable storage on the unit ■ Quick heat-up time 	<ul style="list-style-type: none"> ■ Convenient & Fast ■ Hot steam dislodges dirt ■ Neutralises unpleasant odours ■ Space saving

Technical data

Heating output	W	1200	1500	1900	2000	1100
Tank Capacity	l	0.25	1.0	1.0	0.8	-
Max. steam pressure	bar	3.0	3.2	3.5	3.5	4
Weight without accessories	kg	1.5	2.9	3.14	4.05	9.1
Dimensions (L x W x H)	mm	321 x 127 x 186	380 x 254 x 260	360 x 236 x 253	380 x 251 x 273	515 x 336 x 340
Heating Time	min	3	6.5	0.5	4	5

Equipment

Childproof safety lock	■	■	■	■	■
Safety valve	■	■	■	■	■
Floor cleaning kit	-	■	■	■	■
Window nozzle / window wiper	■	-	-	-	-
Steam flow control	-	on handle	on handle	on handle	5 - Stage
Hand nozzle, detail nozzle, round brush	■ / ■ / ■ /	■ / ■ / ■ /	■ / ■ / ■ /	■ / ■ / ■ /	■ / ■ / ■ /
Order No.	1.516-264.0	1.512-000.0	1.513-000.0	1.512-405.0	1.439-410.0

■ - Available

Multi-Vacuums



Model No.	MV 1	MV 2	MV 3	MV 4	MV 5
-----------	------	------	------	------	------

Technical data

Power corresponds to* (W)	1200	1200	1400	1600	1800
Energy use (W)	1000	1000	1000	1000	1100
Cable length (m)	4	4	4	5	5
Nominal accessory width (mm)	35	35	35	35	35
Container capacity / material l	15/	12/	17/	20/	25/
Voltage (V)	220-240	220-240	220-240	220-240	220-240
Weight (kg)	3.7	4.6	5.5	7.1	8.2
Dimensions (L x W x H) (mm)	331x352x461	369x337x430	388x340x503	384x365x526	418x382x652
Suction hose	-	1.9 m, 35 mm	2 m, 35 mm	2.2 m, 35 mm	2.2 m, 35 mm
Blower function	Yes	-	Yes	-	Yes
Order No.	1.098-300.0	1.629-760.0	1.629-800.0	1.348-110.0	1.348-190.0

*product shown in photograph may vary from the actual

Sweepers



Model No.	S 650	S 750
Technical data		
Working width without side brush	-	480
Working width with side brush (mm)	650	700
Max. area performance (m ² /h)	1800	2500
Housing / frame	Plastic/ Plastic	Plastic/ Plastic
Weight, ready to operate (kg)	11	13
Waste container (l)	16	32
Order No.	1.766.300.0	1.766.910.0

Drill-dust Catcher

DDC 50



Technical data	
Container capacity (cm ³)	23
Drill sizes (mm)	Max. 10
Weight (g)	236
Dimensions (L x W x H)	160 X 80 X 40
Order No.	1.679 -100.0

Floor Polisher



FP 303

- Ergonomic two hand grip for comfortable operation
- Vacuum for collecting polishing dust
- partial storage
- Triangle design for cleaning corners

Technical data	
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Working width (mm)	290
Power rating (W)	600
Speed (rpm)	1000
Filter bag capacity (l)	4
Cable length (m)	7
Weight (kg)	7
Dimensions (L x W x H) (mm)	385 X 340 X 1155
Equipment	
Wall bracket	■
Battery charger	■
Long life rechargeable battery	■
Standard brush	Detachable
Pet hair brush	Detachable
Order No.	1.056-820.0

Electric Broom

K 55 Plus

- Brushes can be changed for greater versatility
- Two different brushes included
- Push-button brush changeover



Technical data		
Area cleaned per battery charge	m ²	60-100
Battery running time	min.	30
Working width	mm	235 (per hair brush) / 265 (standard brush)
Container capacity	l	0.5
Battery voltage	V	4.8
Weight incl. battery	kg	2
Dimensions (L x W x H)	mm	260 x 300 x 96
Equipment		
Wall bracket		■
Battery charger		■
Long life rechargeable battery		■
Standard brush		Detachable
Pet hair brush		Detachable
Order No.		1.258-509.0

Speciality Products

Window Vacuum



WV Classic

- Perfect solution for cleaning flat surfaces
- Electrical water suction
- No dripping of dirty water

Technical data

Dirty water tank	ml	100
Battery duration	min.	20
Time required to charge battery	h	2
Area cleaned per battery charge		ca. 40-60 m ² = 20 windows
Working width of vacuum nozzle	mm	280
Weight incl. battery	kg	0.7
Dimensions without vacuum nozzle	mm	130 x 90 x 355

Equipment

Battery charger	■
Lithium ion battery	■
Spray bottle with micro fibre wiper	■
Window Cleaner Concentrate	■
Hip bag	-
Order No.	1.633-101.0

Water Filter Vacuum


DS 5.800

Technical data

Power (W)	900
Working radius (m)	10.2
Sound pressure level (db(A))	66
Cable length (m)	6.5
Water filter (l)	1.7
Voltage (V)	220-240
Frequency (Hz)	50-60
Weight without accessories (kg)	7.4
Dimensions (L x W x H) (mm)	535x289x345
Order	1.195-210.0

WORLD OF ACCESSORIES**

**to know more about accessories kindly visit our website www.karcher.in

High pressure washer



T-racer T450
(2.643-214.0)



Telescopic lance
(2.642-347.0)



Extension hose
(2.641-710.0)



Foam jet- Fj6
(2.643-147.0)



3 in 1 car shampoo
(6.295-750.0)

Wet & Dry Vacuum cleaner



Car interior kit
(2.862-128.0)



Suction hose extension
(2.863-001.0)



Suction brush
(2.863-146.0)



Coarse dirt filter
(2.863-161.0)

Steam cleaner



Round brush set
(2.863-058.0)



Textile care nozzle
(4.130-390.0)



Round brush with
brass bristles
(2.863-061.0)



Multipurpose
accessory kit
(2.863-215.0)



Big round brush
(2.863-022.0)



Descaling sticks
(6.295-206.0)

Window Vacuum



Extension kit
(2.633-111.0)

About Kärcher

Kärcher provides a wide range of Home & Garden cleaning equipment which are specially designed for personal use as they support users to clean and maintain their properties in the most efficient & effective way.

Highly robust and environmental friendly, Kärcher Products offer the right solution for every cleaning task.

Kärcher also offers Professional range of cleaning equipment – economic & environment friendly cleaning with water jet high pressure cleaners, vacuums and scrubber driers in industry, hospitality and agriculture.

So welcome to the world of Kärcher and stay **Clean & Healthy.**

Please contact us for more information

Toll Free No: 1800 1234 180 | e-mail: info@karcher.in |  [karcher.india.33](https://www.facebook.com/karcher.india.33) |  [KarcherTV](https://www.youtube.com/KarcherTV)

Noida (Head Office)

D-120, Sec-63,
Noida - 201 307,
Uttar Pradesh
Ph. : +91 120 7111800
Fax : +91 120 7111900

Ahmedabad

12/A, Orchid Mall,
Nr.Govardhan Party Plot,
Thaltej,
Ahmedabad - 380 059,
Gujarat
Ph. :+91 79 40031039

Bengaluru

2404, 2nd Cross,
HAL 3rd Stage,
Old Airport Road,
Bengaluru - 560 017,
Karnataka
Ph. : +91 80 41113819

Chennai

No. 54,
Alappakkam Main Road,
Maduravoyal,
Chennai - 600 095,
Tamil Nadu
Ph. : +91 44 42814230

Cochin

46/561,
Kottankavu Junction,
Vennala (PO),
Ernakulam - 682 028,
Kerala
Ph. : +91 484 2808484

Haryana

Plot No. 375,
Industrial area, Phase-2,
Near BEL Factory,
Panchkula - 134 113,
Haryana
Ph.: +91 172 5048800

Kolkata

P 40, Sector-A
Metropolitan Housing
Co-operative Society,
Kolkata - 700 105,
West Bengal
Tele Fax : +91 33 40638124

Mumbai

A 206 & B 009,
Punit Industrial Estate,
TTC Industrial Area,
Thane – Belapur Road,
Turbhe,
Navi Mumbai - 401 705,
Maharashtra
Phone: +91 22 27684716

Secunderabad

Flat No. 001 ,
Rehana Manzil,
Plot No. 12/13,
Sanjeevaiah Nagar,
House Building Society,
Sikh Village,
Secunderabad - 500 009,
Telangana
Ph.: +91 40 40023654

Vadodara

Sitaram Complex
Shop No.38 &39,
(Ground Floor),
Near Channi GEB,
Channi Road,
Vadodara - 391 740,
Gujarat
Tele Fax : +91 265 3935244

Indore

R 96, Mahalaxmi Nagar,
Indore - 452010,
Madhya Pradesh
Ph. : +91 88 19900204

Dealers Stamp