

# KÄRCHER

makes a difference

A close-up, angled view of a yellow Kärcher logo on a curved, glossy surface. The logo consists of the word 'KÄRCHER' in bold, black, sans-serif capital letters, with a thick black horizontal bar underneath it. The surface is bright yellow and reflects light, creating a sense of depth and texture.

# KÄRCHER

## PROGRAMME 2016



## FOCUS ON THE CUSTOMER.

Nowadays many products are interchangeable and offer hardly any unique selling points. Kärcher makes the difference. For instance, patios, garden furniture and cars are cleaned to a shine and left looking as good as new thanks to the outstanding technology of high-pressure cleaning. Compared to other brands, Kärcher cleaning appliances stand out because of their high cleaning performance and efficiency. This is achieved with Kärcher's patented nozzle technology, as well as the perfect connection to individual models. The results mean a 50% reduction in cleaning time and therefore up to 50% saving in terms of energy and water. Kärcher also makes the difference with steam cleaning. Our new generation of steam cleaners provide non-stop steam for efficiency, without any cleaning interruptions. Steam cleaning throughout the home is hygienic and environmentally friendly, and reliably removes 99.99% of all common household bacteria - without chemicals. The new, compact handheld steam cleaner is ideal for impromptu cleaning. With the extension tube and floor nozzle, the handheld steam cleaner can be transformed into a steam mop in no time. Kärcher's outstanding watering systems also make a considerable difference by providing targeted, resource-conserving water distribution. The Kärcher Rain System® adapts precisely to your plant's individual needs, our watering timers turn on and off automatically letting your garden water itself. **Discover the difference. With Kärcher.**





## Table of Contents

■ <b>Outdoor</b>		
Pressure washers	Page	8
Sweepers	Page	58
■ <b>Indoor</b>		
Multi-purpose vacuum cleaners	Page	62
Spray extraction cleaners	Page	78
Ash and dry vacuum cleaners	Page	80
Indoor Cleaning	Page	88
■ <b>Garden</b>		
Watering systems	Page	120
Drainage pumps	Page	140



## ENTHUSIASM. INNOVATION. SUCCESS.

Since the beginning more than 80 years ago, as a value-oriented family business Kärcher has developed into a global brand which offers its customers three strong attributes: top performance, innovation and quality. Today, Kärcher is a leading global provider of efficient, resource-conserving cleaning systems and is characterised by reliable, user-friendly products, excellent service and ongoing commitment to the environment, culture and sport.







**1 Innovative from the beginning**

Kärcher invented the pressure washer – and continues to reinvent it again and again, of course with consistently high product quality. In 1950 Kärcher developed the first European hot water pressure washer for professional cleaning. In 1984 Kärcher then launched the first portable pressure washer, the HD 555, for private households – a milestone in the history of the company and of cleaning.

**2 Design prizes and patents**

Kärcher cleaning appliances combine functionality, ease of use and a sophisticated appearance. This has meant that our products have already won more than 120 national and international prizes for exemplary design. In addition, more than 1,500 patents and utility models are evidence of the company's ingenuity and love of innovation. Our focus is always on the needs of our customers.

**3 In-house research and development**

Kärcher develops high-performance systems, which include cleaning machines, accessories and special cleaning detergents and care products. We use regular surveys to conscientiously determine what our customers want and need. The insights gained are incorporated directly into product development. This is how we ensure that each new development meets the needs of our customers.

**4 We're there for you, wherever you need us**


Kärcher stands for top performance – not just in terms of products, but also in terms of service. As the world's largest manufacturer of cleaning machines, we are there for our customers worldwide and at more than 50,000 service and sales points. Kärcher is your reliable partner. You can depend on that. At any time.

**5 Sporting commitment**

Kärcher supports the world-famous Dakar rally as an official partner, for example with a fully-automatic Kärcher recycling system. Equipped with a sand filter, the system processes the washing water and therefore reduces fresh water consumption by up to 85%. By the way: this is an excellent opportunity to demonstrate the efficiency and performance of our products in extreme conditions.

# SUSTAINABLE BUSINESS – OUR CONTRIBUTION TO THE FUTURE.

In the quest for sustainability, the journey is the goal. This is the journey into the future that Kärcher has been taking with exemplary commitment for decades. At Kärcher, sustainability is based on the three pillars of economy, social responsibility and environmental protection equally. That also includes treating people fairly and using natural resources responsibly. This approach to sustainability is anchored as a corporate goal at Kärcher: doing business with responsibility for people and the environment.



## Responsibility for people and the environment

Kärcher pursues healthy, sustainable growth that respects people and the environment. With our sustainability strategy 2020, we are aiming to reduce our CO<sub>2</sub> emissions by 20% by 2020. And how do we intend to do that? With efficiency: our combined heat and power plant has reduced CO<sub>2</sub> emissions by 56% compared to the previous gas heating system. Our woodchip-fired heating plant saves 340,000 litres of heating oil annually and therefore over 1,000 tonnes of CO<sub>2</sub>. Our new ice storage heating system generates a saving of 40 tonnes of CO<sub>2</sub> annually, while our highly efficient heat recovery systems save 51 tonnes of CO<sub>2</sub> annually. There are also three photovoltaic systems that reduce our carbon footprint by a further 50 tonnes annually, and our geothermal system also makes a significant contribution.

Responsible treatment of people and the environment is firmly anchored in Kärcher's code of conduct, which is based strictly on the UN Global Compact and is binding for all of our locations, as well as our suppliers.


## Mission: clean water

Commitment to environmental protection and conservation is a high priority at Kärcher. This is why, for example, we support the Global Nature Fund. The Global Nature Fund is an international, non-governmental foundation which, among other things, works on the improvement of water quality in rivers and lakes – a subject which is obviously particularly close to Kärcher's heart as a leading cleaning specialist. The joint cooperation project "Clean Water for the World" for the sustainable promotion of clean domestic waterways using natural water filter systems is a good example of the successful collaboration. Water filter systems – also known as green filter systems – are water channels with a surface covered with floating water plants. The metabolism of the plants means that organic substances which are in the waste water are naturally broken down. The first shared water filter system was built in Colombia in 2013. As part of the "Clean Water for the World" campaign, a first organic water treatment plant in San Miguel de Sama was constructed in 2013. A further green filtration plant was recently inaugurated: in the Colombian city of Susa, around 1,000 people will profit in future from natural waste water purification using water hyacinths. Among numerous guests, Fernando Marin Gutierrez, chief executive of Kärcher Colombia, was also present at the inauguration event and visited the finished project. Alongside the two already completed green filter plants, there are currently three further plants in construction in Colombia (Fuquene and Cuitiva) and in Mexico (San Andres Ixtlan).



# DIFFERENT COUNTRIES, DIFFERENT PLUGS.

Electricity is not the same everywhere. For historical reasons, there are distinct differences from one country to the next with regard to frequency, voltage and connectors. Kärcher offers exactly the right solution for every country.



## 1 The right connection

When selecting a device, always pay attention to the particulars of the electricity network and the plug type.

## 2 MX 127 V, 60 Hz

Mexico variants are designed for countries with a nominal voltage of 127 V at 60 Hz. In countries with a nominal voltage of 127 V at 50 Hz, devices with an universal motor that can operate at both frequencies can be used (pay attention to the plug type).

## 3 EU 220–240 V, 50 Hz

Europe variants are designed for countries with a nominal voltage of 220–240 V at 50 Hz. In countries with a nominal voltage of 220–240 V at 60 Hz, devices with a universal motor that can operate at both frequencies can be used (pay attention to the plug type).

## 4 GB 220–240 V, 50 Hz

Great Britain variants are designed for countries with a nominal voltage of 220–240 V at 50 Hz. In countries with a nominal voltage of 220–240 V at 60 Hz, devices with a universal motor that can operate at both frequencies can be used (pay attention to the plug type).

## 5 SA 220 V, 60 Hz

Saudi Arabia variants are designed for countries with a nominal voltage of 220 V at 60 Hz. In countries with a nominal voltage of 220–240 V at 50 Hz, devices with a universal motor that can operate at both frequencies can be used (pay attention to the plug type).

# WHY KÄRCHER MAKES THE DIFFERENCE.

Whether it is tender care or powerful cleaning – Kärcher pressure washers offer the perfect solution for every cleaning task. Where previously dirt reigned supreme, afterwards there is nothing but cleanliness. With Kärcher you are enhancing your home environment and returning things to their true value: old becomes new, shabby becomes chic. Passionate engineering, the highest quality standards and decades of experience in developing innovative pressure washers make this possible.



## Table of contents: Pressure washers and sweepers

Overview of devices	Page 12	K 2 Classic Range	Page 35
K 5 Range	Page 14	K 2 Family Range	Page 36
K 4 Range	Page 18	Accessories	Page 38
K 3 Range	Page 20	Detergents	Page 54
K 2 Range	Page 26	Sweepers	Page 58
X Range	Page 33		
Follow Me Range	Page 34		






1

2

GERMAN ENGINEERING  
GERMAN TECHNOLOGY

**100%**  
Quality tested

3



4



### 1 Outstanding cleaning performance

Compared with the competition, Kärcher pressure washers are distinguished by a greater cleaning performance and efficiency. In short: Cleaning is much faster, saving up to 50 per cent time and therefore 50 per cent energy and water, as confirmed by regular tests carried out by Kärcher. The Kärcher test design was scientifically supported by the Fraunhofer IPA institute.

### 2 Quality products - made in Germany

As the inventor of high-pressure cleaning, Kärcher has unique specialist knowledge, the breadth and depth of which is unrivalled in the marketplace. For over 60 years, Kärcher has been perfecting the art of high-pressure cleaning and is constantly in the spotlight on account of its outstanding innovations. As the global market leader we offer the most reliable pressure washers on the market. We manufacture all of our devices in our own factories to the highest production standards. Before the products leave the factories, they are fully tested for their functionality and performance. That is why we can always guarantee to our customers that they are purchasing perfect products, which speak for themselves in terms of their performance capabilities and long service life.

### 3 Versatility is the name of the game

Kärcher offers the largest range of accessories and cleaning agents on the market, and therefore opens up unlimited application possibilities for high-pressure cleaning. Kärcher has the right solution for almost any cleaning challenge. The perfect example: Kärcher's new surface cleaners, which cut cleaning times for horizontal and vertical surfaces in half – and without annoying water spray.

### 4 Sustainability is our guiding principle

In direct comparison with a water hose, Kärcher pressure washers save up to 3,100 litres of water per hour, thereby reducing water consumption by around 80%. What's more, pressure washers in classes K 3 – K 7 can also be operated with service water. The devices simply draw the water from a tank, for example a water butt. The operator therefore saves precious drinking water, protects the environment and can work independently of the water mains. On top of that, Kärcher is the only manufacturer on the market to offer special ecologic pressure washers in its range.

## THE RIGHT PRODUCT RANGE FOR ALL YOUR NEEDS.

Diversity is the name of the game at Kärcher: as well as pressure washers with various performance classes, there are also different product ranges available. Behind every product range there is a totally unique product concept, which takes into account specific customer requirements. These include ease of use, compactness, sustainability, weight, mobility or specific fields of application, such as car cleaning. In short: at Kärcher, we have the perfect pressure washer for everyone – guaranteed.



1



3



3



2



4

### 1 Premium Range

Attractive appearance meets impressive functionality: the Kärcher Premium Range leaves nothing to be desired. The upright devices with detergent application from K 4 onwards are even equipped with an additional hose reel – for even more convenient handling.

### 2 Standard Range

The upright pressure washers in the Kärcher Standard Range impress with their sophisticated design and provide everything that a modern device should have today. This also includes, for example, detergent application for an extended range of applications.

### 3 Compact Range

Small yet powerful: Kärcher's Compact Range impresses with its compact dimensions, minimal floor space requirements, easy storage and high level of mobility – and with the same performance data as its big brothers in other product ranges.

### 4 Family Range

The Kärcher pressure washers from the K 2 Family range impress with their functional design and outstanding value for money.



## THE X RANGE - HIGH PRESSURE CLEANING WITH COMFORT.

Pressure cleaning is high-speed cleaning. The enormous time savings, relatively low effort and outstanding cleaning results are decisive factors in the growing popularity of this cleaning option. Kärcher offers high-quality entry-level models with many practical features and customary Kärcher quality to preserve your enjoyment of your new device for a long time.



### 1 Super compact

These compact powerhouses are made for easy storage. The optional telescopic handle makes them even more compact when stored and easy to move around when in use.

### 2 Mobility advantage

With or without a telescopic handle, these lightweight and compact devices can be moved easily and effortlessly from one place to the next, and they guarantee clean results in almost no time.

### 3 Quick Connect - a strong connection

What matters is good connections - even with pressure washers. Kärcher Quick Connect gives users a convenient, speedy connection system. The high-pressure hose can easily be connected to the spray gun and the device. It also makes hose storage faster and easier.

### 4 Neat and tidy

Thanks to clever accessory storage, the spray gun, two lances, the power cable and the hose can all be safely stowed directly on the device, always close to hand. The auxiliary soft bag provides additional storage space for items such as brush accessories. The Premium devices from K 4 onwards also feature a convenient hose reel.

### 5 Detergent supply

Pressure washing is even more effective when detergents are used. The detergent can be supplied from a detergent tank, detergent inlet or Plug 'n' Clean system.

# OVERVIEW OF DEVICES

OUTDOOR

		Connected load (kW)	Max. pressure (bar / PSI)	Max. flow rate (l/h)	High-pressure hose (m)	One-jet spray lance	Vario Power spray lance	Dirt blaster	Foam jet	Wash brush	Detergent application	Surface cleaner	Quick Connect	Hose reel	Page
<b>Pressure washers with electric drive</b>															
	K 5 Premium KR / SA / PE	2.1	20-145 / 2-14.5	500	8	-	■	■	-	-	■	-	■	■	14
	K 5 MX	1.6	20-140 / 290-2000	330	9	-	■	■	-	-	■	-	■	-	15
	K 5 Basic MX	1.6	20-140 / 290-2000	330	9	-	■	■	-	-	■	-	■	-	16
	K 4 Premium MX	1.5	20-125 / 290-1800	300	8	-	■	■	-	-	■	-	■	■	17
	K 4 Premium Car MX	1.5	20-125 / 290-1800	300	8	-	■	■	-	-	■	-	■	■	17
	K 4 Premium Car PE	1.8	20-30 / 290-1885	420	6	-	■	■	■	■	■	-	■	■	17
	K 4 MX	1.5	20-125 / 290-1800	300	8	-	■	■	-	-	■	-	■	-	18
	K 4 PE / KR / SA	1.8	20-30 / 290-1885	420	6	-	■	■	-	-	■	-	■	-	18
	K 4 Basic MX	1.5	20-125 / 290-1800	300	8	-	■	■	-	-	■	-	■	-	19
	K 3 Comfort MX / AR / PE	1.5	120 / 1700	330	4	-	■	■	-	-	■	-	-	-	20
	K 3 Comfort Black MX / AR / PE	1.5	120 / 1700	330	6	-	■	■	-	-	■	-	-	-	21
	K 3 Comfort Black Home MX / AR / PE	1.5	120 / 1700	330	6	-	■	■	-	-	■	T 150	-	-	21
	K 3 Comfort Black Home & Car MX / AR / PE	1.5	120 / 1700	330	6	-	■	■	■	■	■	T 150	-	-	21
	K 3 EU / AE	1.6	20-120 / 290-1740	380	6/8	-	■	■	-	-	■	-	■	-	22
	K 3 Home T 150 EU	1.6	20-120 / 290-1740	380	6	-	■	■	-	-	■	T 150	■	-	22
	K 3 Home T 350 EU / AE	1.6	20-120 / 290-1740	380	6/8	-	■	■	-	-	■	T 350	■	-	22
	K 3 MX	1.65	20-117 / 290-1700	330	6	-	■	■	-	-	■	-	■	-	23
	K 3 Car EU	1.6	20-120 / 290-1740	380	6	-	■	■	■	■	■	-	■	-	24
	K 3 Car & Home T 150 EU	1.6	20-120 / 290-1740	380	6	-	■	■	■	■	■	T 150	■	-	24
	K 3 Car & Home T 350 EU	1.6	20-120 / 290-1740	380	6	-	■	■	■	■	■	T 350	■	-	24
	K 3.200 KR	1.7	20-120	420	6	-	■	■	-	-	■	-	-	-	25
	K 2 Premium Telescopic MX	1.4	20-110 / 290-1600	280	6	-	■	■	-	-	■	-	-	-	26
	K 2 Premium EU	1.4	20-110 / 290-1600	360	6	-	■	■	-	-	■	-	-	-	27
	K 2 Premium Car EU / GB	1.4	20-110 / 290-1600	360	6	-	■	■	■	■	■	-	-	-	27
	K 2 Premium Home EU / GB	1.4	20-110 / 290-1600	360	6	-	■	■	-	-	■	T 150	-	-	27
	K 2 Premium Home MX	1.4	20-110 / 290-1600	280	6	-	■	■	-	-	■	T 150	-	-	27
	K 2 Premium Car & Home EU / GB	1.4	20-110 / 290-1600	360	6	-	■	■	■	■	■	T 150	-	-	27
	K 2 Telescopic EU	1.4	20-110 / 290-1600	360	4	■	-	■	-	-	■	-	-	-	28
	K 2 Telescopic MX	1.4	20-110 / 290-1600	280	5	-	■	■	-	-	■	-	-	-	28

■ Included in the scope of supply.



			Connected load (kW)	Max. pressure (bar /PSI)	Max. flow rate (l/h)	High-pressure hose (m)	One-jet spray lance	Vario Power spray lance	Dirt blaster	Foam jet	Wash brush	Detergent application	Surface cleaner	Quick Connect	Hose reel	Page
<b>Pressure washers with electric drive</b>																
	K 2	EU	1.4	20-110 / 290-1600	360	4	■	-	■	-	-	■	-	-	-	29
	K 2	GB	1.4	20-110 / 290-1600	360	4	-	■	■	-	-	■	-	-	-	29
	K 2	MX	1.4	20-110 / 290-1600	280	5	-	■	■	-	-	■	-	-	-	29
	K 2 Car	EU	1.4	20-110 / 290-1600	360	4	■	-	■	■	■	■	-	-	-	29
	K 2 Car	GB	1.4	20-110 / 290-1600	360	4	-	■	■	■	■	■	-	-	-	29
	K 2 Car	MX	1.4	20-110 / 290-1600	280	5	-	■	■	■	■	■	-	-	-	29
	K 2 Home	EU / GB	1.4	20-110 / 290-1600	360	4	■ / -	- / ■	■	-	-	■	T 150	-	-	29
	K 2 Car & Home	EU / GB	1.4	20-110 / 290-1600	360	4	■ / -	- / ■	■	■	■	■	T 150	-	-	29
	K 2 Compact	EU / GB	1.4	20-110 / 290-1600	360	4	■	-	■	-	-	■	-	-	-	30
	K 2 Compact Car	EU / GB / CL	1.4	20-110 / 290-1600	360	4	■	-	■	■	■	■	-	-	-	30
	K 2 Compact Home	EU / GB	1.4	20-110 / 290-1600	360	4	■	-	■	-	-	■	T 150	-	-	30
	K 2 Compact Car & Home	EU / GB	1.4	20-110 / 290-1600	360	4	■	-	■	■	■	■	T 150	-	-	30
	K 2 Compact	MX	1.4	20-110 / 290-1600	280	5	■	-	■	-	-	■	-	-	-	31
	K 2 Basic	EU I / EU II	1.4	20-110 / 290-1600	360	3	- / ■	-	■ / -	-	-	■	-	-	-	32
	K 2 Basic	GB / MX	1.4	20-110 / 290-1600	280	3	■ / -	-	■	-	-	■	-	-	-	32
	K 2 Basic Promo	MX	1.4	20-110 / 290-1600	280	3	■	-	-	-	-	■	-	-	-	32
	K 7.700	SA	2.8	20-160 / 290-2320	550	12	-	■	■	-	■	-	-	■	■	33
	K 6.600	SA	2.5	20-150 / 290-2175	530	9	-	■	■	-	■	-	-	■	■	33
	K 3.000 Follow Me	MX	1.6	20-125 / 290-1800	415	6	-	■	■	-	-	■	-	-	-	34
	K 2 Classic	SEA	1.4	20-110 / 290-1600	330	3	■	-	-	-	-	■	-	-	-	35
	K 2 Classic	TW	1.4	20-100 / 290-1500	330	3	■	-	-	-	-	■	-	-	-	35
	K 2 Classic	MX	1.4	20-110 / 290-1600	280	3	■	-	-	-	-	■	-	-	-	35
	K 2.360	MX	1.4	20-110 / 290-1600	280	6	-	■	■	-	-	■	-	-	-	36
	K 2.360	KAP	1.4	20-120 / 290-1740	360	6	-	■	■	-	■	■	-	-	-	36
	K 2.350	MX	1.4	20-105 / 290-1500	300	6	-	■	■	-	-	-	-	-	-	36
	K 2.350	KAP	1.4	20-110 / 290-1600	360	6	-	■	■	-	■	-	-	-	-	36
	K 1	MX	1.2	100 /1450	270	3	■	-	-	-	-	-	-	-	-	37
	K 1	KAP	1.2	100 /1450	300	3	■	-	-	-	-	-	-	-	-	37
	K 1	CO	1.2	100 /1450	300	3	■	-	-	-	-	-	-	-	-	37

■ Included in the scope of supply.

## THE K 5 PREMIUM RANGE.

The K5 Premium Range with powerful water-cooled motors is ideal for occasional use and removal of moderate dirt. Quickly and effortlessly cleans large vehicles, stone walls and bicycles. The equipment includes a spray gun with Quick Connect adaptor, 8 m high-pressure hose, Vario Power spray lance, Dirt blaster to remove stubborn dirt, water filter and Kärcher detergents in the practical Plug 'n' Clean bottle.



### Optimal mobility

The wheels and ergonomic handle height make manoeuvring easy.



### Large hook

Generous cable hook for the tidy storage of the cable directly on the device.



### Always close to hand

The accessories can be stored directly on the device and therefore are always within easy reach.



### Technical data

Frequency	Hz	60
Voltage	V	220
Max. pressure	bar / MPa	20-145 / 2-14.5
Max. flow rate	l/h	500
Area performance	m <sup>2</sup> /h	40
Connected load	kW	2.1
Max. water inlet temperature	°C	40
Weight without accessories	kg	14.5
Dimensions (L x W x H)	mm	349 x 426 x 878

### Equipment

High-pressure gun with high-pressure hose	8 m
Handle	Fixed with hose reel
Quick Connect	■
Detergent use via	Plug 'n' Clean system
Water filter	■
Water suction	■



### K 5 Premium

- Highly efficient water-cooled motor
- High-pressure hose reel
- Plug 'n' Clean detergent system



### Accessories

One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	1 l Universal Cleaner
Foam jet	-
Wash brush	-
Drying cloth	-
Order number KR	1.181-327.0
Order number SA	1.181-323.0
Order number PE	1.181-325.0

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53.  
For cleaning and care agents, please see pages 54 - 57.



## THE K 5

The K5 Range has been designed to deal with moderate dirt and is ideal for cleaning large vehicles, houses and boats. The devices are equipped with a powerful water-cooled motor and have a Quick Connect spray gun, 9 m rubber high-pressure hose, a Vario Power spray lance for sensitive surfaces as well as a dirt blaster to remove stubborn dirt. A water filter reliably protects the pump. The package is rounded off by Kärcher detergents in the practical Plug 'n' Clean bottle.



### Detergent regulator

Perfect dosage according to demand - the practical detergent adjustment makes it possible.



### Large hook

Generous cable hook for the tidy storage of the cable directly on the device.



### Hard or gentle

With the Vario Power Jet, the pressure can be adjusted with a simple twist to the desired level for the cleaning task.



### Powerful universal cleaner

With active dirt remover, which effortlessly removes oil, grease and stubborn mineral dirt in just cold water.

Technical data		
Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / MPa / PSI	20-140 / 2-14 / 290-2000
Max. flow rate	l/h	330
Area performance	m <sup>2</sup> /h	40
Connected load	kW	1.6
Max. water inlet temperature	°C	40
Weight without accessories	kg	15
Dimensions (L × W × H)	mm	344 × 396 × 875

### Equipment

High-pressure gun with high-pressure hose	9 m rubber
Handle	fixed
Quick Connect	■
Detergent use via	Plug 'n' Clean system
Water filter	■
Water suction	■



### K 5

- Quick Connect
- Plug 'n' Clean detergent system
- Detergent regulator



### Accessories

One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	1 l Universal Cleaner
Foam jet	-
Wash brush	-
Drying cloth	-
<b>Order number MX</b>	<b>1.180-643.0</b>

■ Included in the scope of supply.

## THE K 5 BASIC

The K 5 Basic with telescopic handle, Quick Connect spray gun, 9 m rubber high-pressure hose and a water filter to protect the pump is perfect for stubborn dirt. The pressure in the Vario Power spray lance (VPS) can be adjusted simply by twisting it, and the extra powerful dirt blaster, with its rotating point jet, removes even the most stubborn dirt.



### Soft bag

The K 5 Basic comes complete with a soft bag for versatile accessory storage, so the accessories can be stored directly on the device.



### Telescopic handle

The extendable telescopic handle of the K 5 allows an ergonomic pulling height and space-saving storage.



### Quick Connect

The hose can be connected and disconnected at the push of a button. An extension hose can be connected more quickly and the hose on the device can be stored more quickly.



### 80% more power

The rotating high-pressure jet combines the power of a point jet with the area performance of a flat jet - and dissolves even the most stubborn dirt.

### Technical data

Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / MPa / PSI	20-140 / 2-14 / 290-2000
Max. flow rate	l/h	330
Area performance	m <sup>2</sup> /h	40
Connected load	kW	1.6
Max. water inlet temperature	°C	40
Weight without accessories	kg	14
Dimensions (L x W x H)	mm	285 x 309 x 867

### Equipment

High-pressure gun with high-pressure hose	9 m rubber
Handle	Telescopic
Quick Connect	■
Detergent use via	Suction
Water filter	■
Water suction	■



### K 5 Basic

- Quick Connect
- Detergent suction
- Telescopic handle



### Accessories

One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
Drying cloth	-
Order number MX	1.180-582.0

■ Included in the scope of supply.



## THE K 4 PREMIUM RANGE

The K 4 Premium Range is ideal for spontaneous use around the house. Moderate dirt, for example on cars, fences or bicycles is easy to remove. The devices are equipped with a hose reel for optimum ease of use and storage. There is also a Quick Connect spray gun, an 8 m or 6 m high-pressure hose, a Vario Power spray lance, a dirt blaster and a water filter.



### Optimal storage

Always neatly tidied away – thanks to the practical hose reel on the K 4 Premium.



### Very handy

Practical hard case for storing accessories on the device.



### Car cleaning kit

For shiny well-kept cars: foam jet, 3-in-1 Car Shampoo and wash brush.



### Plug 'n' Clean

Quick, easy, convenient – thanks to Plug 'n' Clean, the detergent can be replaced with just one simple movement (PE variant).


Technical data			
Frequency		Hz	60
Voltage	<b>MX / PE</b>	V	127 / 220
Max. pressure	<b>MX</b>	bar / MPa / PSI	20-125/2-12.5/290-1800
Max. pressure	<b>PE</b>	bar / MPa / PSI	20-130/2-13/290-1885
Max. flow rate	<b>MX / PE</b>	l/h	300 / 420
Area performance		m <sup>2</sup> /h	30
Connected load	<b>MX / PE</b>	kW	1.5 / 1.8
Max. water inlet temperature		°C	40
Weight without accessories	<b>MX / PE</b>	kg	14 / 14.1
Dimensions (L × W × H)	<b>MX / PE</b>	mm	332 × 426 × 872 / 349 × 426 × 878

Equipment		
High-pressure gun with high-pressure hose	<b>MX / PE</b>	8 m / 6 m
Handle		Fixed with hose reel
Quick Connect		■
Detergent use via	<b>MX / PE</b>	Tank / Plug 'n' Clean
Water filter		■
Water suction		■



### K 4 Premium

- High-pressure hose reel
- Detergent tank in the MX variant
- Plug 'n' Clean in the PE variant
- Detergent regulator



Accessories	K 4 Premium	K 4 Premium Car
One-jet spray lance	-	-
Vario Power spray lance	■	■
Dirt blaster	■	■
Surface cleaner	-	-
Water suction hose	-	-
Cleaning agents	-	1 l 3-in-1 Car Shampoo
Foam jet	-	■
Wash brush	-	■
Drying cloth	-	-
Order number MX	<b>1.601-870.0</b>	<b>1.601-871.0</b>
Order number PE	-	<b>1.180-318.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 – 53.  
For cleaning and care agents, please see pages 54 – 57.

# THE K 4

Powerful and durable water-cooled motors are a key feature of the K 4. The devices with Quick Connect spray gun and an 8 m high-pressure hose were designed for occasional use and moderate dirt. They are ideal for cleaning vehicles, garden fences, bicycles, etc. thanks to the Vario Power spray lance and dirt blaster. A built-in water filter reliably protects the pump against the ingress of dirt particles.



### Quick Connect

The hose can be connected and disconnected at the push of a button. An extension hose can be connected more quickly and the hose on the device can be stored more quickly.



### Hooked on tidiness

Generous hose hook for the tidy storage of the hose directly on the device.



### Detergent regulator

Perfect dosage according to demand - the practical detergent adjustment makes it possible.



### Strong or gentle

With the Vario Power spray lance, the pressure can be adjusted by a simple twist to the desired level for the cleaning task.

Technical data			
Frequency		Hz	60
Voltage	MX / PE, KR, SA	V	127 / 220
Max. pressure	MX	bar / MPa / PSI	20-125 / 2-12.5 / 290-1800
Max. pressure	PE, KR, SA	bar / MPa / PSI	20-130 / 2-13 / 290-1885
Max. flow rate	MX / PE, KR, SA	l/h	300 / 420
Area performance		m <sup>2</sup> /h	30
Connected load	MX / PE, KR, SA	kW	1.5 / 1.8
Max. water inlet temperature		°C	40
Weight without accessories		kg	12.86
Dimensions (L x W x H)		mm	306 x 396 x 872

Equipment			
High-pressure gun with high-pressure hose	MX / PE, KR, SA		8 m / 6 m
Handle			fixed
Quick Connect			■
Detergent use via	MX / PE, KR, SA		Tank / Plug 'n' Clean
Water filter			■
Water suction			■



K 4

- Detergent regulator
- Cable suspension
- Quick Connect
- Aluminium bicomponents pump in the SA variant




Accessories		
One-jet spray lance		-
Vario Power spray lance		■
Dirt blaster		■
Surface cleaner		-
Water suction hose		-
Cleaning agents	MX / PE, KR, SA	- / 1   Plug 'n' Clean universal cleaner
Foam jet		-
Wash brush		-
Drying cloth		-
Order number MX		1.601-850.0
Order number PE		1.180-163.0
Order number KR		1.180-164.0
Order number SA		1.180-231.0

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53. For cleaning and care agents, please see pages 54 - 57.

## THE K 4 BASIC

The solution for moderately dirty cars, smaller houses, garden fences, bicycles etc. The K 4 Basic with durable motor features a telescopic handle, a Quick Connect spray gun, an 8 m high-pressure hose, a water filter, a Vario Power spray lance with variable pressure, as well as an extra-powerful dirt blaster with rotating point jet for tackling stubborn dirt.



### Telescopic handle

The extendable telescopic handle of the K 4 Basic allows an ergonomic pulling height and space-saving storage.



### Soft bag

The K 4 Basic comes complete with a soft bag for versatile accessory storage, so the accessories can be stored directly on the device.



### Strong or gentle

With the Vario Power spray lance, the pressure can be adjusted by a simple twist to the desired level for the cleaning task.



### 80% more power

The rotating high-pressure jet combines the power of a point jet with the area performance of a flat jet - and dissolves even the most stubborn dirt.

### Technical data

Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / MPa / PSI	20-125 / 2-12.5 / 290-1800
Max. flow rate	l/h	300
Area performance	m <sup>2</sup> /h	30
Connected load	kW	1.5
Max. water inlet temperature	°C	40
Weight without accessories	kg	12.26
Dimensions (L x W x H)	mm	285 x 309 x 867

### Equipment

High-pressure gun with high-pressure hose	8 m
Handle	Telescopic
Quick Connect	■
Detergent use via	Suction hose
Water filter	■
Water suction	■



**K 4 Basic**

- Quick Connect
- Detergent suction
- Telescopic handle



### Accessories

One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
Drying cloth	-
<b>Order number MX</b>	<b>1.601-860.0</b>

■ Included in the scope of supply.



# THE K 3 COMFORT

Designed to make day-to-day family life easier: the compact, featherweight K 3 Comfort. This pressure washer is the perfect middle-class model for daily use, ideal for cleaning driveways, terraces, outside areas around the house, as well as bicycles, motorbikes and cars. Thanks to the telescopic handle, an additional carrying handle below and large wheels, it is easy to transport around the whole house. With the flexible storage net, all accessories can be securely stored and are always close at hand.



### Variable power

By adjusting the Vario Power spray lance, you can adjust the pressure for individual cleaning tasks.



### Integrated water filter

Thanks to the water filter, even impure water can be used for cleaning. The filter keeps small dirt particles out of the high-pressure pump, thereby extending the lifetime of the pump.



### Full cleaning power

Thanks to the built-in suction mechanism for detergents, the K 3 Comfort reaches its full cleaning potential effortlessly.



### Practical accessory net

The flexible storage net is included with devices in the K 3 Comfort range, allowing accessories to be stored directly on the device.

### Technical data

Frequency	Hz	50 - 60
Voltage	MX / AR, PE V	127 / 220 - 240
Max. pressure	bar / MPa / PSI	120 / 12 / 1700
Max. flow rate	l/h	330
Area performance	m <sup>2</sup> /h	120
Connected load	kW	1.5
Max. water inlet temperature	°C	40
Weight without accessories	kg	7.0
Dimensions (L × W × H)	mm	310 × 345 × 571

### Equipment

High-pressure gun with high-pressure hose	4 m
Handle	Telescopic
Quick Connect	-
Detergent use via	Suction hose
Water filter	■
Water suction	-



**K 3 Comfort**

- Telescopic handle
- Detergent suction
- Accessory storage net



### Accessories

One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
Drying cloth	-
Order number MX	1.994-014.0
Order number AR	1.994-015.0
Order number PE	1.994-016.0

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53. For cleaning and care agents, please see pages 54 - 57.

# THE K 3 COMFORT BLACK RANGE

The K 3 Comfort Black offers the same advantages as the K 3 Comfort, but thanks to the Home Kit and Home & Car Kit it is even more flexible to use in day-to-day family life. What's more, the pumps on all models in this range are protected against dirt particles by an additional water filter and are equipped with a longer pressure hose of 6 m.



### Additional water filter

The integrated Micra 60 filter offers additional protection for the high-pressure pump. The water filter traps dirt particles, thereby extending the service life of the pressure washer.



### Home Kit

The T 50 Surface Cleaner with splash guard enables fast cleaning and delivers gleaming results.



### Home & Car Kit

The complete kit for spotlessly clean vehicles and quick surface cleaning around the house: T 50 Surface Cleaner with splash guard, wash brush for car tyres and wheel rims and a foam jet for detergent and other chemicals.

### Technical data

Frequency	Hz	50 - 60
Voltage	<b>MX / AR, PE</b> V	127 / 220 - 240
Max. pressure	<b>bar / MPa / PSI</b>	120 / 12 / 1700
Max. flow rate	l/h	330
Area performance	m <sup>2</sup> /h	120
Connected load	kW	1.5
Max. water inlet temperature	°C	40
Weight without accessories	kg	7.0
Dimensions (L x W x H)	mm	310 x 345 x 571

### Equipment

High-pressure gun with high-pressure hose	6 m
Handle	Telescopic
Quick Connect	-
Detergent use via	Suction hose
Water filter	■
Water suction	-



35%  
MORE POWER  
THAN A GARDEN HOSE

SAVE WATER  
UP TO  
**80%**  
IF COMPARED WITH  
A GARDEN HOSE

### K 3 Comfort Black

- Telescopic handle
- Detergent suction
- Accessory storage net



Accessories	K 3 Comfort Black	K 3 Comfort Black Home	K 3 Comfort Black Home & Car
One-jet spray lance	-	-	-
Vario Power spray lance	■	■	■
Dirt blaster	■	■	■
Surface cleaner	-	T 50	T 50
Water suction hose	-	-	-
Cleaning agents	-	-	-
Foam jet	-	-	■
Wash brush	-	■	■
Drying cloth	-	-	-
<b>Order number MX</b>	<b>1.994-072.0</b>	<b>1.994-073.0</b>	<b>1.994-074.0</b>
<b>Order number AR</b>	<b>1.994-075.0</b>	<b>1.994-076.0</b>	<b>1.994-077.0</b>
<b>Order number PE</b>	<b>1.994-078.0</b>	<b>1.994-079.0</b>	<b>1.994-080.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53. For cleaning and care agents, please see pages 54 - 57.



# THE K 3 RANGE

The ideal devices for occasional use around the house. Thanks to the practical hooks on the handle, the cable and hose are always stowed neatly and there when you need them. The Home Kit - with Patio & Deck detergent and the T 150 or T 350 Surface Cleaner - allows relatively large areas to be cleaned quickly and splash-free. The PS 20 Power Scrubber in the Stairs Kit is the perfect solution for narrow staircases and hard-to-reach areas.



### Strong or gentle

With the Vario Power spray lance, the pressure can be adjusted by a simple twist to the desired level for the cleaning task.



### Clean tank solution

The practical detergent tank simplifies the use of cleaning agents.



### Home Kit

T 150 Surface Cleaner (with splash guard) and Patio & Deck concentrate, for quick cleaning of large areas.

### Technical data

Frequency	Hz	50 - 60
Voltage	V	220 - 240
Max. pressure	bar / MPa / PSI	20-120 / 2-12 / 290-1740
Max. flow rate	l/h	380
Area performance	m <sup>2</sup> /h	25
Connected load	kW	1.6
Max. water inlet temperature	°C	40
Weight without accessories	kg	5.8
Dimensions (L x W x H)	mm	275 x 279 x 803

### Equipment

High-pressure gun with high-pressure hose	EU / AE	6 m / 8 m
Handle		fixed
Quick Connect		■
Detergent use via		Tank
Water filter		■
Water suction		-



K 3

- Spray lance storage
- Detergent tank
- Hose and cable hooks



Accessories	K 3	K 3 Home T 150	K 3 Home T 350
One-jet spray lance	-	-	-
Vario Power spray lance	■	■	■
Dirt blaster	■	■	■
Surface cleaner	-	T 150	T 350
Water suction hose	-	-	-
Cleaning agents	-	Patio & Deck concentrate	Patio & Deck concentrate
Foam jet	-	-	-
Wash brush	-	-	-
Drying cloth	-	-	-
Order number EU	1.601-812.0	1.601-821.0	1.601-813.0
Order number EU (Made in Germany)	1.676-000.0	-	-
Order number AE	1.601-815.0	-	1.676-001.0

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53. For cleaning and care agents, please see pages 54 - 57.

## THE K 3 RANGE

Was your last mountain biking trip a muddy one? Or is the dog kennel urgently in need of a spring clean? Then the devices in the K 3 range are the ideal solution. Thanks to the practical hook on the handle, they are ready to use just as quickly as they can be stored away. They also feature a 6 m pressure hose, a trigger gun, the Vario Power spray lance, dirt blaster and a protective water filter.



### Quick Connect

The hose can be connected and disconnected at the push of a button. An extension hose can be connected more quickly and the hose on the device can be stored more quickly.



### Clean tank solution

The practical detergent tank simplifies the application of detergents.



### Tidy storage

The hose hook on the handle and cable hook on the side ensure optimum tidiness.

Technical data		
Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / MPa / PSI	20-117/2-11.7/290-1700
Max. flow rate	l/h	330
Area performance	m <sup>2</sup> /h	25
Connected load	kW	1.65
Max. water inlet temperature	°C	40
Weight without accessories	kg	5.8
Dimensions (L x W x H)	mm	274 x 279 x 802

Equipment	
High-pressure gun with high-pressure hose	6 m
Handle	fixed
Quick Connect	■
Detergent use via	Tank
Water filter	■
Water suction	■



### K 3 MX

- Spray lance storage
- Detergent tank
- Hose and cable hooks



Accessories	
One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
Drying cloth	-
<b>Order number MX</b>	<b>1.601-830.0</b>

■ Included in the scope of supply.

# THE K 3 RANGE

The devices from the K 3 Range are perfect for occasional use around the house. Thanks to the practical hooks on the handle, the cable and hose are always stowed neatly and are there when you need them. Thanks to the Home Kit – with the cleaning agent “Patio & Deck” and the T 150 or T 350 Surface Cleaner – allows relatively large areas to be cleaned quickly and splash-free.



### Everything within reach

Thanks to the practical accessory holder high-pressure guns and spray lances can be safely stowed so they are always within reach.



### Hooked on tidiness

The large hose hook for the tidy stowage of the hose directly on the device.



### Quick Connect

The high-pressure hose can be snapped into and out of the unit quickly and conveniently. This saves time and effort.



### Car Kit

For shiny well-kept cars: Foam jet, car detergent, rotating washing brush.


Technical data		
Frequency	Hz	50 - 60
Voltage	V	220 - 240
Max. pressure	bar / MPa / PSI	20 - 120 / 2 - 12 / 290 - 1740
Max. flow rate	l/h	380
Area performance	m <sup>2</sup> /h	25
Connected load	kW	1.6
Max. water inlet temperature	°C	40
Weight without accessories	kg	5.8
Dimensions (L x W x H)	mm	274 x 279 x 802

Equipment	
High-pressure gun with high-pressure hose	6 m
Handle	fixed
Quick Connect	■
Detergent use via	Tank
Water filter	■
Water suction	-



K 3

- Spray lance storage
- Detergent tank
- Hose and cable hooks



Accessories	K 3 Car	K 3 Car & Home T 150	K 3 Car & Home T 350
One-jet spray lance	-	-	-
Vario Power spray lance	■	■	■
Dirt blaster	■	■	■
Surface cleaner	-	T 150	T 350
Water suction hose	-	-	-
Cleaning agents	Car shampoo concentrate	Patio & Deck concentrate Car shampoo concentrate	Patio & Deck concentrate Car shampoo concentrate
Foam jet	■	■	■
Wash brush	■	■	■
Drying cloth	-	-	-
Order number EU	1.601-819.0	1.601-820.0	1.601-822.0
Order number EU (Made in Germany)	1.676-003.0	-	-

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53.  
For cleaning and care agents, please see pages 54 - 57.



# THE K 3.200


The K 3.200 with water-cooled motor is ideally suited for occasional use on moderate dirt. The pressure washers make fences, bicycles and vehicles shine in the blink of an eye. In spite of their compact dimensions, the devices are impressive thanks to their full power. Two carrying handles and the telescopic handle ensure optimal mobility and space-saving storage. Further equipment: Quick Connect trigger gun, 6 m pressure hose, Vario Power spray lance, dirt blaster and water filter.



**Telescopic handle**  
The high-quality aluminium telescopic handle can be adjusted to a convenient height for transporting, and easily retracted again for storage.



**Quick Connect**  
The high-pressure hose can be snapped into and out of the unit quickly and conveniently. This saves time and effort.



**Very handy**  
Practical hard case for storing accessories on the device.



**Full cleaning power**  
Equipment includes an integrated suction mechanism for detergents.



Technical data		
Frequency	Hz	60
Voltage	V	220
Max. pressure	bar / MPa	20 - 120 / 2 - 12
Max. flow rate	l/h	420
Area performance	m <sup>2</sup> /h	25
Connected load	kW	1.7
Max. water inlet temperature	°C	40
Weight without accessories	kg	10,7
Dimensions (L × W × H)	mm	516 × 295 × 282

Equipment	
High-pressure gun with high-pressure hose	6 m
Handle	Telescopic
Quick Connect	■
Detergent use via	Suction
Water filter	■
Water suction	■



## K 3.200

- Highly efficient water-cooled motor
- Quick Connect
- Small and robust thanks to aluminium telescopic handle and compact design



Accessories	
One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
Drying cloth	-
<b>Order number KR</b>	<b>1.637-305.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53. For cleaning and care agents, please see pages 54 - 57.

# THE K 2 PREMIUM TELESCOPIC

Equipped with a detergent tank, the K 2 Premium Telescopic can master every cleaning solution and reliably deliver high performance for perfect cleaning results. Once the cleaning task is complete, the compact device can be stored without taking up much space.



### Clean tank solution

The practical detergent tank simplifies the use of cleaning agents.



### Up and down

The extendable telescopic handle of the K 2 Premium Telescopic allows an ergonomic pulling height and space-saving storage.



### Strong or gentle

With the Vario Power spray lance, the pressure can be adjusted by a simple twist to the desired level for the cleaning task.



### Practical storage

For extension lances and a hook for optimum tidiness.

### Technical data

Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / MPa / PSI	20 - 110 / 2 - 11 / 290 - 1600
Max. flow rate	l/h	280
Area performance	m <sup>2</sup> /h	20
Connected load	kW	1.4
Max. water inlet temperature	°C	40
Weight without accessories	kg	5.38
Dimensions (L × W × H)	mm	241.6 × 279.8 × 637.5

### Equipment

High-pressure gun with high-pressure hose	6 m
Handle	Telescopic
Quick Connect	-
Detergent use via	Tank
Water filter	■
Water suction	-



### K 2 Premium Telescopic

- Telescopic handle
- Small and robust thanks telescope handle and compact design
- Detergent tank
- Wheels
- Cable hook and accessories storage



### Accessories

One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
<b>Order number MX</b>	<b>1.602-313.0</b>

■ Included in the scope of supply.

## THE K 2 PREMIUM RANGE

The detergent tank makes working with the K 2 Premium Range particularly convenient. The devices are ideally suited for occasional use and moderate dirt such as that on bicycles, garden tools or furniture. Thanks to the Home Kit with T 150 Surface Cleaner and the "Patio & Deck" detergent bottle, even larger areas can be cleaned quickly, and without splashes. Further equipment: Gun, 6 m high-pressure hose, Vario Power spray lance, dirt blaster and water filter.



### Effortless manoeuvring

Large wheels and an extendable handle ensure maximum mobility.



### Variable power

By twisting the vario power spray lance the pressure can be adjusted to suit the cleaning task at hand.



### Clean tank solution

The practical detergent tank simplifies the use of cleaning agents.



### Car & Home Kit

The ultimate "Double pack" for shiny clean vehicles and quick surface cleaning around the house.

Technical data			
Frequency	EU, GB / MX	Hz	50 - 60 / 60
Voltage	EU, GB / MX	V	220 - 240 / 127
Max. pressure		bar/MPa/PSI	20-110 / 2-11 / 290-1600
Max. flow rate	EU, GB / MX	l/h	360 / 280
Area performance		m <sup>2</sup> /h	20
Connected load		kW	1.4
Max. water inlet temperature		°C	40
Weight without accessories	EU, GB / MX	kg	4.9 / 5.3
Dimensions (L × W × H)		mm	242 × 280 × 783


### Equipment

High-pressure gun with high-pressure hose	6 m
Handle	fixed
Quick Connect	-
Detergent use via	Tank
Water filter	■
Water suction	-



### K 2 Premium

- Spray lance storage
- Detergent tank



Accessories	K 2 Premium	K 2 Premium Car	K 2 Premium Home	K 2 Premium Car & Home
One-jet spray lance	-	-	-	-
Vario Power spray lance	■	■	■	■
Dirt blaster	■	■	■	■
Surface cleaner	-	-	T 150	T 150
Water suction hose	-	-	-	-
Cleaning agents	-	Car shampoo concentrate	Patio & Deck concentrate	Patio & Deck concentrate Car shampoo concentrate
Foam jet	-	■	-	■
Wash brush	-	■	-	■
Drying cloth	-	-	-	-
Order number EU	1.673-305.0	1.673-307.0	1.673-300.0	1.673-304.0
Order number GB	-	1.673-303.0	1.673-301.0	1.673-302.0
Order number MX	-	-	1.602-312.0	-

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53.  
For cleaning and care agents, please see pages 54 - 57.



## THE K 2 TELESCOPIC

The versatile all-rounder K 2 Telescopic is always within easy reach. This compactly dimensioned device is a reliable ally for combating minor soiling around your house and garden. With its easy and convenient handling, it stands head and shoulders above conventional cleaning with a sponge, brush and bucket.



### Telescopic handle

The telescopic handle can be adjusted to a convenient height for transporting and retracted again for storage.



### Compact storage

The handy K 2 Telescopic can easily be stored on normal household shelves.



### Full cleaning power

Equipment includes an integrated suction mechanism for detergents.



### Dirt trap

An integrated water filter protects the device in case there is no clean water available.

### Technical data

Frequency	EU / MX	Hz	50-60 / 60
Voltage	EU / MX	V	220-240 / 127
Max. pressure		bar / MPa / PSI	20-110/2-11/290-1600
Max. flow rate	EU / MX	l/h	360 / 280
Area performance		m <sup>2</sup> /h	20
Connected load		kW	1.4
Max. water inlet temperature		°C	40
Weight without accessories	EU / MX	kg	4.7 / 5.5
Dimensions (L × W × H)	EU / MX	mm	241 × 279 × 623 / 242 × 280 × 638

### Equipment

High-pressure gun with high-pressure hose	EU / MX	4 m / 5 m
Handle		Telescopic
Quick Connect		-
Detergent use via		Suction
Water filter		■
Water suction		-



### K 2 Telescopic

- Detergent suction
- Small and robust thanks telescope handle
- Cable hook



### Accessories

One-jet spray lance	EU / MX	■ / -
Vario Power spray lance	EU / MX	- / ■
Dirt blaster		■
Surface cleaner		-
Water suction hose		-
Cleaning agents		-
Foam jet		-
Wash brush		-
Order number EU		1.673-250.0
Order number MX		1.602-215.0

■ Included in the scope of supply.

## THE K 2 RANGE

The K 2 Range features two smooth-running wheels, a spray gun, a high-pressure hose, a single spray lance, dirt blaster with rotating point jet for even more power and a water filter which protects the pump against the ingress of dirt particles. The K 2 Range is intended for occasional use and removal of light dirt around the home, including dirt on bicycles, garden tools or garden furniture. Can also be used for vehicles using the appropriate kit.



### Everything within reach

Thanks to the practical accessory holder high-pressure guns and spray lances can be safely stowed so they are always within reach.



### Full cleaning power

An integrated suction mechanism for detergents is included in the K 2 Kärcher high-pressure washers.



### Hooked on tidiness

The large hose hook for the tidy stowage of the hose directly on the device.



### Car Kit

The ideal combination for shiny, well-kept cars: Foam jet, car detergent and washing brush.

Technical data			
Frequency	EU, GB / MX	Hz	50-60 / 60
Voltage	EU, GB / MX	V	220-240 / 127
Max. pressure		bar / MPa / PSI	20-110/2-11/290-1600
Max. flow rate	EU, GB / MX	l/h	360 / 280
Area performance		m <sup>2</sup> /h	20
Connected load		kW	1.4
Max. water inlet temperature		°C	40
Weight without accessories	EU, GB / MX	kg	4.8 / 5.2
Dimensions (L x W x H)		mm	242 x 280 x 783

Equipment		
High-pressure gun with high-pressure hose	EU, GB / MX	4 m / 5 m
Handle		fixed
Quick Connect		-
Detergent use via		Suction
Water filter		■
Water suction		-



### K 2

- Spray lance storage
- Detergent suction
- Cable hook



Accessories		K 2	K 2 Car	K 2 Home	K 2 Car & Home
One-jet spray lance	EU / GB / MX	■ / - / -	■ / - / -	■ / - / -	■ / - / -
Vario Power spray lance	EU / GB / MX	- / ■ / ■	- / ■ / ■	- / ■ / -	- / ■ / -
Dirt blaster		■	■	■	■
Surface cleaner		-	-	T 150	T 150
Water suction hose		-	-	-	-
Cleaning agents		-	Car shampoo concentrate	Patio & Deck concentrate	Patio & Deck concentrate Car shampoo concentrate
Foam jet		-	■	-	■
Wash brush		-	■	-	■
Order number EU		1.673-220.0	1.673-228.0	1.673-223.0	1.673-225.0
Order number GB		1.673-221.0	1.673-222.0	1.673-224.0	1.673-226.0
Order number MX		1.602-212.0	1.602-214.0	-	-

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38-53.  
For cleaning and care agents, please see pages 54-57.

## THE K 2 COMPACT RANGE

The K 2 Compact Range is impressive thanks to its flexibility, mobility and space saving. The equipment includes a gun, a 4 m high-pressure hose, a single spray lance, a dirt blaster with rotating point jet and a water filter. With the Home Kit, even larger surfaces around the home can be cleaned effectively and without splashing. And the Car Kit ensures that vehicles are left shining clean all-over.



### Immediately ready to use

Simply connect the unit to the water taps and socket - now you can begin cleaning.



### Full cleaning power

An integrated suction mechanism for detergents is included in the Kärcher K 2 Compact.



### Portable

The unit is easy to transport due to its ergonomic carrying handle and light weight.



### Car & Home Kit

The ultimate "Double pack" for shiny clean vehicles and quick surface cleaning around the house.

### Technical data

Frequency	Hz	50-60	
Voltage	V	220-240	
Max. pressure	bar / MPa / PSI	20-110/2-11/290-1600	
Max. flow rate	l/h	360	
Area performance	m <sup>2</sup> /h	20	
Connected load	kW	1.4	
Max. water inlet temperature	°C	40	
Weight without accessories	kg	4 / 5.3	
	EU, GB / CL		
Dimensions (L x W x H)	EU, GB	mm	176 x 280 x 443
Dimensions (L x W x H)	CL		400 x 240 x 319

### Equipment

High-pressure gun with high-pressure hose	4 m
Handle	small
Quick Connect	-
Detergent use via	Suction
Water filter	■
Water suction	-



### K 2 Compact

- Carrying handle
- Spray lance storage
- Detergent suction



Accessories	K 2 Compact	K 2 Compact Car	K 2 Compact Home	K 2 Compact Car & Home
One-jet spray lance	■	■	■	■
Vario Power spray lance	-	-	-	-
Dirt blaster	■	■	■	■
Surface cleaner	-	-	T 150	T 150
Water suction hose	-	-	-	-
Cleaning agents	EU, GB / CL	- / -	Car shampoo concentrate / -	Patio & Deck concentrate / - Patio & Deck concentrate Car shampoo concentrate / -
Universal connector	EU, GB / CL	- / -	- / -	- / -
Foam jet	-	■	-	■
Wash brush	-	■	-	■
Drying cloth	-	-	-	-
Order number EU	1.673-121.0	1.673-123.0	1.673-124.0	1.673-130.0
Order number GB	1.673-122.0	1.673-129.0	1.673-127.0	1.673-125.0
Order number CL	-	1.673-138.0	-	-

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53.  
For cleaning and care agents, please see pages 54 - 57.



## THE K 2 COMPACT RANGE

Outstanding performance in spite of compact dimensions: the K 2 Compact Range offers maximum flexibility and mobility and can be conveniently stowed away after use without taking up much space. The device features a spray gun, 5 m high-pressure hose, a single spray lance, dirt blaster with rotating point jet for removing stubborn dirt and a reliable water filter to protect the pump.



### Strong or gentle

With the Vario Power spray lance, the pressure can be adjusted by a simple twist to the desired level for the cleaning task.



### Full cleaning power

An integrated suction mechanism for detergents is included in the Kärcher K 2 Compact.



### With water filter

If dirty water is used, the filter traps dirt particles so they do not end up in the high-pressure pump.

Technical data		
Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / MPa / PSI	20-110/2-11/290-1600
Max. flow rate	l/h	280
Area performance	m <sup>2</sup> /h	20
Connected load	kW	1.4
Max. water inlet temperature	°C	40
Weight without accessories	kg	4.9
Dimensions (L x W x H)	mm	196.2 x 279.7 x 498

Equipment	
High-pressure gun with high-pressure hose	5 m
Handle	small
Quick Connect	-
Detergent use via	Suction
Water filter	■
Water suction	-



### K 2 Compact

- Carrying handle
- Detergent suction
- Spray lance storage



Accessories	
One-jet spray lance	■
Vario Power spray lance	-
Dirt blaster	■
Surface cleaner	-
Water suction hose	-
Cleaning agents	-
Foam jet	-
Wash brush	-
<b>Order number MX</b>	<b>1.602-106.0</b>

■ Included in the scope of supply.

## THE K 2 BASIC RANGE

The K 2 Basic Range is impressively versatile, mobile and compact. The devices are equipped with a spray gun, a 3 m high-pressure hose, Dirt Blaster with rotating point jet and a water filter.



### 80% more power

The rotating high-pressure jet combines the power of a point jet with the area performance of a flat jet – and dissolves even the most stubborn dirt.



### Hooked on tidiness

The large hose hook for the tidy stowage of the hose directly on the device.



### Everything within easy reach

The practical accessory storage solution keeps the high-pressure gun and spray lances within easy reach and securely stored.

### Technical data

Frequency	EU I, EU II, GB / MX	Hz	50-60 / 60
Voltage	EU I, EU II, GB / MX	V	220-240 / 127
Max. pressure		bar / MPa / PSI	20-110 / 2-11 / 290-1600
Max. flow rate	EU I, EU II, GB / MX	l/h	360 / 280
Area performance		m <sup>2</sup> /h	20
Connected load		kW	1.4
Max. water inlet temperature		°C	40
Weight without accessories	EU I, EU II, GB / MX	kg	4 / 4.6
Weight without accessories	K 2 Basic Promo	kg	4.4
Dimensions (L × W × H)		mm	176 × 279 × 443

### Equipment

High-pressure gun with high-pressure hose	3 m
Handle	small
Quick Connect	-
Detergent use via	Suction
Water filter	■
Water suction	-



**K 2 Basic**

- Carrying handle
- Spray lance storage



Accessories		K 2 Basic	K 2 Basic Promo
One-jet spray lance	EU I / EU II / GB / MX	- / ■ / - / ■	■
Vario Power spray lance		-	-
Dirt blaster	EU I / EU II / GB / MX	■ / - / ■ / ■	-
Surface cleaner		-	-
Water suction hose		-	-
Cleaning agents		-	-
Foam jet		-	-
Wash brush		-	-
Order number EU I		1.673-150.0	-
Order number EU II		1.673-153.0	-
Order number GB		1.673-151.0	-
Order number MX		1.602-105.0	1.602-113.0

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 – 53.  
For cleaning and care agents, please see pages 54 – 57.

# THE X RANGE - EVERY ONE A WINNER.

With a water-cooled motor, convenient hose reel and clever storage for accessories, the excellently equipped devices in the K 7 to K 6 X Range make cleaning tasks especially pleasant and efficient for operators.



**Optimal storage**  
Always neatly stored thanks to the practical hose reel.



**Plug 'n' Clean**  
Quick, simple, and convenient - thanks to Plug 'n' Clean the detergent can be easily changed.



**Strong or gentle**  
With the Vario Power spray lance, the pressure can be adjusted by a simple twist to the desired level for the cleaning task.



**Detergent regulator**  
Perfect dosage according to demand - the practical detergent adjustment makes it possible.



**K 7.700**



**K 6.600**



- Water-cooled motor for extra long service life
- High-pressure hose reel
- Plug 'n' Clean system

- Water-cooled motor for extra long service life
- High-pressure hose reel
- Plug 'n' Clean system

**Technical data**

Frequency SA	Hz	60	60
Voltage SA	V	230	230
Max. pressure	bar / MPa / PSI	20-160 / 2-16 / 290-2320	20-150 / 2-15 / 290-2175
Max. flow rate	l/h	550	530
Max. water inlet temperature	°C	60	60
Connected load	kW	2.8	2.5
Weight without accessories	kg	19.8	18.8
Dimensions (L x W x H)	mm	404 x 461 x 968	404 x 461 x 968

**Equipment**

High-pressure gun	■	■
High-pressure hose	12 m	9 m
One-jet spray lance	-	-
Vario Power spray lance	■	■
Dirt blaster	■	■
Hose reel	■	■
Wash brush	■	■
Quick Connect	■	■
Integrated fine mesh water filter	■	■
Detergent tank	-	-
<b>Order number SA</b>	<b>1.168-605.0</b>	<b>1.167-503.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53. For cleaning and care agents, please see pages 54 - 57.



## THE FOLLOW ME RANGE – ALWAYS MOBILE.

With their four sturdy, easy-rolling wheels, the devices in the Follow Me Range are easy to move from place to place and put away securely. The two front wheels act as steering rollers. An accessories holder and innovative cable storage are additional features that make working with these devices so wonderfully easy.



### Quick Connect

The high-pressure hose can be snapped in and out of the unit quickly and conveniently. This saves time and effort.



### Clean tank solution

The practical detergent tank simplifies the use of cleaning agents.



### Always close to hand

Accessories can be stowed quickly and easily on the K 3.000 with a minimum of effort.



### Vario Power spray lance

The Vario Power spray lance is ideal for a wide variety of uses, including detergent application.



### K 3.000 Follow Me

- Innovative four-wheel design for perfect mobility
- Hooks for hose and cable
- Detergent tank
- Handle with integrated spray gun holder



### Technical data

Frequency	Hz	60
Voltage	V	127
Max. pressure	bar / Mpa / PSI	20 - 125 / 2 - 12.5 / 290 - 1800
Max. flow rate	l/h	415
Max. water inlet temperature	°C	40
Connected load	kW	1.6
Weight without accessories	kg	7
Dimensions (L × W × H)	mm	535 × 311 × 335

### Equipment

High-pressure gun	■
High-pressure hose	6 m
One-jet spray lance	-
Vario Power spray lance	■
Dirt blaster	■
Hose reel	-
Garden hose connector	-
Wash brush	-
Quick Connect	■
Integrated fine mesh water filter	■
Detergent tank	■
Order number MX	1.418-051.0
Order number SEA	-
Order number TW	-

■ Included in the scope of supply.

# THE NEW K 2 CLASSIC RANGE - FOR EASY STORAGE.

Compact, lightweight, practical and robust: the K 2 Classic pressure washer is perfect for occasional small cleaning jobs around the house. The horizontal device orientation ensures stability. In addition, the K 2 Classic is easy to transport and is ideal for tasks such as cleaning vehicles, garden furniture and terraces.



**Everything within reach**  
Thanks to the practical accessory holder high-pressure guns and spray lances can be safely stored so they are always within reach.



**Full cleaning power**  
The K 2 Classic pressure washer is equipped with an integrated suction mechanism for detergents.



**Portable**  
The unit is easy to transport due to its ergonomic carrying handle and light weight.



**Integrated water filter**  
If dirty water is used, the filter traps dirt particles so they do not end up in the high-pressure pump.



### K 2 Classic

- Carrying handle
- Spray lance storage
- Detergent suction

### K 2 Classic

- Carrying handle
- Spray lance storage
- Detergent suction

### K 2 Classic

- Carrying handle
- Spray lance storage
- Detergent suction

<b>Hz</b>	50-60	50-60	60
<b>V</b>	220-240	110	127
<b>bar / Mpa / PSI</b>	20-110 / 2-11 / 290-1600	20-100 / 2-10 / 290-1500	20-110 / 2-11 / 290-1600
<b>l/h</b>	330	330	280
<b>°C</b>	40	40	40
<b>kW</b>	1.4	1.4	1.4
<b>kg</b>	3.3	3.4	3.4
<b>mm</b>	393 x 171 x 243	393 x 171 x 243	393 x 171 x 243

■	■	■
3 m	3 m	3 m
■	■	■
-	-	-
-	-	-
-	-	-
-	■	■
-	-	-
-	-	-
■	■	■
-	-	-
-	-	1.600-978.0
1.600-971.0	-	-
-	1.600-973.0	-

# THE K 2 FAMILY RANGE - COMPACT, LIGHTWEIGHT AND SIMPLY GREAT.

This versatile all-rounder is always within easy reach whenever you need it. These compact devices are reliable allies for combating minor soiling around your house and garden. With their easy and convenient handling, they stand head and shoulders above conventional cleaning with a sponge, brush and bucket.



**Hooked on tidiness**  
Generous hose hook for the tidy storage of the hose directly on the device.



**Full cleaning power**  
All Kärcher pressure washers are equipped with an integrated suction mechanism for detergents.



**Optimal mobility**  
The wheels and ergonomic handle height of the K 2.350 and K 2.360 make manoeuvring easy.



**With water filter**  
If dirty water is used, the filter traps dirt particles so they do not end up in the high-pressure pump.



**K 2.360**



**K 2.350**



- Cable hook
- Accessories holder
- Mobile device
- Removable detergent tank

- Cable hook
- Accessories holder
- Mobile device

**Technical data**

Frequency	<b>MX / KAP</b>	<b>Hz</b>	60 / 50-60	60 / 50-60
Voltage	<b>MX / KAP</b>	<b>V</b>	127 / 220-240	127 / 220-240
Max. pressure	<b>MX</b>	<b>bar / Mpa / PSI</b>	20-110 / 2-11 / 290-1600	20-105 / 2-10,5 / 290-1500
Max. pressure	<b>KAP</b>	<b>bar / Mpa / PSI</b>	20-120 / 290-1740	20-110 / 290-1600
Max. flow rate	<b>MX / KAP</b>	<b>l/h</b>	280 / 360	300 / 360
Max. water inlet temperature		<b>°C</b>	40	40
Connected load		<b>kW</b>	1.4	1.4
Weight without accessories		<b>kg</b>	5.7	5.7
Dimensions (L x W x H)		<b>mm</b>	328 x 258 x 661	328 x 258 x 661

**Equipment**

High-pressure gun		■		■
High-pressure hose		6 m		6 m
One-jet spray lance		-		-
Vario Power spray lance		■		■
Dirt blaster		■		■
Hose reel		-		-
Wash brush	<b>MX / KAP</b>	- / ■		- / ■
Quick Connect		-		-
Integrated fine mesh water filter		■		■
Detergent tank		■		-
Order number MX		<b>1.601-688.0</b>		<b>1.601-687.0</b>
Order number KAP		<b>1.601-686.0</b>		<b>1.601-685.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53.  
For cleaning and care agents, please see pages 54 - 57.

# THE K 1 RANGE: FOR OCCASIONAL CLEANING JOBS AROUND THE HOUSE.

When the car, terrace or garden furniture only require occasional cleaning, the K 1.100 / K 1 pressure washer is the ideal choice. Novice-friendly, compact, lightweight and practical, this small-scale powerhouse also offers impressive equipment: a trigger gun, 3 m hose, single spray lance and water filter. What's more, detergent can also be applied in the low pressure range.



### Hooked on tidiness

Generous cable hook for the tidy storage of the cable directly on the device.



### Full cleaning power

All Kärcher pressure washer equipment includes an integrated suction mechanism for detergents.



### Sits comfortably in the hand

The ergonomic carrying handle and low weight make the device easy and convenient to transport.




**K 1**

- Cable hook
- Spray lance storage
- Detergent suction



**K 1.100**

- Cable hook
- Spray lance storage
- Detergent suction



Technical data			K 1	K 1.100
Frequency		Hz	60	60
Voltage	MX / KAP / CO	V	127 / 220-240 / -	- / - / 127
Max. pressure		bar / Mpa / PSI	100 / 10 / 1450	100 / 10 / 1450
Max. flow rate	MX / KAP / CO	l/h	270 / 300 / -	- / - / 300
Max. water inlet temperature		°C	40	40
Connected load		kW	1.2	1.2
Weight without accessories	MX / KAP / CO	kg	4.1 / 5.1 / -	- / - / 4.1
Dimensions (L × W × H)		mm	384 × 190 × 252	384 × 190 × 252

### Equipment

High-pressure gun	■	■
High-pressure hose	3 m	3 m
One-jet spray lance	■	■
Vario Power spray lance	-	-
Dirt blaster	-	-
Hose reel	-	-
Wash brush	-	-
Quick Connect	-	-
Integrated fine mesh water filter	■	■
Detergent tank	-	-
Order number MX	1.600-007.0	-
Order number KAP	1.600-006.0	-
Order number CO	-	1.600-004.0

■ Included in the scope of supply.

For details of Kärcher's extensive original accessories, please see pages 38 - 53.  
For cleaning and care agents, please see pages 54 - 57.



## PERFECT EQUIPMENT - PERFECT CLEANLINESS.

Kärcher's range of special accessories and detergents offers the right solution for every cleaning task. Whether brushes, spray lances, surface cleaners or special applications - dirt stands no chance against our versatile and powerful cleaning aids.







### 1 Great help for hard-to-reach corners

Close, angled and therefore hard-to-reach areas can be easily accessed with the new Vario Power Jet Short 360°. The 360° nozzle head and short spray lance ensure convenient cleaning. The optimum working angle reduces spray water to a minimum. The pressure can be infinitely adjusted for sensitive surfaces.

### 2 FJ 10 C, Foam Jet Connect 'n' Clean

The innovative foam jet for the production and application of powerful foam is ideally suited for cleaning cars, motorbikes, etc. and for using maintenance products on stone, wood and facade surfaces. The foam jet is available in a set with various detergents. Thanks to the practical quick-change system, the various detergents can be changed with just a simple click.

### 3 Detergents with triple effect

Kärcher detergents are impressive due to their unique 3-in-1 operating principle. In addition to the perfect cleaning effect, the multi-talented detergents also offer gentle care and reliable protection. By using renewable and natural resources, Kärcher is placing the emphasis on sustainability. The smart bottle design is a winner too. Whether it is for connection (Plug 'n' Clean), to fill the detergent tank or as a container for suction via the detergent suction hose, the new detergents are universally suitable for all Kärcher pressure washers.

### 4 Power Brush WB 150

Gentle force with full power: the innovative wash brush with 2 rotating flat jet nozzles cleans delicate surfaces without spray - from paint to glass to plastic. With its intelligent combination of high-pressure jet and manual brushing action, it saves energy, water and up to 30 per cent time.

### 5 Finisher for glass surfaces

Kärcher glass finisher with unique 3-in-1 formula leaves glass panes streak-free, saves valuable time and keeps glass clean for longer. In short: the ideal solution for large and hard-to-reach glass windows, for example conservatories, glass facades and greenhouses.

### 6 T 550, T-Racer Surface Cleaner







The new T-Racer surface cleaners break down dirt across large areas with their twin jet rotating arm. This allows you to clean around twice as fast compared with a spray lance. The hood protects the operator and surroundings from spray water, and delicate surfaces can be treated gently using pressure regulation.

# QUALITY FROM TAP TO MACHINE

OUTDOOR



Kärcher garden hoses, adapters, universal connectors, etc. are ideally adapted to different applications and the corresponding machine. Accessories designed specifically for Kärcher systems optimise high-pressure cleaning and garden watering. With their outstanding quality and durability, as well as convenient handling, they never fail to impress. All solutions are ready to use straight away.

		Order no.	Description
<b>Water connection to the pressure washers</b>			
	1 Hose set for pressure washers	1 2.645-156.0	Hose set for high-pressure cleaning and garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adapter, universal hose connector and universal connector with aqua stop.
	2 Hose set for water supply	2 2.645-258.0	Hose set for high-pressure cleaning and garden watering. With 10 m PrimoFlex® hose (1/2"), tap adapter, universal hose connector and universal connector with aqua stop.
	3 Universal hose connector	3 2.645-191.0	Universal hose connector in ergonomic design for comfortable handling.
	4 PrimoFlex® hose 1/2" - 20 m	4 2.645-138.0	Extra robust and kink-resistant PrimoFlex® quality garden hose (1/2"). 20 m in length. With pressure-resistant, woven reinforcement. Poses no risk to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65°C.
	5 Hose trolley HT 3.420 Kit 5/8"	5 2.645-167.0	Fully assembled hose trolley with height-adjustable handle, angled connection adapter, freewheeling crank handle and sophisticated folding function for space-saving storage.
	6 Premium hose reel HR 7.315 Kit 1/2"	6 2.645-164.0	Fully equipped watering station. With detachable hose reel, storage for sprayers and sprinklers, large storage box and spray lance attachment.

□ Optional accessories.



Complete hose set for water supply – for quick initial startup of the pressure washer.

Convenient handling: the hose trolley HT 3.420.

Aqua stop and recessed handles – for safe and quick uncoupling.







	K 5 Premium	K 5	K 5 Basic	K 4 Premium	K 4 Premium Car	K 4	K 4	K 4 Basic	K 3 Comfort	K 3 Comfort Black	K 3 Comfort Black Home	K 3 Comfort Black Home & Car	K 3	K 3 Home T 150	K 3 Home T 350	K 3 Home T 350	K 3	K 3 Car	K 3 Car & Home T 150	K 3 Car & Home T 350	K 2 Premium Telescopic	K 2.200	K 2 Premium	K 2 Premium Car	K 2 Premium Home	K 2 Premium Car & Home	K 2 Telescopic	K 2	K 2 Car	K 2 Home	K 2 Car & Home	K 2 Compact	K 2 Compact Car	K 2 Compact Home	K 2 Compact Car & Home	K 2 Basic	K 2 Basic	K 2 Basic	K 2 Basic	K 7.700	K 6.600	K 3.000 Follow Me	K 2 Classic	K 2 Classic	K 2.360	K 2.360	K 2.350	K 2.350	K 1							
1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



# SURFACE CLEANER



T-Racer, the surface cleaners from Kärcher, make cleaning exterior surfaces quick, efficient and spray-free. The pressure can be adjusted accordingly for gentle cleaning of various surfaces such as wood or stone. With the new T 550, detergent can now also be applied directly during cleaning, if necessary. With their twin-jet rotating arm, Kärcher T-Racers are capable of removing dirt from a large area and clean twice as fast as a spray lance. Thanks to the so-called hovercraft effect, T-Racers are particularly easy to manoeuvre. We recommend the power scrubber to clean areas with lots of corners and edges, such as stairs.

		Order no.	Description
<b>Surface cleaner</b>			
	1 T-Racer Surface Cleaner T 550	1 2.643-251.0	For splash-free cleaning of various surfaces. Detergent can be applied directly during the cleaning process. With the Plug 'n' Clean system, it is possible to switch easily between different detergents. With extra power nozzle for corners and edges, protective grille for gravel surfaces, adjustable cleaning pressure to clean different surfaces like stone and wood, and handle to clean vertical surfaces. 1 litre of universal detergent is included in the scope of supply. For devices in the K 4 - K 7 ranges.
	2 T-Racer Surface Cleaner T 450	2 2.643-214.0	For splash-free cleaning of various surfaces. With extra power nozzle to clean corners and edges. Switching is carried out easily using the foot switch. Protective grille for gravel surfaces, adjustable cleaning pressure to clean different surfaces like stone and wood, and handle to clean vertical surfaces. For devices in the K 4 - K 7 ranges.
	3 T-Racer Surface Cleaner T 350	3 2.643-252.0	For splash-free cleaning of various surfaces. Adjustable cleaning pressure to clean different surfaces like stone and wood, and handle to clean vertical surfaces like garage doors. For devices in the K 2 - K 7 ranges.
	4 Power Scrubber Surface Cleaner PS 40	4 2.643-245.0	PS 40 power scrubber with three integrated high-pressure nozzles. A powerful, reliable and time-saving solution that removes stubborn dirt from a wide variety of surfaces. Perfect for stairs and edges. Includes integrated extractor to remove the dirty water.
	5 Replacement nozzle accessories	5 2.643-338.0	High-quality replacement nozzles for simple replacement of accessory nozzles. Suitable to replace nozzles from T-Racer surface cleaners for machine classes K 2 - K 7 (apart from T 350), PC 20 gutter cleaners for K 3 - K 7 and chassis cleaners for K 2 - K 5.
	6 Replacement nozzle accessories T 350	6 2.643-335.0	High-quality replacement nozzles for simple replacement of accessory nozzles. Suitable to replace nozzles from T-Racer T 350 surface cleaners for machine classes K 2 - K 7.

■ Included in the scope of supply. □ Optional accessories.







# BRUSHES

OUTDOOR



A new generation of cleaning: the revolutionary Power Brush WB 150 is the first high-pressure cleaning brush! The power brush cleans all outdoor surfaces quickly, effectively and gently. Thanks to the clever combination of a high-pressure jet and manual brush pressure, the power brush saves energy, water and up to 30% time. The power brush is suitable for practically all materials - from paint to glass to plastic. Even sensitive surfaces such as car paint or boat varnish can be cleaned gently and effectively with the power brush. With its practical triangular shape, it also makes light work of corners and edges.

		Order no.	Description
<b>Brushes</b>			
	Power Brush WB 150	1 2.643-237.0	Power Brush WB 150 for splash-free cleaning of sensitive surfaces. The efficient combination of high pressure and manual brush pressure saves energy, water and up to 30% time.
	Soft Wash Brush WB 60	2 2.643-233.0	Soft Wash Brush WB 60 to clean larger surfaces like cars, caravans, boats, conservatories or roller shutters. Good area performance with a working width of 248 mm.
	Rotating Wash Brush WB 100	3 2.643-236.0	Rotating Wash Brush WB 100 with joint to clean all smooth surfaces like paint, glass or plastic. Infinitely adjustable 180° joint on the handle to clean hard-to-reach places.
	Wheel washing brush	4 2.643-234.0	Wheel washing brush for effective 360° cleaning, even in hard-to-reach places. Even water distribution over 360° for an even, excellent all-round cleaning result.

Optional accessories.



Power brush.



Rotating wash brush with joint.



Soft wash brush.



Wheel washing brush.













	K 5 Premium	K 5	K 5 Basic	K 4 Premium	K 4 Premium Car	K 4	K 4	K 4 Basic	K 3 Comfort	K 3 Comfort Black	K 3 Comfort Black Home	K 3 Comfort Black Home & Car	K 3	K 3 Home T 150	K 3 Home T 350	K 3 Home T 350	K 3	K 3 Car	K 3 Car & Home T 150	K 3 Car & Home T 350	K 2 Premium Telescopic	K 2.200	K 2 Premium	K 2 Premium Car	K 2 Premium Home	K 2 Premium Car & Home	K 2 Telescopic	K 2	K 2 Car	K 2 Home	K 2 Car & Home	K 2 Compact	K 2 Compact Car	K 2 Compact Home	K 2 Compact Car & Home	K 2 Basic	K 2 Basic	K 2 Basic	K 2 Basic	K 7.700	K 6.600	K 3.000 Follow Me	K 2 Classic	K 2 Classic	K 2.360	K 2.360	K 2.350	K 2.350	K 1										
	KR / SA / PE	MX	MX	MX	MX / PE	MX / PE / KR	SA	MX	MX / AR / PE	MX / AR / PE	MX / AR / PE	MX / AR / PE	EU / AE	EU	EU	AE	MX	EU	EU	EU	MX	KR	EU	EU / GB	EU / GB / MX	EU / GB	EU / MX	EU / GB / MX	EU / GB / MX	EU / GB	EU / GB	EU / GB	EU / GB / MX	EU / GB / CL	EU / GB	EU / GB	EU I	EU II	GB	MX	SA	SA	MX	SEA / TW	MX	MX	KAP	MX	KAP	MX / KAP / CO									
1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



# SPRAY LANCES AND EXTENSION PIECES



Whether it is the Multi Power Jet with five different spray types, Vario Power Jet Short 360° for optimum accessibility in close, angled areas, dirt blaster with rotating detail nozzle for particularly stubborn dirt or the 4 m telescopic lance for effective and convenient cleaning of higher areas - Kärcher offers the right spray lance with the right accessories for every application.

		Order no.	Description
<b>Spray lances</b>			
	1	Vario Power Jet VP 120 for K 2	1 2.643-241.0
	2	Vario Power Jet VP 145 for K 3 - K 4	2 2.643-235.0
	3	Vario Power Jet VP 160 for K 5 - K 7	3 2.643-242.0
	4	Vario Power Jet Short 360° VP 160 S for K 2 - K 7	4 2.643-254.0
	5	Dirt blaster DB 145 for K 2 - K 4	5 2.643-244.0
	6	Dirt blaster DB 160 for K 5 - K 7	6 2.643-243.0
	7	Multi Power Jet MP 145 for K 3 - K 5	7 2.643-239.0
	7, 8	Multi Power Jet MP 160 for K 6 - K 7	8 2.643-238.0
	9	Splash guard	9 2.640-916.0
	10	Angled spray lance	10 2.638-817.0
	11	1-step lance extension	11 2.643-240.0
	12	Telescopic lance	12 2.642-347.0

■ Included in the scope of supply. □ Optional accessories.














# HOSES

OUTDOOR



Whether you need a replacement or extension for more flexibility, Kärcher's high-quality range of hoses can meet all your needs. They are available either with Quick Connect or the traditional screw connection. With the retrofit set, old machines can be fitted with the easy-to-use Quick Connect system at a later date, with the sole exception of hose reel machines.

		Order no.	Description
<b>High-Pressure Hose extension piece: System up to 2007 and for machines without Quick Connect system</b>			
	1 Extension Hose XH 10	1 6.389-092.0	High-pressure hose extension for greater flexibility. For machines in classes K 2 to K 7 with screw connection (without Quick Connect). High-quality, robust 10-m DN-8 hose. Fibre braid reinforcement, hose kink protection and brass coupling for long service life. Connects between machine and high-pressure hose.
	2 Extension Hose XH 10 (< 2010)	2 6.390-961.0	
<b>High-Pressure Hose extension piece: System from 2008 for machines with Quick Connect system</b>			
	3 Extension Hose Quick Connect XH 10 Q	3 2.641-710.0	High-pressure hose extension for greater flexibility. High-quality, robust 10-m DN-8 hose for durability. For K 3 - K 7 machines from 2008 with Quick Connect adapter and for some K 2 machines from 2010 with Quick Connect adapter. Connects between the spray gun and high-pressure hose.
	4 Extension Hose XH 10 QR rubber	4 2.641-708.0	
<b>High-Pressure Replacement Hose: With anti-twist system and Quick Connect system</b>			
	5 PremiumFlex Anti-Twist H 10 Q	■ 5 2.643-585.0	Innovative PremiumFlex pressure hose with anti-twist system for kink-free cleaning. 10 m long. Includes Quick Connect adaptor. For devices in the K 2-K 7 ranges.
<b>High-Pressure Replacement Hose: System from 2009 with Quick Connect system</b>			
	6 High-Pressure Hose Quick Connect H 9 Q	6 2.641-721.0	For machines in classes K 2 - K 7 with Quick Connect (screw connection). For Kärcher Consumer pressure washers from 2009 or later, on which the hose is attached to the spray gun and machine with quick coupling. 9 m, 160 bar, 60°C.
	7 High-Pressure Hose with Quick Connect and for hose reel machines H 10 Q	■ 7 2.643-633.0	
<b>High-Pressure Replacement Hose Kit: System from 1992</b>			
	8, 9 High-Pressure Hose Kit HK 7.5	8 2.641-828.0	Accessory kit with 7.5 m high-pressure hose, high-pressure gun for classes K 2 - K 7 and adapter to retrofit the practical Quick Connect quick connection system. Fits all Kärcher Consumer pressure washers manufactured since 1992. Not for hose reel machines.
	9 High-Pressure Hose Kit HK 12	9 2.642-953.0	
	10 High-Pressure Hose Kit HK 4	10 2.643-312.0	Accessory kit with 4-m high-pressure hose, high-pressure gun and adapter to retrofit the practical Quick Connect quick connection system. Fits all Kärcher Consumer pressure washers in class K 2 manufactured since 1992. Not for hose reel machines.
	11 Extension Hose Adapter Set	11 2.643-037.0	

□ Optional accessories. ■ NEW



Quick Connect: to easily connect and disconnect hoses and spray guns (e.g. for storage).

Extension hoses for a larger working radius and more flexibility whilst cleaning.

Old machines can be easily retrofitted with Quick Connect.

	K 5 Premium	K 5	K 5 Basic	K 4 Premium	K 4 Premium Car	K 4	K 4	K 4 Basic	K 3 Comfort	K 3 Comfort Black	K 3 Comfort Black Home	K 3 Comfort Black Home & Car	K 3	K 3 Home T 150	K 3 Home T 350	K 3 Home T 350	K 3	K 3 Car	K 3 Car & Home T 150	K 3 Car & Home T 350	K 2 Premium Telescopic	K 3.200	K 2 Premium	K 2 Premium Car	K 2 Premium Home	K 2 Premium Car & Home	K 2 Telescopic	K 2	K 2 Car	K 2 Home	K 2 Car & Home	K 2 Compact	K 2 Compact Car	K 2 Compact Home	K 2 Compact Car & Home	K 2 Basic	K 2 Basic	K 2 Basic	K 2 Basic	K 7.700	K 6.600	K 3.000 Follow Me	K 2 Classic	K 2 Classic	K 2.360	K 2.360	K 2.350	K 2.350	K 1	
	KR / SA / PE	MX	MX	MX	MX / PE	MX	PE / KR / SA	MX	MX / AR / PE	MX / AR / PE	MX / AR / PE	MX / AR / PE	EU / AE	EU	EU	AE	MX	EU	EU	EU	MX	KR	EU	EU / GB	EU / GB / MX	EU / GB	EU / MX	EU / GB / MX	EU / GB / MX	EU / GB	EU / GB	EU / GB / MX	EU / GB / CL	EU / GB	EU / GB	EU / GB	EU I	EU II	GB	MX	SA	SA	MX	SEA / TW	MX	MX	KAP	MX	KAP	MX / KAP / CO
1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
2		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
3		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>














# SPECIAL APPLICATIONS

OUTDOOR



The right accessory can transform a Kärcher pressure washer into a multi-purpose device and make it suitable for a number of additional applications, such as wet blasting and sandblasting or for cleaning pipes and gutters. The vario joint makes even hard-to-reach places easy to clean. The suction hose with filter allows water to be drawn from alternative sources, like ponds, water butts and pools. And with the chassis cleaner, including special care nozzle, Kärcher now offers everything you need for all-round vehicle cleaning and care.

		Order no.	Description	
<b>Special applications</b>				
	1	Suction hose SH 5 ecoLogic	1 2.643-100.0	Allows water to be drawn from alternative sources, like water butts. 5 m long with filter backwash function, free from phthalates and PVC, up to 90% recyclable and extremely eco-friendly packaging.
	2	Foam Jet FJ 6	2 2.643-147.0	Suitable for generation and application of a powerful foam for cleaning and care of cars, stone, wood surfaces and facades.
	3, 4	Foam Jet Connect 'n' Clean FJ 10 C Ultra Foam Cleaner	3 2.643-143.0	Quick change system for detergent application. Change between different detergents with just a simple click. Available in a set with different detergents.
	5	Foam Jet Connect 'n' Clean FJ 10 3-in-1 Car Shampoo	4 2.643-144.0	
		Foam Jet Connect 'n' Clean FJ 10 C Stone Cleaner 3-in-1	5 2.643-145.0	
	6	Roof Gutter And Pipe Cleaning Kit PC 20, 20 m	6 2.642-240.0	The 20 m roof gutter cleaning kit works independently using high pressure. Drains, pipe blockages and roof gutters can be cleaned effortlessly.
	7	Pipe Cleaning Kit PC 7.5, 7.5 m	7 2.637-729.0	Pipe cleaning kit with 7.5-m hose for effective cleaning and removal of blockages in pipes, drains, downpipes and toilets.
	8	Pipe Cleaning Kit PC 15, 15 m	8 2.637-767.0	Pipe cleaning kit with 15-m hose for effective cleaning and removal of blockages in pipes, drains, downpipes and toilets.
	9	Sand and wet-blasting Kit	9 2.638-792.0	Sand- and wet blasting set to remove rust, paint and stubborn dirt in combination with Kärcher spray agents.
	10	Vario joint	10 2.640-733.0	Infinitely adjustable 180° vario joint to clean hard-to-reach places. To connect high-pressure gun and accessories or lance extension and accessories.
	11	Organiser	11 2.641-630.0	Kärcher Organiser – the practical wall bracket for tidy storage of Kärcher accessories. With two modules for flexible installation. Ideal to prevent wash brushes from becoming misshapen.

□ Optional accessories.



# ACCESSORY KITS



Whether it's for wooden or stone surfaces, vehicles or bicycles: Kärcher's new accessory kits deliver impeccable cleaning results. In combination with Kärcher's wide range of special detergents, the practical and handy Power Scrubber guarantees all-round cleanliness.

		Order no.	Description
<b>Accessory kits</b>			
<p>1</p>	Bike Cleaning Accessory Kit	1 2.643-551.0	The new Bike Cleaning Accessory Kit is an accessory kit to clean and maintain motorbikes, etc. The practical kit includes all of the individual accessories you need for optimum all-round vehicle cleaning. For all Kärcher Consumer high-pressure washer classes K 2 - K 7.
<p>2</p>	Car Cleaning Accessory Kit	2 2.643-554.0	The new Car Cleaning Accessory Kit is an accessory kit to clean and maintain vehicles. The practical kit includes all of the individual accessories you need for optimum all-round vehicle cleaning. For all Kärcher Consumer high-pressure washer classes K 2 - K 7.
<b>Other</b>			
<p>3</p>	Water filter	3 4.730-059.0	Water filter to protect the high-pressure washer pump from small dirt particles in impure water.
<p>4</p>	Adapter B	4 2.642-893.0	Adapter B to connect high-pressure washers with screw connection (manufactured before 1989).
<p>5</p>	Quick Connect Trigger Gun G 160 Q	5 2.642-172.0	The premium Tigger Gun equipped with Quick Connect and soft grip inserts ensures optimum comfort during cleaning.
<p>6</p>	Tigger Gun G 160	6 2.641-959.0	Replacement gun for Kärcher Consumer pressure washers in classes K 2 - K 7. For all pressure washers on which the high-pressure hose is attached to the trigger gun with a clip (without Quick Connect).
<p>7</p>	Garden hose adapter	7 2.640-732.0	Adapter for garden hose connector to attach all Kärcher brushes and cleaning sponges directly to garden hoses with quick-coupling system.
<p>8</p>	O-ring set	8 2.640-729.0	Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.

■ Included in the scope of supply. □ Optional accessories.














# THE PERFECT ADDITION: KÄRCHER DETERGENTS AND CARE AGENTS.



So that cars and motorcycles shine with cleanliness, Kärcher offers a wide range of cleaning solutions for this diverse application area. Detergents exactly calibrated to the device remove even stubborn dirt in combination with the right accessories, saving time, water and energy in the process. Regular cleaning with our special detergents gives a new lustre and contributes to the longevity of the various materials.



Product description	Application	Container size	Order no./ No. of items
<b>Universal detergents</b>			
 <p><b>eco-logic Universal Cleaner</b> Powerful, ecological Universal Cleaner with surfactants made from 100% renewable raw materials and a bottle made from sugar cane plastic. Effortlessly removes oil, grease and mineral dirt from all round the house and garden and from vehicles.</p>	<p><b>With high-pressure washer</b> Connect bottle to the pressure washer, put the suction hose in the bottle or pour the detergent into the tank. Dispense under low pressure, let it work in for a short while and then rinse thoroughly under high pressure.</p>	1 l	6.295-747.0
 <p><b>Universal Cleaner</b> Powerful Universal Cleaner for use with Kärcher pressure washers. With new active dirt remover, which effortlessly removes oil, grease and stubborn mineral dirt even with just cold water. For use all around the house and garden and on vehicles.</p>	<p><b>With high-pressure washer</b> Connect bottle to the pressure washer, put the suction hose in the bottle or pour the detergent into the tank. Dispense under low pressure, let it work in for a short while and then rinse thoroughly under high pressure.</p>	1 l	6.295-753.0
 <p><b>Universal Cleaner RM 555</b> Powerful multi-purpose cleaner which effortlessly removes oil, grease and mineral dirt. For garden furniture, vehicles, façades and all water-resistant surfaces.</p>	<p><b>With high-pressure washer or manually</b> Dispense using the pressure washer or mix (1:10) in a bucket and apply using a sponge. Let it work in for a short while, then rinse well.</p>	5 l	6.295-357.0
 <p><b>Universal Cleaner Detergent Pouch</b> Universal detergent concentrate in practical folding pouch. For gentle removal of oil, grease and mineral contamination from stone, wood, plastic, glass, metal and vehicle paintwork.</p>	<p><b>With high-pressure washer or manually</b> Open the detergent pouch containing 0.5 litres of detergent concentrate and fill with 4.5 litres of tap water. This makes 5 litres of ready-to-use Universal Cleaner.</p>	0,5 l => 5 l	6.295-385.0
 <p><b>Spray agent</b> Fine spray agent (granulation 0.2 - 0.8 mm) to gently clean bricks and cobblestones, tiles, steel, hardwood and concrete. Perfect for rust and paint removal.</p>	<p>For pressure washers in combination with the Kärcher Sand and wet-blasting Kit.</p>	25 kg bag	6.280-105.0
		25 kg bucket	6.280-106.0
<b>Around the house: pressure washer application</b>			
 <p><b>3-in-1 Stone Cleaner</b> Powerful Stone Cleaner with unique 3-in-1 formula for outstanding cleaning performance. With active dirt remover, protective formula to keep stone clean for longer, and wind and weather protection. For outstanding cleaning efficiency, care and protection in one step. Can be used on stone patios, walls and façades all around the house and garden.</p>	<p><b>With high-pressure washer</b> Connect bottle to the pressure washer, put the suction hose in the bottle or pour the detergent into the tank. Dispense under low pressure, let it work in for a short while and then rinse thoroughly under high pressure. Repeated application increases the care and protection effect.</p>	1 l	6.295-765.0
			
 <p><b>3-in-1 Wood Cleaner</b> Powerful Wood Cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a UV protective formula and intensive care. For outstanding cleaning efficiency, care and protection in one step. Can be used on all treated and untreated wooden surfaces outside.</p>	<p><b>With high-pressure washer</b> Connect bottle to the pressure washer, put the suction hose in the bottle or pour the detergent into the tank. Dispense under low pressure, let it work in for a short while and then rinse thoroughly under high pressure. Repeated application increases the care and protection effect.</p>	1 l	6.295-757.0
			



Cleaning oily and greasy dirt, for example from garage floors.










All-in-one protective formula to keep surfaces clean for longer and to protect against wind and weather.



UV protective formula helps prevent darkening; the intensive care ingredients nourish the wood structure.



UV colour protection formula to prevent plastic from yellowing; material protection formula for increased durability.

Product description	Application	Container size	Order no./ No. of items
<b>Around the house: pressure washer application</b>			
 <p><b>3-in-1 Plastic Cleaner</b> Powerful Plastic Cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a colour and material protection formula. For outstanding cleaning efficiency, care and protection in one step. Can be used on garden furniture, PVC window frames and other plastic surfaces.</p>	<p><b>With pressure washer</b> Connect bottle to the pressure washer, put the suction hose in the bottle or pour the detergent into the tank. Dispense under low pressure, let it soak in for a short while and then rinse thoroughly under high pressure. Repeated application increases the care and protection effect.</p>	1 l	6.295-758.0
 <p><b>Glass Finisher 3-in-1</b> Saves time and effort: the Glass Finisher 3-in-1 ensures lasting cleanliness without spots or streaks and is particularly suitable for large, hard-to-reach windows (like conservatories and glass facades). With protective formula to keep surfaces cleaner for longer. Not effective on coated glass surfaces.</p>	<p><b>With pressure washer</b> Preclean glass surfaces with Universal Cleaner and wash brush. Rinse off detergent thoroughly. Apply Kärcher Glass Finisher 3-in-1 and then wash off with the pressure washer. Leave surface to dry.</p>	1 l	6.295-474.0
 <p><b>Stone and Facade Cleaner</b> This powerful cleaner effortlessly removes oil, grease, soot, dust and dirt caused by emissions from stone and aluminium façades, stone walls, patios and other stone surfaces. With all-in-one protective formula to keep surfaces clean for longer and protect against wind and weather.</p>	<p><b>With pressure washer or manually</b> Dispense using the pressure washer or mix (1:10) in a bucket and apply using a sponge. Let it soak in for a short while, then rinse well.</p>	5 l	6.295-359.0
 <p><b>Wood Cleaner</b> For the thorough cleaning of all treated and untreated water-resistant wooden surfaces such as garden furniture, wooden floors and decking. Very gentle on materials.</p>	<p><b>With pressure washer or manually</b> Dispense using the pressure washer or mix (1:10) in a bucket and apply using a sponge. Let it soak in for a short while, then rinse well.</p>	5 l	6.295-361.0
 <p><b>Plastic Cleaner</b> For the thorough cleaning of garden furniture, PVC window frames, children's slides and other plastic surfaces. Very gentle on materials.</p>	<p><b>With pressure washer or manually</b> Dispense using the pressure washer or mix (1:10) in a bucket and apply using a sponge. Let it soak in for a short while, then rinse well.</p>	5 l	6.295-358.0
 <p><b>Patio &amp; Deck Detergent Pouch</b> Detergent concentrate in practical folding pouch. To gently remove oil, grease, dirt caused by emissions, moss and soot from balconies and patios made of wood and stone.</p>	<p><b>With pressure washer or manually</b> Open the folding pouch containing 0.5 litres of detergent concentrate and fill with 4.5 litres of tap water. This makes 5 litres of ready-to-use patio cleaner.</p>	0,5 l => 5 l	6.295-388.0
 <p><b>Spray bottle</b> Cleaning and care agents can be applied effortlessly using the Kärcher pump spray bottle. With infinitely variable adjustment of the spray jet and angle.</p>	<p><b>Manual</b> Pour in cleaning or care agent, apply pressure to the bottle by pumping, adjust spray jet and dispense.</p>	1 l	6.394-374.0

DEUTSCHER VERPACKUNGSPREIS

# THE PERFECT ADDITION: KÄRCHER DETERGENTS AND CARE AGENTS.



3-in-1: active dirt remover for maximum grease-cutting power, quick drying formula and ultra-shine formula.








Detergent concentrate in practical folding pouch – simply top up with water.



Ultra Foam Cleaner – for unlimited foam.



Kärcher underbody wax – effective protection from dirt and corrosion.

Product description	Application	Container size	Order no./ No. of items
<b>Vehicle care: pressure washer application</b>			
 <p><b>3-in-1 Car Shampoo</b> Powerful Car Shampoo with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a quick-drying formula and ultra-shine formula. For outstanding cleaning efficiency, care and protection in one step. To gently clean all vehicle types.</p>	<p><b>With pressure washer</b> Connect bottle to the pressure washer, put the suction hose in the bottle or pour the detergent into the tank. Dispense under low pressure, let it soak in for a short while and then rinse thoroughly under high pressure. Repeated application increases the care and protection effect.</p>	1 l	6.295-750.0
 <p><b>Car Shampoo</b> Slightly alkaline, foaming detergent for thorough vehicle cleaning. Environmentally friendly and particularly gentle on all painted and plastic surfaces.</p>	<p><b>With pressure washer or manually</b> Dispense using the pressure washer or mix (1:10) in a bucket and apply using a sponge. Let it soak in for a short while, then rinse well.</p>	5 l	6.295-360.0
 <p><b>Car Shampoo Detergent Pouch</b> Detergent concentrate in practical folding pouch. For gentle removal of oil, grease, winter and road dirt from vehicle paintwork, glass, plastic and chrome.</p> <p><small>DEUTSCHER VERPACKUNGSPREIS</small></p>	<p><b>With pressure washer or manually</b> Open the folding pouch containing 0.5 litres of detergent concentrate and fill with 4.5 litres of tap water. This makes 5 litres of ready-to-use Car Shampoo.</p>	0,5 l => 5 l	6.295-386.0
 <p><b>Wash &amp; Wax Detergent Pouch</b> The 2-in-1 solution: car shampoo and spray wax in one. Supplied as a concentrate in a practical folding pouch. Removes oil, grease and common road dirt. Additional care components speed up the drying process and protect the paintwork.</p> <p><small>DEUTSCHER VERPACKUNGSPREIS</small></p>	<p><b>With pressure washer or manually</b> Open the folding pouch containing 0.5 litres of detergent concentrate and fill with 4.5 litres of tap water. This makes 5 litres of ready-to-use Wash &amp; Wax detergent and care agent.</p>	0,5 l => 5 l	6.295-387.0
<b>Vehicle care: foam nozzle application</b>			
 <p><b>Ultra Foam Cleaner</b> With extra foam booster for an even deeper clean. Thanks to the new active dirt remover, it effortlessly and quickly removes oily and greasy dirt, as well as typical vehicle dirt and road dirt. Phosphate-free and gentle on materials.</p>	<p><b>With foam jet</b> Fill the foam jet tank with Ultra Foam Cleaner or connect to Connect 'n' Clean, adjust the dosage to min. or max. depending on the level of dirt and dispense. Let it work in for a short while, clean with a brush and then rinse under high pressure. Do not allow to dry.</p>	1 l	6.295-743.0



The Rim Cleaner cleverly changes colour letting you know when the contact time is up.







Gentle removal of insects from the radiator grille, mirrors and windscreens.



Glass Cleaner with gel formula for non-drip windscreen cleaning.



Motorbike cleaner - ideal for easy cleaning of the entire two-wheeler.

	Product description	Application	Container size	Order no./ No. of items
<b>Vehicle care: manual application</b>				
	<p><b>Rim Cleaner</b></p> <p>Gently removes brake dust, winter grit and other road dirt from all types of steel and light metal wheel rims. The clever colour change indicates when the cleaner can be rinsed off. Easy to apply thanks to the effective gel formula.</p>	<p><b>Manual</b></p> <p>Spray onto dry, cold rims and let it soak in until the cleaner turns red. Then rinse thoroughly under high pressure. Do not clean hot parts.</p>	500 ml	6.295-760.0
	<p><b>Insect Remover</b></p> <p>Gently removes insects from paint surfaces, radiator grilles, external mirrors, windscreens and plastic.</p>	<p><b>Manual</b></p> <p>Spray onto dry surfaces, let it soak in for 3-5 minutes, then rinse thoroughly under high pressure.</p>	500 ml	6.295-761.0
	<p><b>Glass Cleaner Gel</b></p> <p>To manually clean glass and mirrored surfaces as well as shiny, water-resistant surfaces. Removes greasy and oily dirt. A dream to use thanks to the gel formula, which prevents any unwanted run-off on vertical surfaces.</p>	<p><b>Manual</b></p> <p>Spray onto surface, distribute evenly with a cloth and then rub clear.</p>	500 ml	6.295-762.0
	<p><b>Motorbike Cleaner</b></p> <p>To manually clean motorbikes. Gently and effectively removes typical dirt such as brake dust, tyre wear, insects, mud and oil. A dream to use thanks to the sticky gel formula.</p>	<p><b>Manual</b></p> <p>Spray onto the motorbike once dry and cool, and leave to soak for 3-5 minutes. Then rinse thoroughly under high pressure. Do not clean hot parts.</p>	500 ml	6.295-763.0



## **SWEEPING - 5 TIMES FASTER THAN WITH A BROOM.**

Sweeping really can be that easy. With Kärcher sweepers, footpaths, driveways, garage entrances and patios can be cleaned quickly, conveniently and reliably. All exterior surfaces are cleaned spotlessly in no time - in a back friendly, upright posture. No broom can match their cleaning performance.



### **Table of contents: Sweepers**

Sweepers

Page 60



### 1 Quick, quicker, Kärcher

With our sweepers, operators can clean up to five times faster than with a dustpan and broom. The machines are very easy to use.



### 2 Pure enjoyment

Easy sweeping without any effort or exertion - makes sweeping fun.



### 3 Easy removal

The waste container in Kärcher sweepers can be removed very easily for emptying - grab, lift, done!

# FASTER THAN ANY BROOM

Who would have thought that sweeping could be so simple and effortless? With Kärcher sweepers, pavements and roads, driveways and yards can be swept up to five times faster than with a dustpan and broom. The debris is reliably conveyed into the waste container: easy, quick and tidy. This is how you sweep today!



### Uncomplicated and compact

All of our sweepers can be stored compactly in a few simple steps: simply fold down the push handle and position the sweeper vertically. Done!



### Stand-alone

The waste containers can be removed easily and are designed so that they can stand on their own.



### Cleanliness down to the last detail

The long bristles on the side brushes ensure thorough cleaning on edges.



### Flexible and comfortable

The push handle of the sweepers is height-adjustable and can be completely folded down if necessary.



**S 550**

- Adjustable push handle
- Storage position
- Stand-alone waste container



**S 650**

- Adjustable push handle with comfortable handle
- Storage position
- Two side brushes
- Stand-alone waste container

### Technical data

Max. area performance	m <sup>2</sup> /h	1600	1800
Working width with side brush	mm	550	650
Working width without side brush	mm	-	-
Recommended for surfaces over	m <sup>2</sup>	30	40
Waste container	l	16	16
Weight, ready to use	kg	11	11
Dimensions (L × W × H)	mm	690 × 610 × 930	690 × 670 × 930
Order number		<b>1.766-200.0</b>	<b>1.766-300.0</b>

■ Included in the scope of supply.





#### Large-capacity container

The S 750 offers a generous container with ample space for large quantities of debris.



#### The right angle

With the handy rotary knob, the push handle can be adjusted quickly and easily to the optimum position.



#### Easy removal

The waste container in Kärcher sweepers can be removed very easily for emptying – grab, lift, done!



### S 750

- Adjustable ergonomic push handle
- Storage position
- Extra large side brush
- Adjustable contact pressure of the side brush
- Stand-alone waste container

<b>m<sup>2</sup>/h</b>	2500
<b>mm</b>	700
<b>mm</b>	480
<b>m<sup>2</sup></b>	60
<b>l</b>	32
<b>kg</b>	13
<b>mm</b>	940 × 770 × 1090
	<b>1.766-910.0</b>



# CLEANING DEVICES FOR MULTI-FUNCTIONAL APPLICATIONS.

With Kärcher multi-purpose vacuum cleaners, ash and dry vacuum cleaners and spray extraction cleaners, your customers are equipped for all possible cleaning tasks. Special filter systems and individual accessories enable these robust vacuum cleaners to pick up different types of dirt quickly and thoroughly or remove stubborn stains from textile surfaces. Where once countless implements such as dustpans, buckets, detergents, cleaning cloths and brushes had to be used, perfect cleaning results are now easy to achieve with one single device.



## Table of contents: Multi-purpose vacuum cleaners, ash and dry vacuum cleaners and spray extraction cleaners

Devices at a glance	Page 64	Spray extraction cleaners	Page 78
Product advisor for multi-purpose vacuum cleaners	Page 67	Ash and dry vacuum cleaners	Page 80
Multi-purpose vacuum cleaner WD range	Page 68	Accessories	Page 81
Specific vacuum cleaners	Page 74		



### 1 Multi-purpose vacuum cleaners - for cleanliness in and around the house

Kärcher multi-purpose vacuum cleaners are extremely robust and ideally equipped for quick and thorough cleaning of all areas around the house or outside, e.g. cellars, garages or terraces. Whether fine, coarse, wet or dry: thanks to the range of practical features, all types of dirt are easily removed. And the exceptionally high suction power and specially developed nozzles enable even large dirt particles to be easily picked up.

### 2 Specific vacuum cleaners - for specific applications

The new Kärcher specific vacuum cleaners are perfect for specific cleaning tasks. Based on the standard multi-purpose vacuum cleaner range, these specific vacuum cleaners come with a range of useful accessories. They ensure optimal results in specific applications, for example around the home, in the car or in hobby workshops. Their special features give the most thorough cleaning results every time.






### 3 Spray extraction cleaners - for fibre-deep cleaning of textile surfaces

Kärcher's so-called spray extraction devices clean textile surfaces such as carpets, upholstered furniture, carpeted stairs, mattresses, textile wall hangings and car seats deep into the fibres. Water and Kärcher RM 519 detergent are worked deep into the textile surfaces under pressure and then removed along with the dislodged dirt. In this way grease, dirt and odours are efficiently removed. By the way: Kärcher spray extraction cleaners are not only suitable for allergy sufferers, but also a good choice for pet owners.

### 4 Ash and dry vacuum cleaners - for reliable ash removal








Whether barbecue ash in summer or fireplace ash in winter - Kärcher ash and dry vacuum cleaners remove ash effortlessly and thoroughly. A specially developed testing procedure ensures safety at the highest level. And thanks to high and long-lasting suction power as well as the unique filter system, even large amounts of dirt can be removed quickly.

# DEVICES AT A GLANCE


			Container capacity (l)	Suction hose, length (m)	Power cable (m)	Floor nozzle	Cartridge filter	Flat pleated filter	Filter box	Filter bag	Crevice nozzle	2 x 0.5 m suction tubes	Flexible tool hose (1 m) for use with power tools	Adaptor for connecting power tools	Filter cleaning	Parking position	Blower function	Power outlet with automatic on/off switch	Power control	Removable handle	3-in-1 carrying handle	Page		
<b>WD top class</b>																								
	WD 6 P Premium	EU-I	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1300 Watt</b>			30	2.2	6	Switchable, wet and dry	-	■	■	Fleece	■	Stainless steel	■	■	■	■	■	■	■	68	
	WD 5 P Premium	EU-II	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1100 Watt</b>			25	2.2	5	Switchable, wet and dry	-	■	■	Fleece	■	Plastic	-	■	■	■	■	■	■	■	68
	WD 5 Premium	EU-I	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1100 Watt</b>			25	2.2	5	Switchable, wet and dry	-	■	■	Fleece	■	Plastic	-	-	■	■	-	-	■	■	68
	WD 5 P Premium	EU-II	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1100 Watt</b>			25	2.2	5	Switchable, wet and dry	-	■	■	Fleece	■	Plastic	-	■	■	■	■	■	■	■	69
	WD 5	EU-I	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1100 Watt</b>			25	2.2	5	Switchable, wet and dry	-	■	■	Fleece	■	Plastic	-	-	■	■	-	-	■	■	69
<b>WD middle class</b>																								
	WD 4 Premium	EU-I	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			20	2.2	5	Clips, wet and dry	-	■	■	Fleece	■	Plastic	-	-	-	■	-	-	■	-	70
	WD 4	EU-I	Suction Power wd2 wd3 <b>WD 4</b> wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			20	2.2	5	Clips, wet and dry	-	■	■	Fleece	■	Plastic	-	-	-	■	-	-	■	-	71
<b>WD entry-level class</b>																								
	WD 3 P Premium	EU-I	Suction Power wd2 <b>WD 3</b> wd4 wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			17	2	4	Clips, wet and dry	■	-	-	Paper	■	Plastic	-	■	-	■	■	-	■	-	72
	WD 3 Premium	EU-I	Suction Power wd2 <b>WD 3</b> wd4 wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			17	2	4	Clips, wet and dry	■	-	-	Paper	■	Plastic	-	-	-	■	■	-	■	-	72
	WD 3	EU-I	Suction Power wd2 <b>WD 3</b> wd4 wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			17	2	4	Clips, wet and dry	■	-	-	Paper	■	Plastic	-	-	-	■	■	-	■	-	73
	WD 2 Premium	EU-I	Suction Power wd2 <b>WD 3</b> wd4 wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			20	1.9	4	Clips, wet and dry	-	-	-	Paper	■	Plastic	-	-	-	-	-	-	-	-	73
	WD 2	EU-I	Suction Power wd2 <b>WD 3</b> wd4 wd5 <b>WD 6</b> Energy use <b>1000 Watt</b>			12	1.9	4	Clips, wet and dry	-	-	-	Paper	■	Plastic	-	-	-	-	-	-	-	-	73


■ Included in the scope of supply.

# DEVICES AT A GLANCE

		Container capacity (l)	Suction hose, length (m)	2 x 0.5 m suction tubes	Power cable (m)	Floor nozzle	Cartridge filter	Filter bag	Suction brush with soft bristles	Suction brush with hard bristles	Suction nozzle for large areas	Crevice nozzle	Upholstery nozzle	Power outlet with automatic on/off switch	Flexible tool hose and adaptor for use with power tools	Blower function	Parking position	Removable handle	Page		
<b>Car vacuum cleaners</b>																					
	WD 3 Car EU-II ■			17	2	Plastic	4	Clips, wet and dry	■	1 x paper	■	■	■	extra lang	-	-	-	■	■	■	75
<b>Workshop vacuum cleaner</b>																					
	WD 3 P Workshop EU-II ■			17	2	Plastic	4	Clips, wet and dry	■	1 x paper	■	-	-	■	-	■	■	■	■	■	76
<b>Household vacuum cleaners</b>																					
	WD 3 Premium Home EU-II ■			17	2	Plastic	4	Switchable, dry	■	3 x paper	-	-	-	■	■	-	-	■	■	■	77
	WD 2 Home EU-II ■			12	1.9	Plastic	4	Switchable, dry	■	3 x paper	-	-	-	■	■	-	-	-	-	-	77

INDOOR

		Air flow (l/s)	Vacuum (mbar)	Container capacity Fresh/dirty water (l)	Max. rated input power (W)	Spray extraction hose, length (m)	2 x 0.5 m spray extraction tubes	Spray extraction nozzle with hard floor attachment	Spray extraction nozzle for upholstery cleaning	Floor nozzle	Upholstery nozzle	Crevice nozzle	Filter bag	Flat pleated filter	Foam filter	RM 519 (100 ml)	Page
<b>Spray extraction cleaners</b>																	
	SE 5.100 EU	70	210	4 / 4	1400	2	■	■	-	Switchable, dry	■	■	Paper	■	-	■	78
	SE 4002 EU	70	210	4 / 4	1400	2	■	■	■	Clips, wet and dry	■	■	Paper	-	■	■	79
	SE 4001 Plus EU	70	210	4 / 4	1400	2	■	■	■	Clips, wet and dry	■	■	Paper	-	■	■	79
	SE 4001 EU	70	210	4 / 4	1400	2	■	■	-	Clips, wet and dry	■	■	Paper	-	■	■	79

		Max. Rated input power (W)	Container capacity (l)	Suction hose, length (m)	Power cable (m)	2 x 0.5 m suction tubes	Floor nozzle	Coarse dirt filter	Flat pleated filter	Accessory storage	Page
<b>Ash and dry vacuum cleaners</b>											
	AD 3 Premium Fireplace EU-I	1200	17	1.7	4	■	■	■	■	■	80
	AD 3 Fireplace EU-I	1200	17	1.7	4	-	-	■	■	■	80

■ Included in the scope of supply. ■ NEW



## EXTREME SUCTION POWER

Kärcher multi-purpose vacuum cleaners, with their universal range of applications, offer extreme suction power, low power consumption, specially developed floor nozzles and accessories for maximum convenience. Whether dry, wet, fine or coarse dirt: this unit generation always ensures optimal dirt pick-up, perfect all-round cleaning results and maximum user convenience.



### More powerful than ever

Thanks to special energy-efficient motors and a flow-optimised device and accessory design, these new Kärcher multi-purpose vacuum cleaners are far more powerful than the predecessor models.

The advantages at a glance: optimal dirt pick-up, considerable time saving, wide range of applications.

#### 1 More convenient than ever

With innovative filter removal technology, available in the middle and top class ranges, the filter can be removed in seconds. In addition, the flat pleated filter, made popular in our professional cleaner range, is contained in a filter box in the device head – which means extra-quick removal in two easy steps. Just open up the filter box and remove the filter – done! The advantages at a glance: quicker and more convenient filter removal, no contact with dirt and no spreading of dust.

#### 2 First class floor nozzles

Whether dry or wet, fine or coarse dirt – specially developed floor nozzles offer perfect dirt pick-up and optimal sliding behaviour, and can be quickly and simply adapted to wet or dry dirt: the adjustment is made with an inlay change in the case of the clips floor nozzle, and with a convenient foot switch in the case of the adjustable floor nozzle. The special floor nozzles guarantee all-round cleaning satisfaction.













The advantages at a glance: fast and residue-free dirt removal, ideal for dry and wet dirt, effortless vacuuming.

#### 3 Removable handle

The ergonomically-shaped, removable handle ensures optimum air flow. It also allows you to maintain a comfortable posture while cleaning, as the accessories can be quickly and conveniently attached directly to the suction hose. In devices belonging to classes MV 5 + 6, the special material of the handle prevents from electrostatic charge, ensuring trouble-free vacuuming – even in renovation work.

The advantages at a glance: no blockages, simple and convenient vacuuming even in the narrowest spaces, safe protection from electrostatic discharge.

# THE IDEAL DEVICE FOR EVERY PURPOSE.

	WD 6 P Premium	WD 5 P Premium	WD 5 Premium	WD 5 P	WD 5	WD 4 Premium	WD 4	WD 3 P	WD 3 Premium	WD 3	WD 2 Premium	WD 2
												

**The Kärcher WD range**

Small volume of water



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Car interior



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Entrance area



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Cellar



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Workshop / Hobby room



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Blower function



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Garage



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Outside area



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Large volume of water



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Renovation



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

Tool application



■	■	■	■	■	■	■	■	■	■	■	■	■
---	---	---	---	---	---	---	---	---	---	---	---	---

■ = Recommended application for this device. ■ = Application not recommended for this device.

For details of Kärcher's extensive range of original accessories, please see pages 81 - 87.

INDOOR


# THE TOP CLASS - EVEN MORE POWERFUL, EVEN MORE CONVENIENT.

Extremely powerful and energy efficient. Moreover, the top class has everything to make work efficient and convenient: a flat pleated filter in a filter box for quick and clean removal, integrated filter cleaning for instantly restored suction power, convenient accessories for perfect cleanliness, a large container for large quantities of dirt and a safe storage system for all the accessories.



### Simple filter removal

Innovative, patented technology for quick and convenient removal of filter, free from contact with dirt: unlock filter box, remove it - done!



### Clean at the push of a button

Full suction power within seconds: with integrated filter cleaning, strong pulse air streams blow the dirt into the container at the push of a button.



### Flexible and dust-free

Power outlet with automatic on/off control on WD 6 P Premium, WD 5 P Premium and WD 5 P. When power tools are connected, dirt can be vacuumed as soon as it appears.

INDOOR



reddot award 2014  
honourable mention



**WD 6 P Premium**

- Removable filter box with flat pleated filter
- Power outlet with automatic on/off control for use with power tools
- Filter cleaning at the push of a button

**WD 5 P Premium**

- Removable filter box with flat pleated filter
- Power outlet with automatic on/off control for use with power tools
- Filter cleaning at the push of a button

**WD 5 Premium**

- Removable filter box with flat pleated filter
- Filter cleaning at the push of a button
- Newly developed accessories for optimal cleaning results

### Technical data

<b>Frequency</b>	<b>EU-I/EU-II/JP/US</b>	<b>Hz</b>	50/60 / 50/60 / - / -	- / 50/60 / - / -	50/60 / 50/60 / - / -
<b>Voltage</b>	<b>EU-I/EU-II/JP/US</b>	<b>volt</b>	220-240 / 220-240 / - / -	- / 220-240 / - / -	220-240 / 220-240 / - / -
<b>Energy use</b>	<b>EU-I/EU-II/JP/US</b>	<b>W</b>	1300 / 1300 / - / -	- / 1100 / - / -	1100 / 1100 / - / -
<b>Container capacity / container material</b>		<b>l</b>	30 / Stainless steel	25 / Stainless steel	25 / Stainless steel
<b>Power cable</b>		<b>m</b>	6	5	5
<b>Standard accessory ID</b>		<b>mm</b>	35	35	35
<b>Weight</b>		<b>kg</b>	9.1	8.9	8.7
<b>Dimensions (L x W x H)</b>		<b>mm</b>	418 x 382 x 694	418 x 382 x 652	418 x 382 x 652

### Equipment

<b>Suction hose (35 mm) / removable handle</b>	2.2 m / with electrostatic protection	2.2 m / with electrostatic protection	2.2 m / with electrostatic protection
<b>2 x 0.5 m suction tubes (35 mm)</b>	Stainless steel	Plastic	Plastic
<b>Wet and dry floor nozzle</b>	Switchable with 2 rubber and 2 brush strips	Switchable with 2 rubber and 2 brush strips	Switchable with 2 rubber and 2 brush strips
<b>Flat pleated filter</b>	In filter box	In filter box	In filter box
<b>Crevice nozzle</b>	■	■	■
<b>Filter bag</b>	Fleece	Fleece	Fleece
<b>Blower function / Parking position</b>	■ / ■	■ / ■	■ / ■
<b>Filter cleaning</b>	■	■	■
<b>Drain screw</b>	■	-	-
<b>Order number EU-I</b>	<b>1.348-270.0</b>	-	<b>1.348-230.0</b>
<b>Order number EU-II</b>	<b>1.348-271.0</b>	<b>1.348-234.0</b>	<b>1.348-231.0</b>
<b>Order number JP</b>	-	-	-
<b>Order number US</b>	-	-	-

■ Included in the scope of supply.



**Blown away**

Wherever vacuuming is not possible, the practical blower function can help. For example, leaves can be removed effortlessly from gravel surfaces.



**3-in-1 performance**

Thanks to the exclusive 3-in-1 adjustable handle, the device can be transported easily. The container can also be conveniently opened, closed and emptied.



**Tidy storage**

Practical and versatile: the hose, cable and other accessories can always be stored quickly and compactly in the storage system.



**Flexible suction power**

On all devices with an electrical socket, the suction power can be adjusted as required for both standard vacuuming operation and for working with power tools.



**WD 5 P**

- Removable filter box with flat pleated filter
- Power outlet with automatic on/off switch for use with power tools
- Filter cleaning at the push of a button



**WD 5**

- Removable filter box with flat pleated filter
- Filter cleaning at the push of a button
- Newly developed accessories for optimal cleaning results

<b>Hz</b>	- / 50/60 / - / 60	50/60 / 50/60 / 50/60 / 60
<b>volt</b>	- / 220-240 / - / 120	220-240 / 220-240 / 100 / 120
<b>W</b>	- / 1100 / - / 1100	1100 / 1100 / 900 / 1100
<b>l</b>	25 / Plastic	25 / Plastic
<b>m</b>	5	5
<b>mm</b>	35	35
<b>kg</b>	8.5	8.2
<b>mm</b>	418 × 382 × 652	418 × 382 × 652

	2.2 m / with electrostatic protection	2.2 m / with electrostatic protection
	Plastic	Plastic
	Switchable with 2 rubber and 2 brush strips	Switchable with 2 rubber and 2 brush strips
	In filter box	In filter box
	■	■
	Fleece	Fleece
	■ / ■	■ / ■
	■	■
	-	-
	-	<b>1.348-190.0</b>
	<b>1.348-194.0</b>	<b>1.348-191.0</b>
	-	<b>1.348-201.0*</b>
	<b>1.348-197.0</b>	<b>1.348-196.0</b>

\* Expected availability ex stock from week 8/2016.

For details of Kärcher's extensive range of original accessories, please see pages 81 - 87.



# THE MIDDLE CLASS - EXTREMELY POWERFUL.

Only available from Kärcher: a filter system from the professional area - teamed with unique patented filter removal technology. The filter can be removed quickly without contact with dirt. The middle class devices are also extremely powerful and energy-efficient. Thanks to optimised accessories, all types of dirt can be removed quickly and easily.



### Simplified filter removal

The unique filter removal technology is also available on the middle class devices for unparalleled simplicity. The special flat pleated filter is contained in a filter box in the device head. The filter box can be unlocked and removed without the need to take off the container's head. The dirt is safely collected inside the filter box and not scattered over the floor.

### Everything within easy reach

Thanks to the practical accessory storage all accessories and the suction hose are within easy reach and can be stored safely on the device.

INDOOR



reddot award 2014  
honourable mention



### WD 4 Premium

- Removable filter box with flat pleated filter
- Newly developed accessories for optimal cleaning results
- Hygienic fleece filter bag

#### Technical data

Frequency	EU-I / GB / US	Hz	50/60 / 50/60 / -
Voltage	EU-I / GB / US	volt	220-240 / 220-240 / -
Energy use	EU-I / GB / US	W	1000 / 1000 / -
Container capacity / container material	l		20 / Stainless steel
Power cable	m		5
Standard accessory ID	mm		35
Weight	kg		7.5
Dimensions (L x W x H)	mm		384 x 365 x 526

#### Equipment

Suction hose (35 mm) / removable handle	2.2 m / ■
2 x 0.5 m suction tubes (35 mm)	Plastic
Wet and dry floor nozzle	Clips with 2 rubber and 2 brush strips
Flat pleated filter	In filter box
Crevice nozzle	■
Filter bag	Fleece
Parking position	■
Accessory storage on the device	■


Order number EU-I	1.348-150.0
Order number GB	1.348-153.0
Order number US	-

■ Included in the scope of supply.



**Convenient parking**

Ideal for cleaning interruptions: the parking position for quick and convenient parking of the suction tube and floor nozzle on the device.



**Non-stop suction**

The unique Kärcher flat pleated filter allows you to switch between wet and dry vacuuming as you wish without filter replacement or working interruptions



**Vacuum liquids**

The WD 4 is ideal for vacuuming water, spilled drinks, rainwater, etc.



**Also works well in outside areas**

From soil to leaves, gravel, sand or small stones - the WD 4 is up to almost any task in outside areas.



**WD 4**

- Removable filter box with flat pleated filter
- Newly developed accessories for optimal cleaning results
- Hygienic fleece filter bag

<b>Hz</b>	50/60 / - / 60
<b>volt</b>	220-240 / - / 120
<b>W</b>	1000 / - / 1100
<b>l</b>	20 / Plastic
<b>m</b>	5
<b>mm</b>	35
<b>kg</b>	7.1
<b>mm</b>	384 × 365 × 526

- 2.2 m / ■
- Plastic
- Clips with 2 rubber and 2 brush strips
- In filter box
- 
- Fleece
- 
- 

**1.348-110.0**

-

**1.348-115.0**

# THE ENTRY LEVEL – COMPACT, PRACTICAL, VERSATILE.

The entry-level class is notable for the high standard of its equipment features. These include a blower function and convenient parking position for easy suction tube and floor nozzle storage. Special cartridge filter for vacuuming wet and dry dirt without filter replacement.



### Blown away

The practical blower function can be used where vacuuming is not possible. Ideal for blown out leaves of a gravel pit.



### Convenient parking

Ideal for interruptions to cleaning: the parking position for quick and convenient parking of the suction tube and floor nozzle on the device.



### No filter replacement

The special material used in the Kärcher cartridge filter allows both wet and dry cleaning without filter replacement.



### Clean solution

Includes power outlet with automatic on/off switch (WD 3 P). When using power tools, dirt can be vacuumed up as soon as it appears.

INDOOR



reddot award 2014  
honourable mention



**WD 3 P**

- Power outlet with automatic on/off switch for use with power tools
- Newly developed accessories for optimal cleaning results
- Practical blower function



**WD 3 Premium**

- Newly developed accessories for optimal cleaning results
- Practical blower function
- Stainless steel container

### Technical data

Frequency	EU-I/GB/JP/AE/MX/AR	Hz	50/60 / 50/60 / - / - / - / -	50/60 / - / 50/60 / 50/60 / - / -
Voltage	EU-I/GB/JP/AE/MX/AR	volt	220-240 / 220-240 / - / - / - / -	220-240 / - / 100 / 220-240 / - / -
Energy use	EU-I/GB/JP/AE/MX/AR	W	1000 / 1000 / - / - / - / -	1000 / - / 900 / 1000 / - / -
Container capacity / container material		l	17 / Plastic	17 / Stainless steel
Power cable		m	4	4
Standard accessory ID		mm	35	35
Weight		kg	5.7	5.8
Dimensions (L x W x H)		mm	388 x 340 x 502	388 x 340 x 525

### Equipment


Suction hose (35 mm) / removable handle	2 m / ■	2 m / ■
2 x 0.5 m suction tubes (35 mm)	Plastic	Plastic
Wet and dry floor nozzle	Clips with 2 rubber and 2 brush strips	Clips with 2 rubber and 2 brush strips
Cartridge filter / Foam filter	■ / -	■ / -
Crevice nozzle	■	■
Filter bag	Paper	Paper
Blower function / Parking position	■ / ■	■ / ■
Accessory storage on the device	■	■
Order number EU-I	1.629-880.0	1.629-840.0
Order number GB	1.629-884.0	-
Order number JP	-	1.629-854.0*
Order number AE	-	1.629-846.0
Order number MX	-	-
Order number AR	-	-

■ Included in the scope of supply.



**Easy opening**

With the Kärcher "Pull & Push" locking system, the container can be opened and closed easily.



**Everything within easy reach**

Thanks to practical accessory storage, all the supplied accessories and the suction hose are within easy reach and can be stored securely on the device.



**Always ready to hand**

The electric cable is hung up on the integrated cable hook, keeping it tidy and always accessible.



**Convenient and time-saving**

From liquids to dry dirt - Kärcher multi-purpose vacuum cleaners ensure outstanding cleanliness.

INDOOR



**WD 3**

- Newly developed accessories for optimal cleaning results
- Practical blower function
- Parking position



**WD 2 Premium**



- Compact construction style
- Practical cable and accessory storage
- Stainless steel container



**WD 2**

- Compact construction style
- Practical cable and accessory storage
- Plastic container

<b>Hz</b>	50/60 / - / - / 50/60 / 50 / 50/60	50/60 / - / - / - / - / -	50/60 / 50/60 / 50/60 / 50/60 / 50 / -
<b>volt</b>	220-240 / - / - / 220-240 / 120-127 / 220	220-240 / - / - / - / - / -	220-240 / 220-240 / 100 / 220-240 / 120-127 / -
<b>W</b>	1000 / - / - / 1000 / 800 / 1000	1000 / - / - / - / - / -	1000 / 1000 / 900 / 1000 / 800 / -
<b>l</b>	17 / Plastic	20 / Stainless steel	12 / Plastic
<b>m</b>	4	4	4
<b>mm</b>	35	35	35
<b>kg</b>	5.5	5.2	4.5
<b>mm</b>	388×340×503	388×340×534	369×337×430

	2 m / ■	1.9 m / -	1.9 m / -
	Plastic	Plastic	Plastic
	Clips	Clips	Clips
	■ / -	- / ■	- / ■
	■	■	■
	Paper	Paper	Paper
	■ / ■	- / ■	- / -
	■	■	■
	<b>1.629-800.0</b>	<b>1.629-765.0</b>	<b>1.629-760.0</b>
	-	-	<b>1.629-763.0</b>
	-	-	<b>1.629-777.0*</b>
	<b>1.629-806.0</b>	-	<b>1.629-766.0</b>
	<b>1.629-813.0</b>	-	<b>1.629-776.0</b>
	<b>1.629-814.0</b>	-	-

\* Expected availability ex stock from week 8/2016.

For details of Kärcher's extensive range of original accessories, please see pages 81 - 87.



## FOR REALLY LARGE AMOUNTS OF DIRT.

Kärcher offers the right vacuum cleaner for every type of dirt. From the WD standard range, we have developed individual multi-purpose vacuum cleaners that are extremely powerful and designed to cope with specific cleaning tasks. From interior car cleaning to hobby workshops or cleaning around the home – any type of dirt can be removed easily, quickly and conveniently with the new Kärcher specific vacuum cleaners, thanks to maximum suction power and handy accessories.



### 1 Car vacuum cleaner

The best multi-purpose vacuum cleaner for interior car cleaning. Whether sensitive surfaces such as the car dashboard, heavily soiled areas such as the footwell, large areas such as the boot or narrow gaps between the seats – any part of the vehicle interior can be cleaned easily and thoroughly, thanks to special brushes and nozzles.

### 2 Workshop vacuum cleaner

The versatile specific vacuum cleaner for the hobby workshop. Featuring a special floor nozzle, this vacuum cleaner quickly and thoroughly removes sawdust and wood shavings. Sensitive surfaces such as woodwork or a cluttered workbench can be cleaned easily with the suction brush. Where vacuuming is not possible, the practical blower function can be used to remove the dirt. Also practical: when working with power tools, these can be connected to the integrated power outlet. The dust produced when working can be vacuumed immediately, removing the need for subsequent cleaning of the surrounding area.

### 3 Household vacuum cleaner

An all-rounder for indoors: the Kärcher household vacuum cleaner. The switchable special floor nozzle thoroughly cleans carpets and hard floors. With upholstery nozzle for upholstered furniture. And thanks to the special filter system, it even picks up water and shards of glass, making tiresome cleaning with cloths and dustpan a thing of the past. The compact design of this vacuum cleaner makes for easy storage.

# THE CAR VACUUM CLEANER – CLEANS CARS THOROUGHLY.

Extreme suction power and ideal for interior car cleaning. With special brushes and nozzles for all surfaces and areas as well as sensitive or difficult to reach areas.



## The car vacuum cleaner

The WD 3 Car is extremely powerful and ideal for interior car cleaning. It includes an extra long crevice nozzle (350 mm), a suction brush with soft bristles, a suction brush with hard bristles and a suction nozzle for large surfaces, among other features.



## Removable handle

Offers the possibility of attaching different nozzles directly onto the suction hose. For easy vacuuming even in the tightest of spaces.



**WD 3 Car**



- With special accessories for interior car cleaning
- Practical blower function
- Removable handle for vacuuming in confined spaces

## Technical data

Frequency	Hz	50/60
Voltage	volt	220–240
Energy use	W	1000
Container capacity / container material	l	17 / Plastic
Power cable	m	4
Standard accessory ID	mm	35
Weight	kg	5.5
Dimensions (L × W × H)	mm	388 × 340 × 503

## Equipment

Suction hose, length	m	2
Removable handle		■
2 × 0.5 m suction tubes		Plastic
Wet and dry floor nozzle		Clips with 2 rubber and 2 brush strips
Cartridge filter		Standard
Paper filter bag	piece(s)	1
<b>Order number EU-II</b>		<b>1.629-809.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive range of original accessories, please see pages 81–87.

# THE WORKSHOP VACUUM CLEANER – CLEANS WORKSHOPS THOROUGHLY.

Extreme suction power and ideal for workshop cleaning and working with power tools. With power outlet, soft suction brush and blower function for sensitive or difficult to reach areas.



### The workshop vacuum cleaner

The extremely powerful WD 3 P Workshop is ideal for workshop cleaning and working with power tools. It includes a flexible tool hose (1 m), an adaptor for connecting power tools and a suction brush with soft bristles, among other features.



### Power outlet with automatic on/off switch for working with power tools

Dust from planing, sawing or grinding is directly suctioned off. The vacuum cleaner is automatically switched on or off via the power tool. For convenient working without dust dispersion and subsequent vacuuming.



### Special accessories for workbench cleaning

Fast and thorough workbench vacuuming using a suction brush with soft bristles. Gentle on surfaces and therefore suitable for sensitive areas.



**WD 3 P Workshop**



- Power outlet with automatic on/off switch for working with power tools
- With special accessories for workbench cleaning
- Practical blower function

### Technical data

Frequency	Hz	50/60
Voltage	volt	220 -240
Energy use	W	1000
Container capacity / container material	l	17 / Plastic
Power cable	m	4
Standard accessory ID	mm	35
Weight	kg	5.7
Dimensions (L × W × H)	mm	388 × 340 × 502

### Equipment

Suction hose, length	m	2
Removable handle		■
2 × 0.5 m suction tubes		Plastic
Wet and dry floor nozzle		Clips with 2 rubber and 2 brush strips
Cartridge filter		Standard
Crevice nozzle		■
Paper filter bag	piece(s)	1
Order number EU-II		<b>1.629-886.0</b>

■ Included in the scope of supply.

# THE HOUSEHOLD VACUUM CLEANERS - THOROUGH CLEANING FOR THE HOME.

Extreme suction power and ideal for household cleaning. With floor nozzle for carpets and hard floors, upholstery nozzle and special filter system for vacuuming water and glass shards.



### The WD 3 Premium Home

The WD 3 Premium Home is extremely powerful and ideal for household cleaning. It includes a floor nozzle for carpets and hard floors and an upholstery nozzle, among other features.



### Special filter system

For vacuuming dry dirt, water and glass shards. For various tasks around the home.



### The WD 2 Home

The WD 2 Home is extremely powerful and ideal for household cleaning. It includes a floor nozzle for carpets and hard floors and an upholstery nozzle, among other features.



WD 3 Premium Home

WD 2 Home



- Special accessories for cleaning different floor coverings and upholstered furniture
- Special filter system - also for vacuuming water
- Stainless steel container

- Special accessories for cleaning different floor coverings and upholstered furniture
- Compact design
- Practical on-board cable and accessory storage

### Technical data

Frequency	Hz	50/60	50/60
Voltage	volt	220 - 240	220 - 240
Energy use	W	1000	1000
Container capacity / container material	l	17 / Stainless steel	12 / Plastic
Power cable	m	4	4
Standard accessory ID	mm	35	35
Weight	kg	5.8	4.5
Dimensions (L x W x H)	mm	388 x 340 x 525	369 x 337 x 430

### Equipment

Suction hose, length	m	2	1.9
Removable handle	■	■	-
2 x 0.5 m suction tubes		Plastic	Plastic
Dry vacuum nozzle		Switchable floor nozzle with two brush strips	Switchable floor nozzle with two brush strips
Cartridge filter		Standard	Standard
Crevice nozzle	■	■	■
Paper filter bag	piece(s)	3	3
Order number EU-II		1.629-850.0	1.629-773.0


■ Included in the scope of supply.

For details of Kärcher's extensive range of original accessories, please see pages 81 - 87.



# SPRAY EXTRACTION CLEANERS - FOR THOROUGH CLEANING RESULTS.

Kärcher spray extraction cleaners ensure thorough cleanliness deep into the fibres of carpets, upholstery, mattresses, textile wall hangings and car seats. Detergent is sprayed deep into textile surfaces under pressure and suctioned away, together with the dissolved dirt. Grease, dirt and odours are effectively removed.



### Spray extraction principle

During spray extraction, the water with detergent is sprayed on in one operation and then immediately vacuumed up again with the dirt.



### 2-tank system (SE 5.100)

Separate containers for clean and dirty water - each with a handle for easy removal, filling and emptying.



### Flat pleated filter

The flat pleated filter lets you switch between wet and dry vacuuming easily. It can easily be removed through a hinged cover.



### Can be used as a dry vacuum cleaner

With the practical switchable dry vacuum nozzle, the spray extraction cleaner can be converted into a convenient dry vacuum cleaner.



SE 5.100

- 2-in-1 comfort system with integrated spray extraction hose
- Kärcher nozzle technology: reduces drying time by 50%
- Flat pleated filter for non-stop wet and dry vacuuming

### Technical data

Frequency EU	Hz	50/60
Voltage EU	volt	220 - 240
Air flow	l/s	70
Vacuum	mbar	210
Fresh / dirty water tank	l	4 / 4
Max. rated input power of turbine / pump	W	1400 / 40
Working width	mm	230
Spray rate	l/min	1
Spray pressure	bar	1
Power cable	m	5
Weight	kg	7.4
Dimensions (L x W x H)	mm	411 x 320 x 463

### Equipment

Spray suction hose with handle	2 m
Suction tubes, 2 x 0.5 m	■
Spray extraction nozzle with hard surface attachment	■
Spray extraction nozzle for deep cleaning of upholstery	-
Floor nozzle	Switchable dry vacuum nozzle with two brush strips
Crevice nozzle / upholstery nozzle	■ / ■
Filter bag / Flat pleated filter	Paper / ■
Foam filter	-
Carpet Cleaner RM 519 (100 ml)	■
Order number EU	1.081-200.0

■ Included in the scope of supply.



**Hygienic and clean**

Kärcher spray extraction cleaners are not only ideal for allergy sufferers, but also for households with pets.



**Removable fresh water tank**

Enables filling and emptying without opening the device. The container is shock-proof and translucent, which means that the water level can be checked at any time.



**Easy transport**

The carry handle makes the device easy to lift, transport and empty, both when opened and closed.



**Shorter drying time for carpets**

The Kärcher spray ex nozzle and RM 519 carpet cleaner enable up to 50% faster drying.



**SE 4002**

- 2-in-1 comfort system with integrated spray extraction hose
- Kärcher nozzle technology: reduces drying time by 50%
- Including upholstery spray extraction nozzle



**SE 4001 Plus**

- Large removable fresh water tank
- Kärcher nozzle technology: reduces drying time by 50%
- Including upholstery spray extraction nozzle




**SE 4001**

- Large removable fresh water tank
- Kärcher nozzle technology: reduces drying time by 50%
- Robust plastic container

<b>Hz</b>	50/60	50/60	50/60
<b>volt</b>	220 - 240	220 - 240	220 - 240
<b>l/s</b>	70	70	70
<b>mbar</b>	210	210	210
<b>l</b>	4 / 4	4 / 4	4 / 4
<b>W</b>	1400 / 40	1400 / 40	1400 / 40
<b>mm</b>	230	230	230
<b>l/min</b>	1	1	1
<b>bar</b>	1	1	1
<b>m</b>	7.5	7.5	7.5
<b>kg</b>	7.8	8	7.8
<b>mm</b>	441 × 386 × 480	441 × 386 × 480	441 × 386 × 480
	2 m	2 m	2 m
	■	■	■
	■	■	■
	■	■	-
	Clips wet and dry vacuum nozzle	Clips wet and dry vacuum nozzle	Clips wet and dry vacuum nozzle
	■ / ■	■ / ■	■ / ■
	Paper / -	Paper / -	Paper / -
	■	■	■
	■	■	■
	<b>1.081-140.0</b>	<b>1.081-133.0</b>	<b>1.081-130.0</b>

# ASH AND DRY VACUUM CLEANERS – POWERFUL AND SAFE.

The new ash and dry vacuum cleaner boasts strong and sustained suction power and offers a high level of safety when vacuuming ash. This makes vacuuming ash from chimneys and barbecues easy and safe. In combination with suction tube and floor nozzle, the AD 3 Premium Fireplace can also be used as a fully functional dry vacuum cleaner.



### Effective filter system

An impressively large amount of ash can be vacuumed up thanks to the unique filter system which comprises a flat pleated filter and a coarse dirt filter.




### Proven safety

Flame-resistant material, metal container and metal hose ensure maximum safety when vacuuming ash – even with improper use.



### Fully functional dry vacuum cleaner

A floor nozzle is also included in the scope of delivery as standard. When combined with the high-quality chrome-plated suction tubes, the AD 3 Premium Fireplace becomes a standard dry vacuum cleaner.



### Organised accessories

The cable and all the accessories included as standard can be stored away quickly and compactly in the accessory storage.



**AD 3 Premium Fireplace**

- Innovative filter system
- Metal container and hoses
- With special accessories for use as a dry vacuum cleaner



**AD 3 Fireplace**

- Innovative filter system
- Metal container and hoses
- On-board accessory storage

### Technical data

<b>Frequency EU-I</b>	<b>Hz</b>	50/60	50/60
<b>Voltage EU-I</b>	<b>volt</b>	220 - 240	220 - 240
<b>Max. power rating</b>	<b>W</b>	1200	1200
<b>Container capacity / container material</b>	<b>l</b>	17 / Metal	17 / Metal
<b>Power cable</b>	<b>m</b>	4	4
<b>Standard accessory ID</b>	<b>mm</b>	35	35
<b>Weight</b>	<b>kg</b>	6.4	6.4
<b>Dimensions (L x W x H)</b>	<b>mm</b>	372 x 338 x 556	372 x 338 x 556

### Equipment

<b>Suction hose, length</b>	1.7 m	1.7 m
<b>Suction hose, material</b>	Zinc coat	Zinc coat
<b>2 x 0.5 m suction tubes</b>	Chrome-plated	-
<b>Dry vacuum nozzle</b>	Clips floor nozzle with two brush strips	-
<b>Filter system</b>	Metal flat pleated filter and coarse dirt filter	Metal flat pleated filter and coarse dirt filter
<b>Accessory storage on the device</b>	■	■
<b>Order number EU-I</b>	<b>1.629-660.0</b>	<b>1.629-665.0</b>

■ Included in the scope of supply.

For details of Kärcher's extensive range of original accessories, please see pages 81 - 87.

## NEW ACCESSORIES – FOR GREATER CONVENIENCE AND CLEANLINESS.

Kärcher offers an extensive and useful range of accessories for the different multi-functional vacuum cleaners for everyday use as well as for special applications. From the right suction nozzle and the appropriate hose to specialised filter systems, all our components are designed to work together in the best possible way. Kärcher multi-functional vacuum cleaners consistently meet the demands of specific cleaning tasks in all areas with outstanding cleaning results.



### 1 Renovation kit

Coarse dirt from renovation work or DIY can be removed effectively and conveniently with the new renovation kit. The ergonomically shaped handle and high-quality floor nozzle ensure the highest level of operating convenience. Thanks to the high suction power, even large quantities of coarse dirt can be removed in no time.

### 2 Car interior cleaning kit

Whether for foot mats, car seats, gaps or delicate fittings – the tried-and-tested accessory kit enables impeccable all-round interior car cleaning. Kärcher has continued to improve the kit: the extra long crevice nozzle can now fit into even narrower gaps. There are also two new suction brushes: The suction brush with soft bristles allows gentle cleaning of delicate surfaces, for example around the car dashboard. The suction brush with hard bristles guarantees excellent cleaning results on materials that are hard to clean, like foot mats. The entire car is left clean, right down to every nook and cranny.












## ACCESSORY KITS AND SPECIAL TOOLS.



Extremely practical and versatile: Kärcher accessory kits and suction nozzles. Because of their extensive equipment possibilities, the multi-purpose vacuum cleaners can be used almost anywhere. The car interior cleaning kit can be used for complete interior car cleaning.

INDOOR

		Order no.	Number
<b>Accessory kits</b>			
	Renovation kit	■ 1 2.863-220.0	4 pieces
	Car interior cleaning kit	■ 2 2.863-225.0	7 pieces
	Suction brush kit	■ 3 2.863-221.0	2 pieces
	Household kit	4 2.863-002.0	2 pieces
	Vacuum kit for power tools	5 2.863-112.0	2 pieces
<b>Nozzles</b>			
	Switchable wet and dry vacuum nozzle with integrated parking nib	6 2.863-000.0	1 piece
	Extra long crevice nozzle	■ 7 2.863-223.0	1 piece
	Car nozzle/suction nozzle for large surfaces	8 2.863-145.0	1 piece
	Suction brush with hard bristles	9 2.863-146.0	1 piece
	Suction brush with soft bristles	10 2.863-147.0	1 piece

■ Included in the scope of supply. □ Available accessories. ■ NEW







# SPECIAL APPLICATIONS.



Special application problems require specific solutions: for example, removing ash residues from chimneys, wood ovens or barbecues is easy using the high-quality Kärcher metal ash filter and Kärcher multi-purpose vacuum cleaner. The 3.5 m suction hose extension is also extremely practical, ensuring optimum freedom of movement when working.

INDOOR

		Order no.	Description
<b>Special applications</b>			
	Ash filter /coarse dirt filter Basic	1 2.863-139.0	Ash filter/coarse dirt filter Basic consisting of one 20 l metal container and one 1 m flexible metal suction hose with removable metal tube. Particularly suitable for cleaning chimneys, sauna ovens and barbecues. Also suitable for removing coarse dirt. For all multi-purpose vacuum cleaners from the Home & Garden range.
			
1, 2	Ash filter /coarse dirt filter Premium	2 2.863-161.0	Ash filter/coarse dirt filter Premium consisting of one 20 l metal container, one 1 m flexible metal suction hose with removable metal tube and a fine filter that holds the finest dust. Particularly suitable for cleaning chimneys, sauna ovens and barbecues. Also suitable for removing coarse dirt. For all multi-purpose vacuum cleaner from the Home & Garden range.
	Metal crevice nozzle (for ash filter /coarse dirt filter)	3 2.640-951.0	Extra long metal crevice nozzle (360 mm), can be attached to the ash and coarse dirt filter. For vacuuming cold ash from hard-to-reach places, for example chimneys, tiled stoves and barbecues.
			
3	3.5 m suction hose extension	4 2.863-001.0	The 3.5 m suction hose extension is suitable for all Kärcher Home & Garden range multi-purpose vacuum cleaners and provides a larger operating radius and greater freedom of movement.
			
4	Extension suction tube	5 2.863-148.0	This practical extension suction tube (0.5 m) is particularly suitable for use in hard-to-reach places such as high ceilings.
			
5			

■ Included in the scope of supply. □ Available accessories.



Ash filter.



3.5 m suction hose extension.




Extension suction tube.

	WD 6 P Premium	EU-1 / EU-II
	WD 5 P Premium	EU-II
	WD 5 Premium	EU-1 / EU-II
	WD 5 P	EU-II / US
	WD 5	EU-1 / EU-II / JP / US
	WD 4 Premium	EU-1 / GB
	WD 4	EU-1 / US
	WD 3 P	EU-1 / GB
	WD 3 Premium	EU-1 / JP / AE
	WD 3	EU-1 / AE / MX / AR
	WD 2 Premium	EU-1
	WD 2	EU-1 / GB / JP / AE / MX
	WD 3 Car	EU-II
	WD 3 P Workshop	EU-II
	WD 3 Premium Home	EU-II
	WD 2 Home	EU-II
	Ash filter / coarse dirt filter Basic	
	Ash filter / coarse dirt filter Premium	
1	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>
3		<input type="checkbox"/> <input type="checkbox"/>
4	<input type="checkbox"/>	<input type="checkbox"/>
5	<input type="checkbox"/>	<input type="checkbox"/>



# FILTERS AND FILTER BAGS.







Kärcher cartridge and flat pleated filters pack an impressively large filter area into a very small space. Easy to replace, the Kärcher paper and fleece filter bags ensure excellent filter capacity and tear-resistance.



New filter removal technology on devices WD 4, 5 and 6.

Vacuum for longer with fleece filter bags.

INDOOR

	Order no.	Number	Description	WD 6 P Premium	EU-1 / EU-II	WD 5 P Premium	EU-II	WD 5 Premium	EU-1 / EU-II	WD 5 P	EU-II / US	WD 5	EU-1 / EU-II / JP / US	WD 4 Premium	EU-1 / GB	WD 4	EU-1 / US	WD 3 P	EU-1 / GB	WD 3 Premium	EU-1 / JP / AE	WD 3	EU-1 / AE / MX / AR	WD 2 Premium	EU-1	WD 2	EU-1 / GB / JP / AE / MX	WD 3 Car	EU-II	WD 3 P Workshop	EU-II	WD 3 Premium Home	EU-II	WD 2 Home	EU-II	AD 3 Premium Fireplace	EU-1	AD 3 Fireplace	EU-1					
<b>Filters for multi-purpose vacuum cleaners</b>																																												
	Paper filter bag	1 6.904-322.0	5 pieces	1																																								
		2 6.904-143.0	5 pieces	2																																								
		3 6.959-130.0	5 pieces	3																																								
	Fleece filter bags	4 2.863-006.0	4 pieces	4																																								
	Cartridge filter	5 6.414-552.0	1 piece	5																																								
	Flat pleated filter	6 2.863-005.0	1 piece	6																																								
<b>Accessories for ash and dry vacuum cleaners</b>																																												
	Extra long crevice nozzle	7 2.863-004.0	1 piece	7																																								
	Flat pleated filter	8 6.415-953.0	1 piece	8																																								

■ Included in the scope of supply. □ Available accessories.

# FILTERS AND ACCESSORIES FOR SPRAY EXTRACTION CLEANERS.






With Kärcher's spray extraction nozzle for upholstery cleaning, stubborn stains on upholstered furniture and car seats can be removed quickly and easily.



50% reduction in drying time: the Kärcher spray extraction nozzle and detergent RM 519 make a strong team.

Spray extraction nozzle for upholstery cleaning.

INDOOR

		Order no.	Number	Description	SE 5.100	SE 4002	SE 4001 Plus	SE 4001
<b>Filters and accessories for spray extraction cleaners</b>								
	Filter set	1	6.904-143.0	5 pieces	Highly tear-resistant paper filter bags with outstanding filter capacity. Includes 1 micro filter.	<input type="checkbox"/>		
1								
	Flat pleated filter	2	6.414-498.0	1 piece	Allows wet and dry vacuuming without having to change the filter.	<input checked="" type="checkbox"/>		
2								
	Paper filter bag	3	6.959-130.0	5 pieces	Highly tear-resistant paper filter bags with outstanding filter capacity.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3								
	Cartridge filter	4	6.414-552.0	1 piece	The Kärcher cartridge filter allows both wet and dry vacuuming, without the need for a filter change.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4								
	Spray extraction nozzle for upholstery cleaning	5	2.885-018.0	1 piece	Upholstered furniture and car seats are cleaned deep into the fibres with the spray extraction nozzle for upholstery cleaning. Working width 110 mm.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5								

■ Included in the scope of supply. □ Available accessories.

## CLEANING DEVICES FOR INDOOR USE.

There are always more pleasant ways to spend your time than doing tedious cleaning tasks – especially within your own four walls. This is why Kärcher has developed a wide range of intelligent solutions for interior cleaning that guarantee spotless cleaning results. Our devices are extremely powerful, saving the operator time and effort, and deliver outstanding cleanliness. So now it's time to roll up your sleeves and get started!



### Table of contents: Indoor Cleaning

Devices at a glance	Page 90	Window Vacs	Page 98
Vacuum cleaner with water filter	Page 91	Steam cleaners	Page 100
Vacuum cleaners	Page 92	Steam vacuum cleaner	Page 106
Floor polisher	Page 95	Accessories	Page 108
Cordless electric broom	Page 96	Detergents	Page 118
Drill dust catcher	Page 97		



### 1 Powerful depth effect without chemicals

Using natural steam, Kärcher steam cleaners ensure hygienic fibre-deep cleanliness throughout the home! With the power of superheated steam and excellent moisture penetration of the cloth, these devices kill 99.99% of common household bacteria normally found on hard surfaces. Whether compact and handy, with non-stop steaming function or VapoHydro function: Kärcher offers the right model for all cleaning requirements as an ideal alternative to conventional cleaning. The SC 1 is handy and perfect for powerful intermediate cleaning. With a heat-up time of only 30 seconds, the SC 3 is ready to use immediately. It can also be continuously refilled and offers the benefit of an innovative and convenient decalcification system. As the most powerful steam cleaner, the SC 5 offers perfect handling and, thanks to the VapoHydro function, effortlessly removes even stubborn dirt. Hot water is added to the steam at the push of a button and the dislodged dirt is simply washed away. Kärcher steam cleaners are suitable for almost all floor coverings. The devices remove even greasy dirt gently and effectively from surfaces in kitchens and bathrooms.

By the way: even ironing and window cleaning are considerably faster with these powerful multi-purpose devices! The ergonomically designed accessories ensure maximum convenience wherever needed.



### 2 Window Vac - no more dripping

Window cleaning made easy: with the innovative Window Vac, Kärcher offers a simple, fast and extremely thorough solution for spotlessly clean windows. The cleaning process is extremely simple: with the supplied spray bottle and microfibre wiping cloth, dirt is first quickly and effectively dislodged. Then the dirty water is suctioned with the Window Vac, streak-free and drip-free - giving you sparkling clean windows every time. By the way: the innovative Window Vac is also ideal for shower cubicles or glass tables. What remains is always a perfect shine - without streaks or drips.

### 3 For quick touch-up cleaning

The Kärcher K 55 cordless electric broom is ideal for touch-up cleaning and is suitable for all floor coverings. The quick brush removal technology ensures easy and hygienic brush removal. This means that the brush can be cleaned or replaced effortlessly at any time.


As a result, the bristles stay clean and do not become matted. The brush can be removed easily and hygienically for cleaning at the push of a button.

\*When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces.




# DEVICES AT A GLANCE


INDOOR





			Rated input power (W)	Energy efficiency class	Annual energy use (kWh/a)	Carpet cleaning performance class	Hard floor cleaning performance class	Dust re-emission class	Sound power level dB(A)	Filter bag volume (l)	Working radius (m)	EasySlider obstacle guide	Switchable floor nozzle	QuickClick system for rapid switch between floor nozzle and accessories	Crevice nozzle	Upholstery nozzle	Furniture brush	Telescopic crevice nozzle	Electrical suction power regulation	Page
<b>Vacuum cleaner with water filter</b>																				
DS 5.800	EU / MX / AE / AR		900	-	-	-	-	-	-	-	10.2	-	■	-	■	■	-	-	-	91
<b>Vacuum Cleaners</b>																				
VC 6 Premium	EU		600	A	25.8	D	D	A	72	4	10	■	■	■	-	■	■	■	On the handle (+ / - button) with additional stand-by function	93
VC 6	EU		600	A	25.8	D	D	A	72	4	10	■	■	■	-	■	■	■	On the device	93
VC 1.800	AE/SA/VE		1800 / 1800 / 1300	-	-	-	-	-	-	-	-	-	■	-	■	■	-	-	-	94



		Battery voltage (V)	Cleaning performance per battery charge (m²)	Operation duration (min)	Tank content (l)	Standard brush	Wall bracket	Page
<b>Cordless Electric Brooms</b>								
K 55	US	4.8	60-100	30	0.5	■	■	96
K 55	SA	4.8	60-100	30	0.5	■	■	96



		Dirty water tank (ml)	Battery running time (min)	Battery charging time (min)	Working width of suction nozzle (mm)	Spray bottle with micro-fibre wiping cloth	Window cleaner concentrate	Page
<b>Battery-powered Window Vacs</b>								
WV 50 Plus	MX	100	20	120	280	■	■	98
WV Classic	EU/GB	100	20	120	280	■	■	99






		Heating capacity (W)	Max. steam pressure (bar)	Heat-up time (min)	Area performance per tank filling (m²)	Boiler capacity (litres)	Separate water tank (litres)	Detachable tank	Continuously refillable	Safety valve	Classic floor kit	Comfort floor kit	Comfort Plus floor kit	Extension hose	Power nozzle	Detail nozzle	Round brush	Big round brush	Terry cloth for Classic, Comfort Mini and Comfort floor nozzle	Microfibre cloth for Classic and Comfort or Comfort Plus floor nozzle	Terry cloth cover and hand nozzle	Microfibre cover and hand nozzle	Steam pressure iron Stainless steel soleplate	Descaling sticks	Descaling cartridge	Window nozzle	Page	
<b>Steam cleaners</b>																												
SC 4 Iron Kit	EU	2000	4.2	4	100	0.5	0.8	■	■	■	-	-	■	-	-	-	■	-	-	-	■	■	-	■	■	-	-	101
SC 4	EU/GB	2000	4.2	4	100	0.5	0.8	■	■	■	-	-	■	-	-	-	■	-	-	-	■	■	-	■	■	-	-	101
SC 3 Premium	GB	1900	3.5	0.5	75	-	1	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	102	
SC 3	EU/GB/MX	1900	3.5	0.5	75	-	1	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	102	
SC 2	EU/GB/MX/SEA	1500	3.2	6.5	75	1	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	103	
SC 1 Premium Floor Kit	EU/GB	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	104	
SC 1 Premium Floor Kit	MX	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	104	
SC 1 Premium	EU	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	104	
SC 1 Premium	MX	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	104	
SC 1 Floor Kit	EU	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	105	
SC 1 Floor Kit	MX	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	105	
SC 1	EU	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	105	
SC 1	AE / MX	1200	3	3	20	0.2	-	-	■	■	-	■	-	■	■	■	■	■	-	■	■	-	■	■	-	-	105	
<b>Steam vacuum cleaner</b>																												
SV 7	EU	2200	4	-	-	0.75	0.5	■	■	■	-	-	-	-	-	■	■	-	-	-	-	-	-	-	-	-	107	

■ Included in the scope of supply.

# VACUUMING WITHOUT FILTER BAGS.

The DS 5.800 vacuum cleaner with water filter not only cleans floors perfectly, but also keeps the air in rooms clean and fresh for a more pleasant room climate. In addition to its high suction power, it filters 99.9% of particles larger than 0.3 µm from the air, thanks to the innovative water filter, leaving nothing but a feeling of freshness in the air. Unlike standard filter bag vacuum cleaners, the DS 5.800 water filter works using the natural power of water.



### Multi-stage filter system - for 99.9% clean air

- The multi-stage filter system ensures that even tiny, microscopic dirt particles are extracted, leaving the air 99.9% clean.
- The washable, long-lasting intermediate filter filters out tiny airborne particles from the condensed humid air.
- The HEPA high efficiency filter retains allergenic pollen, fungal, spores, bacteria and secretions of mites.

### Exceptionally easy water filter cleaning

The individual parts of the water filter just need to be rinsed under a running tap - quick and easy.

### Accessory storage on the device

No more running around trying to find all those accessories anymore! All of the accessories can be neatly stored within easy reach in the device's accessory compartment.



**DS 5.800 Waterfilter**

- Easy to clean
- Accessory storage on the device
- Suitable for allergy sufferers

### Technical data

Frequency EU / MX / AE / AR	Hz	50/60 / 60 / 50/60 / 50/60
Voltage EU / MX / AE / AR	volt	220-240 / 127 / 220-240 / 220-240
Rated input power	W	900
Water filter	l	2
Operating radius	m	10.2
Power cable	m	6.5
Weight	kg	7.4
Dimensions (L x W x H)	mm	535 x 289 x 345

### Equipment

Suction hose, length	m	2.1
Soft grip handle	■	
Telescopic suction tube / Switchable floor nozzle	■ / ■	
Crevice nozzle / Upholstery nozzle	■ / ■	
HEPA 12 filter (EN 1822:1998)	■	
Practical parking position	■	
Defoamer FoamStop neutral (30 ml)	■	
Order number EU		1.195-210.0
Order number MX		1.195-215.0
Order number AE		1.195-213.0
Order number AR		1.195-216.0


■ Included in the scope of supply.

\* The reduced exposure to pollen, house dust mites, dog and cat allergens, mold and bacteria levels is scientifically proven.

For details of Kärcher's extensive range of original accessories, please see pages 108-117. For detergents and care agents, please see pages 118-119.

## THE EU ENERGY LABEL FOR VACUUM CLEANERS.

A law has been introduced EU-wide to enforce what Kärcher has long since demonstrated with its multi-purpose vacuum cleaners and water filter vacuum cleaners: efficient cleaning with less power. The EU energy label for vacuum cleaners, which came into effect on 1 September 2014, limits the nominal power of mains-operated dry vacuum cleaners to a maximum of 1600 W. Every machine sold in Europe must therefore be labelled with the EU Energy Label.

**A**

### Energy efficiency class at a glance

The energy efficiency class is a standardised system of classification across the EU and is recognisable at a glance. The system of classification from A to G, which came into force on 1 September 2014, allows a direct comparison. Categorisation into an energy efficiency class is based on annual energy use (AE), which is calculated using a range of parameters. The power input of the vacuum cleaner is therefore particularly crucial, though the cleaning effect is also part of the assessment criteria.

**25.8**

kWh/annum

### Annual energy use

The annual energy use (AE) refers to a defined number of cleaning processes (50 per year) on a standard living area (87 m<sup>2</sup>) and is shown as a reference value on the Energy Label. This value must be less than 62 kWh/a (class G) and is given particular prominence on the Energy Label. However, the actual annual energy use depends on user behaviour, in particular the level of cleanliness, cleaning surface and cleaning frequency.

**72dB**

### Sound power level

In addition to saving energy, the reduction of noise benefits the environment. A sound level difference of  $\pm 10$  dB(A) is perceived as twice or half as loud. A vacuum cleaner with a sound power level of 71 dB(A) is therefore perceived to be only half as loud as one with 81 dB(A). The energy label showing the sound power level is an additional objective decision-making aid.

**ABCDEF G**

### Dust re-emission class

For vacuum cleaners, over and above the cleaning performance, dust re-emission also plays an important role and is shown on the Energy Label as the classification A to G. Dust re-emission values are calculated by the manufacturer using a standardised measurement method in accordance with the EU Regulation.


**ABCDEF G**

### Cleaning class performance for hard floors/carpets

The differences between cleaning hard floors and carpets are significant and cannot be compared directly. The cleaning classes for hard floors and carpets in classes A - G are therefore shown separately.

# SMART, ENERGY-SAVING VACUUM CLEANERS.

Vacuuming is extraordinarily quick and easy with the energy-saving machines from the VC series. The vacuum cleaners, which belong to energy efficiency class A, combine extremely strong suction power with outstanding comfort features. These include the QuickClick system, the only one of its kind in the world, to remove the nozzles quickly and easily, or the practical EasySlider rotating ring which prevents the furniture and vacuum from becoming scratched.



### Exemplary energy efficiency

The vacuums in energy efficiency class A have improved motors and floor nozzles. Despite the low energy use at just 600 W, there is no loss in suction power.



### QuickClick nozzle removal

With the unique QuickClick system, nozzles can be changed in no time with just one click – both on the handle and the telescopic tube.



### EasySlider rotating ring


A soft rotating ring that turns 360° guides the vacuum cleaner around obstacles. This protects objects from damage and makes it possible to quickly vacuum without interruptions.



### HEPA 12 filter\*

The HEPA 12 filter\* filters even the smallest allergenic particles and therefore has the lowest dust re-emission (category A).

INDOOR



VC 6 Premium



VC 6

- Energy efficiency class A
- EasySlider obstacle guide for gentle vacuuming
- Unique QuickClick system for quick and easy nozzle changing

### Technical data

Frequency EU	Hz	50/60	50/60
Voltage EU	volt	220-240	220-240
Rated input power	W	600	600
Operating radius	m	10	10
Filter bag capacity	l	4	4
Weight	kg	6.6	6.6
Dimensions (L × W × H)	mm	383 × 370 × 373	383 × 370 × 373

### Equipment

Suction hose, length	m	2.3 / with bent handle	2.3 / with bent handle
Soft grip handle		■	■
Telescopic suction tube / Switchable floor nozzle		■ / ■	■ / ■
Integrated QuickClick system: telescopic crevice nozzle, upholstery nozzle, furniture brush		■	■
Electrical suction power control		on handle (+/- button) with additional stand-by function	on unit
Filter bag		Fleece	Fleece
HEPA 12 filter (EN 1822:1998)		■	■
Automatic cable rewind		■	■
Practical parking position		■	■
Order number EU		1.195-605.0	1.195-600.0

■ Included in the scope of supply. \* (EN 1822:1998)

For details of Kärcher's extensive range of original accessories, please see pages 108-117.



# THE VC 1.800 – ESPECIALLY STURDY AND POWERFUL.

Pure vacuum power: the VC 1.800 device is specifically tailored to the customer's needs. With its sturdy construction style, powerful motor and switchable floor nozzle, this dry vacuum cleaner delivers impressive results on both carpets and hard floors. In addition, the reusable fabric filter eliminates the need to constantly purchase replacement filter bags.



### Lifting and carrying

The practical carry handle makes it easy to transport the VC 1.800 or remove the top part of the device.



### Practical lock system

Opening and closing the container is easy with the user-friendly lock system.



### Everything neatly stowed

The storage system is practical and versatile. The cable and accessories can always be stored quickly and compactly.



### Reusable fabric filter

The reusable fabric filter puts an end to buying replacement filter bags. Simply remove the filter, wash it and refit it, and the vacuum cleaner is ready to use.

INDOOR



VC 1.800

- Reusable fabric filter
- Sturdy metal container
- Blowing function

### Technical data

Frequency	AE / SA / VE	Hz	50/60 / 50/60 / 50/60
Voltage	AE / SA / VE	volt	220 - 240 / 220 - 240 / 120 - 127
Max. rated input power	AE / SA / VE	W	1800 / 1800 / 1300
Vacuum	AE / SA / VE	mbar	215 / 215 / 170
Air flow	AE / SA / VE	l/s	74 / 74 / 69
Container		l	20
Power cable		m	6
Nominal accessory width		mm	35
Weight		kg	7.6
Dimensions (L × W × H)		mm	435 × 376 × 504

### Equipment

Suction hose	2 m
Suction tubes 2 × 0.5 m	Plastic
Floor nozzle	Switchable (for carpet / hard floors)
Crevice nozzle / Upholstery nozzle	■ / ■
Fabric filter	reusable
Foam filter	■
Blower function	■
Accessory storage	■
Order number AE	1.723-960.0
Order number SA	1.723-961.0
Order number VE	1.723-962.0

■ Included in the scope of supply.

For details of Kärcher's extensive range of original accessories, please see pages 108-117.

## THE FLOOR POLISHER FP 303 – A SYSTEM THAT SHINES.

Polishing has never been simpler: the FP 303 ensures all-round impeccable polishing results. It can be used on a variety of floor surfaces, such as parquet, laminate, stone, PVC, cork or linoleum. The device is very easy to use and features a number of practical details, such as its triangular design to clean corners with ease. Polishing dust is easily vacuumed and the cable can be stored away neatly on the cable storage directly on the handle. Polishing has never been so much fun!



### Extremely ergonomic

Specially developed handle with optimised geometry. For very convenient cleaning.



### For polished corners

The optimised triangular design of the polishing head allows corners to be reached more effectively.



### Practical storage

The high-quality textile bag containing the filter bag is attached to the handle. The polishing pads are stored compactly in a separate accessory compartment.



### Easy to transport

With the smooth-running wheels, the FP 303 can be transported easily.

INDOOR



reddot design award  
winner 2009

### FP 303

- Optimum polishing results thanks to its high motor speed
- Ergonomic design and optimised shape
- Accessory storage on the device

#### Technical data

Frequency	Hz	50/60
Voltage	volt	220 – 240
Speed	rpm	1000
Rated input power	W	600
Power cable	m	7
Working width	mm	290
Filter bag volume	l	4
Weight	kg	6.6
Dimensions (L × W × H)	mm	385 × 339 × 1162

#### Equipment

Polishing pads	Piece	3
Filter bag		Paper
Cable storage		■
Textile bag incl. accessory compartment		■

Order number EU **1.056-820.0**

■ Included in the scope of supply.

For details of Kärcher's extensive range of original accessories, please see pages 108–117.  
For detergents and care agents, please see pages 118–119.

# FASTER THAN A BRUSH - MORE CONVENIENT THAN A VACUUM.

Kärcher cordless electric brooms are ideal for intermediate cleaning of carpets and hard floors. They are particularly useful when vacuuming is too time-consuming and sweeping is too impractical. Dirt is rapidly removed with the battery-powered roller brush - no annoying cable and no need to bend down. Kärcher offers a special pet hair brush with unique brush technology, the only technology of its kind in the world for effective removal of pet hair.



### Cleaning close to edges

Additional end bristles enable the K 55 to clean right up to the edges of objects.



### Compact storage

Thanks to the wall bracket and battery charger, the cordless electric broom is always ready to use. The charger is located in the storage compartment.



### Removable roller brush

The roller brush can be removed and cleaned easily.

INDOOR



## K 55

- Brushes can be easily changed
- Long-life battery
- Cleaning close to the edges

### Technical data

Frequency	US / SA	Hz	60 / 50/60
Voltage	US / SA	volt	120 / 220 - 240
Cleaning performance per battery charge		m <sup>2</sup>	60-100
Operation duration		min	30
Working width		mm	265 (standard brush)
Container capacity		l	0.5
Battery voltage		volt	4.8
Weight incl. battery		kg	2
Dimensions (L × W × H)		mm	260 × 300 × 96

### Equipment

Wall bracket	■	
Battery charger	■	
Standard brush	US / SA	removable / -
Order number US		1.258-505.0
Order number SA		1.258-523.0

■ Included in the scope of supply.

# DUST-FREE DRILLING WITH THE DDC 50.

It does not take long to drill a hole, but removing the fine drill dust takes considerably longer. This is where the DDC 50 drill dust catcher from Kärcher comes into play. It clings to all common interior wall surfaces with its vacuum holding function and reliably catches the drill dust that forms during drilling.



### Neat solution

Thanks to the vacuum holding function, the DDC 50 clings to the wall and catches the drill dust directly where it forms. No other device or accessories are required. Suitable for any drill and a drill bit up to 10 mm.




### Outstanding time savings

The DDC 50 can catch up to 23 cm<sup>3</sup> of drill dust, which is equivalent to around 10 holes with a 6 mm drill bit.



### Batteries included

The DDC 50 comes with two 1.5-V AA batteries - battery operation is also possible.



### Very easy to use

Place the device in position, switch it on, drill and switch off the DDC 50 once drilling is complete. It's as simple as that!

INDOOR



### DDC 50

- Vacuum holding function for all common interior wall surfaces
- No additional vacuum cleaner and special drill required
- Both hands are left free to drill

#### Technical data

Container capacity	cm <sup>3</sup>	23
Drill sizes	mm	max. 10
Weight	g	236
Dimensions (L × W × H)	mm	167 × 87 × 50

#### Equipment

Batteries: 2 × 1.5 V Mignon AA LR 6	■
Protective cap	■
Order number EU	1.679-100.0

■ Included in the scope of supply.



# WINDOW CLEANING MADE EASY.

The Kärcher Window Vac is the world's first ever window vac. It cleans smooth surfaces including windows, tiles, mirrors, etc. to a streak-free finish, saving time and effort. Its innovative water vacuuming vacuums up the dirty water before it starts to drip. The Window Vac cleans windows hygienically without leaving streaks behind. It is very easy to operate and with its battery operation it is ready to use any time, anywhere.



**For all smooth surfaces**  
The battery-powered Window Vac cleans windows, mirrors, tiles etc. effortlessly.



**No drips, no streaks**  
The battery-powered Window Vac sucks off dirty water quickly and reliably from the surface before it starts to run.



**Easy handling**  
Battery operation and compact design and construction allow flexibility of use and ergonomic cleaning.




**Practical hip bag**  
For ergonomic storage of the Window Vac and spray bottle. Even more convenience during window cleaning.

INDOOR



## WV 50 Plus



- Complete solution for cleaning smooth surfaces
- Electric water suction
- No dripping water

### Technical data

Frequency	Hz	60
Voltage	volt	120 - 127
Dirty water tank	ml	100
Battery running time	min	20
Battery charging time	min	120
Cleaning performance per battery charge		Approx. 60 m <sup>2</sup> = 20 windows
Working width of suction nozzle	mm	280
Weight incl. battery	kg	0.7
Dimensions with suction nozzle (L x W x H)	mm	130 x 90 x 355

### Equipment

Lithium-ion battery	■
Battery charger	■
Spray bottle with microfibre cleaning cloth	■
Window cleaner concentrate (1 x 20 ml)	■
Order number EU	-
Order number GB	-
Order number MX	1.633-106.0

■ Included in the scope of supply.



**Spraying**  
First moisten the glass with a spray bottle.



**Cleaning**  
The glass is then cleaned with the microfibre wiping cloth on the spray bottle.



**Vacuuming**  
Finish by suction off the dirty water with the battery-powered Window Vac, leaving the glass perfectly clean.



**Narrow suction nozzle**  
The perfect attachment for lattice windows and other small surfaces.

INDOOR



**WV Classic**

- Complete solution for cleaning smooth surfaces
- Electric water suction
- No dripping water

<b>Hz</b>	50 - 60
<b>volt</b>	100 - 240
<b>ml</b>	100
<b>min</b>	20
<b>min</b>	120
	Approx. 60 m <sup>2</sup> = 20 windows
<b>mm</b>	280
<b>kg</b>	0.7
<b>mm</b>	130×90×355

	■
	■
	■
	■
	<b>1.633-169.0</b>
	<b>1.633-170.0</b>
	-

# STEAM CLEANERS: DEEP CLEANING WITHOUT CHEMICALS.

The steam cleaner range from Kärcher offers the perfect steam cleaner for any task. The devices clean without the use of chemicals and can be used virtually anywhere. Whether in the bathroom, kitchen or lounge, they kill 99.99% of all common household bacteria on hard surfaces.\* The devices ensure greater hygiene and better cleaning performance than conventional manual cleaning methods with detergent.\*\* Powerful steam and diverse accessories ensure that fittings, tiles, hobs, exhaust hoods and even tiny crevices and niches are cleaned thoroughly.

1



**SC 5**  
The strongest



**SC 4**  
The convenient



**SC 3**  
The ready-to-use



**SC 2**  
The beginner



**SC 1**  
The compact

2



3



3



3



## 1 Wide selection: the versatile SC range

SC 5 – The strongest. Thanks to the VapoHydro function, it removes even the most stubborn dirt.

SC 4 – The convenient. With removable tank.

SC 3 – The ready-to-use. With the shortest heat-up time.

SC 2 – The beginner. The perfect introduction to steam cleaning.

SC 1 – The compact. Handy and ready-to-use immediately.

## 2 Deep cleanliness without chemicals

Scientific studies show that Kärcher steam cleaners kill 99.99% of all common household bacteria on hard surfaces – and without any chemicals, just steam.\* Thanks to the high steam temperature and good moisture penetration of the cloths, bacteria are reliably eliminated. For a healthy and child-friendly living space.

## 3 Cleanliness throughout the house

Put a stop to tiresome scrubbing and scouring! Kärcher's highly efficient steam cleaners make cleaning effortless and ensure impeccable cleanliness throughout your entire home. The devices are extremely versatile and can replace a variety of conventional cleaning utensils thanks to the wide range of available accessories. Typical areas of use include common hard floors throughout the home – in kitchens (like fittings, sinks, exhaust hoods, work surfaces) and bathrooms (like shower cubicles, fittings, sinks, tiles and crevices).

\* When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces.

\*\*When thoroughly cleaning with the Kärcher steam cleaner the cleaning performance is better than cleaning with a manual mop and detergent. Tested according to international performance standards.

## SC 4 - THE CONVENIENT. CLEANING AND IRONING AT THE HIGHEST LEVEL.

These versatile devices can even be used for ironing: Simply replace the cleaning accessory with the Kärcher steam pressure iron, fill up the SC 4's removable tank at the tap and get started. The powerful steam reduces ironing time by up to 50%!



### Detachable tank

Non-stop steam – for uninterrupted cleaning: The tank can be removed quickly and easily and filled up at the tap.



### Better ironing

Kärcher steam pressure irons reduce ironing time by up to 50%. The consistently high steam pressure makes it easier to iron even thick fabrics.




### Ergonomic and convenient floor nozzle

The new floor nozzle Comfort Plus with flexible joint can be adapted to suit any height of person. Contact with dirt is avoided when changing the cloth thanks to the cloth change system with two flaps.



### Accessories for all your needs

The extensive accessory catalogue offers the right solution for every task, so that even hard-to-reach places can be cleaned effortlessly.



SC 4 Iron Kit

- Uninterrupted working through detachable, constantly refillable tank
- Cable storage compartment
- With floor kit and steam pressure iron



SC 4

- Uninterrupted working through detachable, constantly refillable tank
- Cable storage compartment
- With floor kit

### Technical data

Frequency	EU / GB	Hz	50/60 / -	50/60 / 50/60
Voltage	EU / GB	volt	220-240 / -	220-240 / 220-240
Area performance		m <sup>2</sup>	100	100
Heating-up time		min	4	4
Tank capacity		l	0.5 + 0.8 (removable tank)	0.5 + 0.8 (removable tank)
Max. steam pressure		bar	3.5	3.5
Heating output		W	2000	2000
Weight without accessories		kg	4	4
Dimensions (L x W x H)		mm	380 x 251 x 273	380 x 251 x 273

### Equipment

Childproof safety lock, Safety valve	■	■
Comfort Plus floor kit	■	■
Steam flow control	On the handle	On the handle
Hand nozzle, detail nozzle, round brush	■	■
Descaling sticks (3 pieces)	■	■
Order number EU	1.512-408.0	1.512-405.0
Order number GB	-	1.512-407.0

■ Included in the scope of supply. \* When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces. \*\* When thoroughly cleaning with the Kärcher steam cleaner the cleaning performance is better than cleaning with a manual mop and detergent. Tested according to international performance standards.

For details of Kärcher's extensive range of original accessories, please see pages 108-117.

# SC 3 – READY WHEN YOU ARE. NON-STOP STEAM AND READY TO USE.

The new generation of steam cleaners from Kärcher delivers steam non-stop, without any interruptions or waiting time. Since it has an extremely quick heating-up time of only 30 seconds, the SC 3 can be used almost immediately. The water tank can be refilled at any time, without hold-ups. Full steam ahead for homes cleaned to a shine.



### Convenient filling

The tank can be refilled at any time – for non-stop steam without working interruptions. With water shortage display for timely refilling.



### Short heat-up time

No more long waiting times! With a heat-up time of just 30 seconds, the SC 3 is ready to use almost immediately.



### Ideal ergonomics

The powerful new floor nozzle. Comfort with flexible joint for any height of person makes cleaning even more ergonomic and convenient.



### Anti-limescale

The intelligent and efficient anti-limescale cartridge relieves the limescale in the water automatically.



- Uninterrupted working through constantly refillable tank
- Ready to use after just 30 seconds
- No additional descaling required thanks to descaling technology
- With floor kit

Technical data				
Frequency	EU / GB / MX	Hz	- / 50/60 / -	50/60 / 50/60 / 60
Voltage	EU / GB / MX	volt	- / 220-240 / -	220-240 / 220-240 / 127
Area performance		m <sup>2</sup>	75	75
Heating-up time		min	0.5	0.5
Tank capacity		l	1	1
Max. steam pressure		bar	3.5	3.5
Heating output	EU / GB / MX	W	- / 1900 / -	1900 / 1900 / 1900
Weight without accessories		kg	3.1	3.1
Dimensions (L x W x H)		mm	360 x 236 x 253	360 x 236 x 253

Equipment			
Childproof safety lock, Safety valve		■	■
Comfort Plus floor kit	EU, GB, MX	■	■
Steam flow control		On handle	On handle
Hand nozzle, detail nozzle, round brush		■	■
Descaling cartridge		■	■
Order number EU		-	1.513-000.0
Order number GB		1.513-032.0	1.513-002.0
Order number MX		-	1.513-008.0

■ Included in the scope of supply.

\* When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces.

For details of Kärcher's extensive range of original accessories, please see pages 108-117.



## SC 2 - THE BEGINNER. FOR STARTERS, JUST RIGHT.

Whether on hard floors, bathroom and kitchen fittings, wall tiles, windows, shower cubicles or other hard surfaces – Kärcher's efficient steam cleaners can be used practically anywhere throughout the home. And this also goes for the SC 2. Compact and powerful, the SC 2 is the ideal introduction to the exciting world of steam cleaning.



### Hard floors

Hygienically cleans without the need for scrubbing, thanks to the new technology the steam is distributed evenly over the cloth and loosens the dirt gently and effectively.



### Joints and fittings

With the aid of the detail nozzle and round brush, joints and fittings can be cleaned in an instant.



### Kitchen

Kärcher steam cleaners effortlessly remove stubborn grease around the hob.



### Child safety lock

A sophisticated locking system ensures the necessary level of safety and prevents small children from hurting themselves.



SC 2

- Light, compact device
- With floor kit



SC 2 MX

- Light, compact device
- With floor kit

### Technical data

Frequency	EU / GB / SEA / MX	Hz	50/60 / 50/60 / 50/60 / -	- / - / - / 60
Voltage	EU / GB / SEA / MX	volt	220-240 / 220-240 / 220-240 / -	- / - / - / 120-127
Area performance		m <sup>2</sup>	75	75
Heating-up time		min	6.5	6.5
Tank capacity		l	1	1
Max. steam pressure		bar	3.2	3.2
Heating output		W	1500	1500
Weight without accessories		kg	2.9	2.9
Dimensions (L x W x H)		mm	380 x 254 x 260	380 x 254 x 260

### Equipment

Childproof safety lock, Safety valve	■	■
Comfort Plus floor kit	EU, GB, SEA, MX	■
Steam flow control	On handle	On handle
Hand nozzle, detail nozzle, round brush	■	■
Entkalkersticks (3 St.)	■	■
Order number EU	1.512-000.0	-
Order number GB	1.512-002.0	-
Order number SEA	1.512-006.0	-
Order number MX	-	1.512-007.0

■ Included in the scope of supply.

\* When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces.

For details of Kärcher's extensive range of original accessories, please see pages 108-117.

# SC 1 - THE COMPACT. WITHIN EASY REACH AND IDEAL FOR INTERMEDIATE CLEANING.

The new Kärcher handheld steam cleaner is extremely compact, which means that it is practical to store directly where it is going to be used, for example in small kitchen or bathroom cupboards. The SC 1 is always within easy reach and is therefore ideal for spontaneous cleaning. The device is very powerful, despite its handy size, and ensures deep, hygienic cleanliness.

INDOOR



**Accessories for all your needs**  
With the help of the extension hose, even hard-to-reach areas can be cleaned effortlessly.



**Use in bathrooms**  
Whether sinks, fittings, mirrors, showers or bath tubs: thanks to a wide range of accessories, any kind of cleaning task is a breeze.



**Use on windows**  
Windows and mirrors can also be thoroughly and easily cleaned with the SC 1.



**Use in kitchens**  
Thanks to the high temperature and the power of the steam, greases and stubborn dirt are easily removed.



**SC 1 Premium Floor Kit**

- Easy storage thanks to its compact shape
- For a deep cleaning in-between
- Ready in no time at all
- With extension hose
- With floor kit



**SC 1 Premium**

- Easy storage thanks to its compact shape
- For a deep cleaning in-between
- Ready in no time at all
- With extension hose

**Technical data**

	EU / GB / MX		50/60 / 50/60 / 60	50/60 / - / 60
Frequency	EU / GB / MX	Hz	50/60 / 50/60 / 60	50/60 / - / 60
Voltage	EU / GB / MX	volt	220-240 / 220-240 / 127	220-204 / - / 127
Area performance		m <sup>2</sup>	20	20
Heating-up time		min	3	3
Tank capacity		l	0.2	0.2
Max. steam pressure		bar	3	3
Heating output		W	1200	1200
Weight without accessories		kg	1.6	1.6
Dimensions (L x W x H)		mm	321 x 127 x 186	321 x 127 x 186

**Equipment**

Childproof safety lock, Safety valve	■	■
Classic floor kit	GB	-
Comfort floor kit	EU, MX	-
Extension hose	■	■
Hand, detail nozzle, round brush	■	■
Power nozzle	EU, GB, MX	■
Descaling sticks (3 pieces)	-	-
Order number EU	1.516-226.0	1.516-220.0
Order number GB	1.516-232.0	-
Order number MX	1.516-233.0	1.516-234.0

■ Included in the scope of supply.

\* When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces.

For details of Kärcher's extensive range of original accessories, please see pages 108-117.



#### Highest safety standards

Thanks to its safety lock, the Kärcher handheld steam cleaner can only be opened once its boiler is no longer under pressure. This guarantees a high degree of safety for you and your family.



#### Hassle-free floor cleaning

Simply connect the extension tube and floor nozzle "Classic" to the device and the handheld steam cleaner can be used for floor cleaning.



#### Space-saving

Thanks to its compact shape, the SC 1 can be stored right next to the area where it is usually used and is always within reach. All its accessories can be stored together in a handy accessory bag.



#### Power nozzle

Thanks to the integrated power nozzle, the SC 1 cleans effectively and effortlessly - even in hard-to-reach places like corners, edges and crevices.



#### SC 1 Floor Kit

- Easy storage thanks to its compact shape
- For a deep cleaning in-between
- Ready in no time at all
- With floor kit

#### SC 1

- Easy storage thanks to its compact shape
- For a deep cleaning in-between
- Ready in no time at all

#### Technical data

	EU / AE / MX	Hz	50/60 / - / 60	50/60 / 50/60 / 60
Frequency	EU / AE / MX	Hz	50/60 / - / 60	50/60 / 50/60 / 60
Voltage	EU / AE / MX	volt	220-240 / - / 127	220-240 / 220-240 / 127
Area performance		m <sup>2</sup>	20	20
Heating-up time		min	3	3
Tank capacity		l	0.2	0.2
Max. steam pressure		bar	3	3
Heating output		W	1200	1200
Weight without accessories		kg	1.6	1.6
Dimensions (L x W x H)		mm	321 x 127 x 186	321 x 127 x 186

#### Equipment

Childproof safety lock, Safety valve	■	■
Classic floor kit	EU / AE / MX	- / - / ■
Comfort floor kit	EU / AE / MX	■ / - / -
Extension hose	-	-
Hand, detail, power nozzle, round brush	■	■
Descaling sticks (3 pieces)	-	-
Order number EU	1.516-264.0	1.516-260.0
Order number AE	-	1.516-273.0
Order number MX	1.516-265.0	1.516-263.0

■ Included in the scope of supply.

\* When thoroughly cleaning with the Kärcher Steam Cleaner 99.99% of all common household bacteria will be killed on common household hard surfaces.

## 3-IN-1: STEAMING, VACUUMING AND DRYING.

Kärcher steam vacuum cleaners combine the advantages of steam cleaners with the strengths of dry vacuum cleaners. They can vacuum crumbs from the floor whilst also wetting, cleaning and drying in a single procedure. These impressive all-round devices and matching accessories are ideal for all cleaning tasks around the home – easily, conveniently, quickly and without chemicals.



### 1 Versatile floor nozzle

Steam, vacuum and dry – all with one nozzle. Large areas of tiles, natural stone or PVC are spotlessly clean in no time with the wide floor nozzle. There are three different applications available for hard floors and carpets, depending on requirements.

### 2 No need to change the filter

The vacuumed liquid and dirt particles are securely bound in the water filter and can then be easily emptied later.

### 3 Pure hygiene

The hot steam loosens dirt and neutralises unpleasant odours. The loosened dirt and the steam are vacuumed up immediately after cleaning.

### 4 Allergy sufferers can breathe more easily

Vacuuming with a multistage filter system, but without a dust bag. The dust is bound in the water filter. Even microscopically small particles are removed. The exhaust air is cleaner than the air in the room.

Multi-stage filter system:

- 1 Water filter
- 2 Coarse dirt filter
- 3 Foam filter
- 4 HEPA filters (EN 1822:1998)



#### Dusting made easy

The perfect accessory for any task: the upholstery nozzle provides impressive cleanliness, e.g. on upholstery and mattresses.



#### Clean crevices and fittings

Crevices and fittings in the kitchen and bathroom can be perfectly cleaned with the help of the round brush together with the detail nozzle - with or without extension piece, depending on the situation.



#### Running smoothly

With the special rubber lip attachment, windows, tiles, mirrors and other smooth surfaces can be cleaned in a single wipe.



#### Non-stop steam

No waiting time when refilling the tank! As soon as the water level in the boiler falls below the required level, it is automatically refilled from the water reservoir.



**SV 7**

- Steam, vacuum and dry
- Continuous operation thanks to the 2-tank system
- Multi-stage filter system

#### Technical data

Frequency	Hz	50/60
Voltage	volt	220 - 240
Max. power	W	2200
Water capacity boiler	l	0.45
Refill tank	l	0.5
Max. steam pressure	bar	4
Water filter	l	1.2+0.6
Cable length	m	6
Dimensions (L x W x H)	mm	515 x 336 x 340

#### Equipment

Child safety lock / Safety valve	■ / -
Steam flow/suction power regulation	5-stage / 4-stage
HEPA filter (EN 1822:1998)	■
Floor kit with steam vacuum function	Three different applications for hard floors and carpets and two 0.5 m-long steam suction pipes
Hand nozzle with steam vacuum function	Can be combined with window nozzle (large and small), brush attachment or terry cloth
Steam vacuum point jet nozzle	Can be combined with an extension piece and round brushes (4 different colours)
Upholstery nozzle (large and small)	■
Crevice nozzle, furniture brush	■
Defoamer FoamStop neutral (30 ml)	■
Measuring cup, cleaning brush, accessory bag	■
Order number EU	1.439-410.0

■ Included in the scope of supply.

For details of Kärcher's extensive range of original accessories, please see pages 108-117.  
For detergents and care agents, please see pages 118-119.



## **PART OF THE FAMILY - THE RIGHT ACCESSORY.**

Whether vacuuming or wallpapering - there is always something to do in the home. The extensive range of Kärcher original accessories makes Kärcher vacuum cleaners or steam cleaners ideal for diverse cleaning tasks. The perfectly adapted accessory parts take the effort out of fiddly cleaning tasks.





### 1 Cleanliness down to the last detail

Whether on stainless steel surfaces, mirrors, shower cubicles or floors – Kärcher microfibre cloths eliminate stubborn dirt in no time. The special “bathroom” and “kitchen” cloth kits ensure outstanding cleanliness – with no ifs and buts. Together the high-quality microfibre cloths and Kärcher steam cleaners make an unbeatable team – without detergents. For convenient cleaning that saves you time and energy. Kärcher also offers a wide range of other interesting accessories for its steam cleaners, which considerably extend their range of possible uses.

For example, the new Comfort Plus floor nozzle with flexible joint for changing cloths without dirt contact. Or various special brush kits made from different materials, which make light work of even the most stubborn dirt.



### 2 For a brilliant shine

Polished floors give rooms a brilliantly clean appearance. With the FP 303, Kärcher offers a complete solution for optimal care and value retention of hard floors: Floor Polisher, polishing pads and various care agents – we have the right combination for every floor surface. The polishing pads for the FP 303 ensure that floors are polished and protected to the highest standard. The high-quality material of the polishing pads is gentle on floor coverings and leaves them looking like new.















### 3 For optimal dirt removal

With its microfibre cleaning cloth, the spray bottle for the Kärcher Window Vac ensures that smooth surfaces are thoroughly cleaned. The microfibre cleaning cloth is ideal to remove dirt from all kinds of smooth surfaces, like windows, mirrors, tiles, and so on. Combined with the Kärcher Window Vac and Kärcher window cleaner concentrate, it quickly delivers outstanding cleaning results. Thanks to the microscopically thin microfibres, removing dirt is extremely easy and requires minimum exertion.

## VACUUM CLEANER WITH WATER FILTER, VACUUM CLEANER AND FLOOR POLISHER.



Even the strongest suction power does not help without the right accessories. That is why Kärcher offers an extensive accessory line and special nozzles for all areas of use. Using the right accessories ensures the best cleaning results on diverse materials with maximum convenience.

	Order no.	Quantity
<b>Vacuum Cleaner with water filter &amp; Vacuum Cleaner</b>		
 1	Parquet nozzle	1 4.130-172.0 1 piece(s)
 2	Turbo suction nozzle	2 4.130-177.0 1 piece(s)
 3	Mattress nozzle	3 6.906-755.0 1 piece(s)
 4	Turbo upholstery nozzle	4 2.903-001.0 1 piece(s)
 5	Motor protection filter	5 6.414-631.0 1 piece(s)
 6	HEPA 13 filter*	6 2.860-273.0 1 piece(s)
 7	HEPA 12 filter*	7 6.414-805.0 1 piece(s)
 8	Fleece filter bag	8 6.904-329.0 5 piece(s)
 9	Set of filter VC 1.800	9 6.904-417.0 2 piece(s)
<b>Floor Polisher</b>		
 10	Polishing pads (universal)	10 2.863-193.0 3 piece(s)
 11	Polishing pads for parquet, waxed	11 2.863-196.0 3 piece(s)
 12	Polishing pads for parquet, sealed/laminate	12 2.863-197.0 3 piece(s)
 13	Polishing pads Stone/Linoleum/PVC	13 2.863-198.0 3 piece(s)
 14	Paper filter bags	14 6.904-128.0 3 piece(s)

■ Included in the scope of supply. □ Available accessories. \* EN 1822:1998



Turbo suction nozzle for all vacuum cleaners.



HEPA 13 filter\* for the DS 5.800.



Polishing pads for perfect polishing of stone floors.

Description	DS 5.800 Waterfilter EU	DS 5.800 Waterfilter MX	DS 5.800 Waterfilter AE	DS 5.800 Waterfilter AR	VC 6 Premium EU	VC 6 EU	VC 1.800 AE	VC 1.800 SA	VC 1.800 VE	FP 303 EU
Parquet nozzle with natural bristles for gently cleaning parquet floors and other hard surfaces.	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Air-driven suction nozzle. Ideal for high-pile carpets and for vacuuming pet hair. For particularly intensive and thorough cleaning.	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Special mattress nozzle for vacuuming mattresses and hard-to-reach areas in and around beds.	3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Practical nozzle with rotating air-driven brush. Cleans upholstered furniture and textile surfaces with particular thoroughness. Ideal for removing pet hair. Working width 160 mm.	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
This washable intermediate filter retains tiny airborne particles such as dust particles and allergens from the condensed humid air.	5	■	■	■	■					
Special high-efficiency filter, which reliably filters 99.99% of all particles larger than 0.3 µm. With sophisticated seal for protection against pollen, fungal spores, bacteria and mite faeces. *(EN: 1822: 1998)	6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
The HEPA 12 high-efficiency filter reliably retains pollen, fungal spores, bacteria and dust mite faeces. It filters 99.9% of all particles larger than 0.3 µm. *(EN: 1822: 1998)	7				■	■				
Extremely tear-resistant fleece filter bag made of 5-ply fleece material for consistently high suction power and a high degree of dust retention. With practical locking system for hygienic removal.	8				<input type="checkbox"/>	<input type="checkbox"/>				
Never buy another filter bag: the set includes a reusable fabric/foam filter. The filter can easily be removed, cleaned, and refitted.	9						■	■	■	
3 polishing pads for the FP 303 floor polisher - for polishing all hard floors and parquet, stone, linoleum, cork, PVC and laminate floors.	10									■
3 polishing pads for the FP 303 floor polisher - perfect for polishing all waxed hard floors, e.g. waxed parquet floors.	11									<input type="checkbox"/>
3 polishing pads for the FP 303 floor polisher - perfect for polishing all sealed hard floors, e.g. sealed parquet, cork and laminate.	12									<input type="checkbox"/>
3 polishing pads for the FP 303 floor polisher - perfect for polishing matt stone floors, PVC or linoleum.	13									<input type="checkbox"/>
3 replacement paper filter bags for floor polisher FP 303.	14									<input type="checkbox"/>



## BATTERY-POWERED WINDOW VACS.



The accessory range for the Kärcher battery-powered Window Vacs complements the device perfectly and its nifty product ideas ensure convenient window cleaning for every situation. The telescopic extension kit, for example, ensures easy and streak-free cleaning of high and hard-to-reach windows.

	Order no.	Quantity
<b>Battery-powered Window Vacs</b>		
 1 Microfibre cleaning cloths for the extension set	1 2.633-109.0	2 piece(s)
 2 Microfibre wiping cloths	2 2.633-100.0	2 piece(s)
 3 Squeegee blades, wide	3 2.633-005.0	2 piece(s)
 4 Squeegee blades, narrow	4 2.633-104.0	2 piece(s)
 5 Suction nozzle, narrow	5 2.633-002.0	1 piece(s)
 6 Hip bag	6 2.633-006.0	1 piece(s)
 7 Extension kit	7 2.633-111.0	1 piece(s)
 8 Spray bottle set	8 2.633-114.0	1 piece(s)
 9 EU power adaptor	9 2.633-107.0	1 piece(s)
 10 GB battery charger	10 2.633-115.0	1 piece(s)

■ Included in the scope of supply. □ Available accessories.





Ergonomic spray bottle with microfiber cleaning cloth.



Hip bag for handy Window Vac and spray bottle storage.



Narrow suction nozzle for the battery-powered Window Vac.



Extendable extension for cleaning large and high windows.

**Description**

The microfiber cleaning cloth for the extension piece (2.633-007.0) of the battery-powered Window Vac ensures optimal dirt removal on all smooth surfaces.

	MX	EU	GB
	WV 50 Plus	WV Classic	WV Classic
1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4			
5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	■	■	■
9		■	
10			■

The microfiber wiping cloth ensures optimal dirt removal on all smooth surfaces.

Window Vac replacement squeegee blade. For streak-free cleanliness on all smooth surfaces.

Window Vac replacement squeegee blade. For streak-free cleanliness on all smooth surfaces.

170 mm-wide suction nozzle for the battery-powered Window Vac. Particularly suitable for lattice windows and smaller windows.

Practical hip bag for carrying the Window Vac and spray bottle.

The telescopic extension kit for the Kärcher Window Vac is ideal for effortless cleaning of even high windows. The two poles are extendable from 1.2 to 2 m.

Spray bottle kit for Kärcher Window Vac consisting of spray bottle, wiper attachment, microfiber wiping cloth and 20 ml window cleaning concentrate.

EU replacement power adaptor for charging the Kärcher Window Vac.


















GB replacement battery charger for Kärcher battery-powered Window Vac.

# STEAM CLEANERS, STEAM IRONING SYSTEMS AND STEAM VACUUM CLEANERS.



Kärcher offers a wide selection of accessory parts, which considerably extend the areas of application of steam cleaners. In addition to easy handling, they also save time and energy and are indispensable for regular cleaning.

INDOOR

	Order no.	Quantity
<b>Steam Cleaner/Ironing</b>		
 1	Steam pressure iron I 6006	1 2.863-208.0 1 piece(s)
 2	Anti-stick ironing soleplate for I 6006	2 2.860-142.0 1 piece(s)
 3	Round brush kit	3 2.863-058.0 4 piece(s)
 4	Round brush kit with brass bristles	4 2.863-061.0 3 piece(s)
 5	Big round brush	5 2.863-022.0 1 piece(s)
 6	Round brush with dirt scraper	6 2.863-140.0 1 piece(s)
 7	Steam turbo brush	7 2.863-159.0 1 piece(s)
 8	Wallpaper stripper	8 2.863-062.0 1 piece(s)
 9	Universal accessory kit	9 2.863-215.0
 10	Replacement O-ring kit	10 2.884-312.0
 11	Extension and power nozzle	11 2.884-282.0 1 piece(s)
 12	Textile care nozzle	12 2.863-233.0 1 piece(s)
 13	Window nozzle	13 2.863-025.0 1 piece(s)
 14	Hand nozzle	14 2.884-280.0 1 piece(s)
 15	Comfort Plus floor nozzle kit	15 2.863-019.0
 16	Comfort floor kit for SC 1	16 2.885-411.0
 17	Extension hose for SC 1	17 2.863-021.0

■ Included in the scope of supply. □ Available accessories.



Ironing with steam pressure reduces ironing time by up to 50%.



Cleaning tiles, glass and other surfaces with microfibre steam cloths.



The temperature can be set directly with a knob on the steam iron.



The unique microfibre abrasive cloth effortlessly cleans off limescale and soap residue.

Description		EU		GB		EU / GB / MX		EU / GB / SEA / MX		EU / GB		EU / MX		EU / AE / MX	
		SC 4 Iron Kit	SC 4	SC 3 Premium	SC 3	SC 2	SC 1 Premium Floor Kit	SC 1 Premium Floor Kit	SC 1 Floor Kit	SC 1 Floor Kit	SC 1	SV 7			
High-quality steam pressure iron with stainless steel soleplate in an attractive yellow and black design.	1	■													
Anti-stick ironing soleplate for steam pressure iron I 6006 with stainless steel soleplate. Suitable for ironing delicate fabrics such as silk, linen, black clothing or lace.	2	□													
Practical round brush kit in 2 colours for different locations of use.	3	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Round brush kit with brass bristles for effortless removal of stubborn dirt. Ideal for use on non-sensitive surfaces.	4	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Big round brush with heat-resistant bristles and a scraper for removing stubborn dirt. Not suitable for use on sensitive surfaces.	5	□	□	■	□	□	□	□	□	□	□	□	□	□	□
Big round brush with heat-resistant bristles and a scraper for removing stubborn dirt. Not suitable for use on sensitive surfaces.	6	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Steam turbo brush for effortless cleaning in half the time. Ideal for all cleaning tasks which usually require tiresome scrubbing. Makes work much easier, especially in crevices and corners.	7	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Wallpaper stripper for effortless removal of wallpaper and paste residues with the power of steam.	8	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Universal accessory kit for steam cleaners with 3 cotton cloths for the floor nozzle, 3 cotton cloth covers for the hand nozzle and 2 red and 2 black round brushes.	9	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Replacement O-ring kit for replacing the O-rings on a range of steam cleaner accessories.	10	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Power nozzle with extension considerably increases the cleaning power of the detail nozzle. Ideal for easy and eco-friendly cleaning of difficult to reach areas, e.g. corners.	11	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Textile care nozzle for freshening and ironing clothes and textiles, and for effective odour removal. With integrated lint remover.	12	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Streak-free cleaning of glass surfaces can easily be achieved by using the window nozzle with the steam cleaner. This not only broadens the range of application for the Kärcher steam cleaners, but also ensures completely clean windows and mirrors with no residue.	13	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Hand nozzle with extra bristles for cleaning small surfaces such as shower cabins, wall tiles and much more. Suitable for use with or without cover.	14	■	■	■	■	■	■	■	■	■	■	■	■	■	■
The Comfort Plus floor nozzle kit offers a floor nozzle with flexible joint for extremely ergonomic cleaning and a microfibre floor cloth for even better dirt pick-up.	15	■	■	□	□	□	□	□	□	□	□	□	□	□	□
With the practical Comfort floor kit, the handheld steam cleaner is quickly transformed into a 2-in-1 steam mop.	16						□	■	□	□	■	□			
Even hard-to-reach areas, corners and niches can be cleaned effortlessly with the SC 1 using the extension hose.	17						■	■	■	□	□				

# STEAM CLEANERS, STEAM IRONING SYSTEMS AND STEAM VACUUM CLEANERS.

			Order no.	Quantity
<b>Cloth kits</b>				
	Microfibre cloth kit for bathrooms	18	2.863-171.0	4 piece(s)
	18			
	Microfibre cloth kit for kitchens	19	2.863-172.0	4 piece(s)
	19			
	Microfibre cloth kit for Comfort Plus floor nozzle	20	2.863-020.0	2 piece(s)
	20			
	Microfibre cloth kit for Classic and Comfort floor nozzles and small floor nozzles	21	2.863-173.0	2 piece(s)
	21			
	Microfibre cloth kit cover	22	2.863-174.0	2 piece(s)
	22			
	Terry cloths, narrow	23	6.369-357.0	5 piece(s)
	23			
	Terry cloth cover	24	6.370-990.0	5 piece(s)
	24			
	Terry cloth kit	25	6.960-019.0	5 piece(s)
	25			
	Terry cloths, wide	26	6.369-481.0	5 piece(s)
	26			
	HEPA filter*	27	2.860-229.0	1 piece(s)
	27			
	SV round brush kit	28	2.860-231.0	4 piece(s)
	28			

■ Included in the scope of supply. □ Available accessories. \* EN1822:1998

Description											SC 4 Iron Kit	EU
											EU / GB	EU / GB
2 special microfibre floor cloths, 1 microfibre abrasive cloth for removing stubborn limescale and soap residue, and 1 microfibre polishing cloth for polishing mirrors and other smooth surfaces - for optimal application of the steam cleaner in bathrooms.	18											
2 special microfibre floor cloths, 1 soft microfibre cover for the hand nozzle for loosening stubborn dirt, e.g. on hobs. 1 microfibre stainless steel cloth for perfect cleaning of all stainless steel surfaces - for optimal application of the steam cleaner in kitchens.	19											
The 2 floor cleaning cloths included in the Comfort Plus floor nozzle cloth kit, made of high-quality microfibres, ensure better dirt loosening and intake.	20											
2 microfibre floor cloths for the Classic and Comfort floor nozzles for easier dirt removal and pick-up. For easy floor cleaning and brilliant results on flooring such as tiles, natural stone, linoleum and PVC.	21											
2 microfibre covers for the hand nozzle. For even better loosening and intake of dirt and grease. Ideal for particularly heavy and stubborn dirt in bathrooms and kitchens. Effortlessly removes even stubborn stains on hobs.	22											
Lint-free, highly absorbent and hard-wearing: 5 narrow floor cleaning cloths made of high-quality cotton.	23											
Cloth kit with five high-quality cotton covers for the hand nozzle.	24											
Cloth kit of high-quality cotton with 2 wide floor cleaning cloths and 3 covers for the hand nozzle.	25											
Lint-free, absorbent and hard-wearing. 5 extra wide high-quality cotton floor cloths.	26											
The HEPA high-performance filter reliably retains pollen, fungal spores, bacteria and dust mite faeces. It filters 99.9% of all particles larger than 0.3 µm. *(EN: 1822: 1998)	27											■
Round brush kit in 4 different colours for different applications with the steam vacuum cleaner.	28											



# DETERGENTS AND CARE AGENTS.



Deep cleaning of textile surfaces.











Also for the deep fibre cleaning of upholstery.



FoamStop for the DS 5.800 Vacuum Cleaner with water filter.



Descaling sticks for Kärcher steam cleaners.

	Product description	Application	Contents	Order no./Quantity
<b>Detergents and care agents for textile surfaces</b>				
	<p><b>Carpet Cleaner RM 519</b> Liquid detergent with quick dry formula for interim cleaning. Suitable for carpets, rugs, upholstery, car seats, etc.</p>	<p>Depending on the level of dirt, add 100 - 200 ml of Carpet Cleaner to the fresh water tank and fill with water (&lt; 50°C). Then prespray and suction simultaneously. Do not rinse. Spray in for heavy dirt, leave to work for at least 5 minutes, suction. For highly absorbent textiles (wool), suction again after cleaning.</p>	1 l	6.295-771.0
	<p><b>Textile Impregnator Care Tex RM 762</b> Highly effective, long-lasting protection for all textile coverings. Carpets, upholstery and car seats are covered with a dirt-repellent protective film which helps to prevent dirt accumulating in future. Therefore, dirt can be vacuumed up more easily and thoroughly.</p>	<p>Clean textile surfaces beforehand. Mix 500 ml of Textile Impregnator with 2.0 l of water. Add the impregnator solution to the fresh water tank. Spray it uniformly at intervals of 30 cm with the spray extraction nozzle and allow to dry.</p>	0.5 l	6.295-769.0
<b>Defoamer for vacuum cleaners with water filter and steam vacuum cleaners</b>				
	<p><b>FoamStop neutral</b> Troublesome foam is quickly broken down with this liquid defoaming agent.</p>	<p>Add one cap of FoamStop (2 ml) into the water-filled tank of the vacuum cleaner with water filter or of the steam cleaner. For excessive amounts of foam, a further capful can be added.</p>	125 ml	6.295-873.0
	<p><b>FoamStop citrus</b> This liquid defoamer with an allergen-free citrus scent quickly breaks down troublesome foam.</p>	<p>Add one cap of FoamStop (2 ml) into the water-filled tank of the vacuum cleaner with water filter or of the steam cleaner. For excessive amounts of foam, a further capful can be added.</p>	125 ml	6.295-874.0
	<p><b>FoamStop fruity</b> With these liquid defoaming agents with an allergen-free, fruity scent, annoying foam is dissolved in a flash.</p>	<p>Add one cap of FoamStop (2 ml) into the water-filled tank of the vacuum cleaner with water filter or of the steam cleaner. For excessive amounts of foam, a further capful can be added.</p>	125 ml	6.295-875.0
	<p><b>FoamStop flowery</b> This liquid defoamer with an allergen-free floral scent quickly breaks down troublesome foam.</p>	<p>Add one cap of FoamStop (2 ml) into the water-filled tank of the vacuum cleaner with water filter or of the steam cleaner. For excessive amounts of foam, a further capful can be added.</p>	125 ml	6.295-876.0
<b>Decalcifier for steam cleaners</b>				
	<p><b>Descaling Sticks RM 511</b> Fast and efficient decalcification of Kärcher steam cleaners. Easy dosage and very gentle on materials (not for SC 3).</p>	<p>Add 1-3 sticks to the device depending on device size and level of limescale, fill with lukewarm water and allow to work for 8 hours. Afterwards, rinse with clean water at least twice.</p>	Descaling sticks 9 x 13 g	6.295-206.0
	<p><b>Descaling cartridge for the SC 3</b> Quickly and effectively descales Kärcher SC 3 steam cleaner. Simply insert - done!</p>	<p>The descaling cartridge's efficient and convenient self-descaling technology removes limescale automatically from the water, provides secure protection from calcification and extends the lifetime of the device. No further decalcification measures are required.</p>		2.863-018.0



Applying floor care agents.



Kärcher floor care agents and the FP 303 Floor Polisher clean floors to a shine.



Applying glass cleaner with the spray bottle.



Glass cleaner for window cleaning with the Window Vac.

Product description	Application	Contents	Order no./ Quantity
<b>Cleaning and care agents for hard floors in combination with floor polisher</b>			
 <p><b>Basic Cleaning Agent for hard floors RM 533</b> For thorough removal of old protective layers and stubborn dirt from stone, linoleum and PVC. For best results, use together with Kärcher care products. Can also be used for normal cleaning of sealed parquet and cork. Note: not suitable for unsealed wooden surfaces.</p>	<p><b>For thorough removal of old layers/stubborn dirt</b> Vacuum the floor. Add 100 ml/l of basic cleaning agent to the wiping water and distribute evenly using a wiping mop. Let it take effect but do not let it dry out. Mop again once or twice with clean water.</p> <p><b>For normal soilage</b> Vacuum the floor. Add 100 ml of basic cleaning agent to 5 l of water and wipe the floor with a damp mop.</p>	1 l	6.295-775.0
 <p><b>Floor Care for matt stone/linoleum/PVC RM 532</b> Optimum care and protection for matt artificial and natural stone floors, linoleum and PVC. Traces are removed, the care film is renewed, and the floor is left with a silky matt shine. Notes: Allow treated floors to harden for 24 hours, do not apply water, do not move furniture and do not walk on the floor wearing shoes. Store in a frost-free place.</p>	<p><b>For first application</b> Vacuum and damp wipe floor. Wash the mop out and wring until damp. Use 10 ml/m<sup>2</sup> of care product and distribute uniformly in sections with the wiping mop. Allow damp care film to dry fully (approx. 20-30 mins) and then polish the floor.</p> <p><b>Application on protected floors</b> Vacuum the floor. Add 30 ml/l to the wiping water, wipe floor to make it slightly damp, allow to dry and polish if necessary.</p>	1 l	6.295-776.0
 <p><b>Floor Care for sealed parquet/laminate/cork RM 531</b> Optimum care and protection for sealed parquet, laminate and cork floors. Traces are removed, the care film is renewed, and the floor is left with a silky shine. Notes: Leave treated floors to harden for 24 hours, do not apply water, do not move furniture and do not walk on the floor wearing shoes.</p>	<p><b>For first application</b> Vacuum and damp wipe floor. Wash the mop out and wring until damp. Use 10 ml/m<sup>2</sup> of care product and distribute uniformly in sections with the wiping mop. Allow damp care film to dry fully (approx. 20-30 mins) and then polish the floor.</p> <p><b>Application on protected floors</b> Vacuum the floor. Add 30 ml/l to the wiping water, wipe floor to make it slightly damp, allow to dry and polish if necessary.</p>	1 l	6.295-777.0
 <p><b>Floor Care for waxed parquet/parquet with oil or wax finish RM 530</b> Optimal care and protection for waxed wooden floors or wooden floors with oil-wax finish. Traces are removed, the care film is renewed, and the floor is left with a silky shine. Notes: Leave treated floors to harden for 24 hours, do not apply water, do not move furniture and do not walk on the floor wearing shoes. Store in a frost-free place.</p>	<p><b>For first application</b> Vacuum and damp wipe floor. Wash the mop out and wring until damp. Use 10 ml/m<sup>2</sup> of care product and distribute uniformly in sections with the wiping mop. Allow damp care film to dry fully (approx. 20-30 mins) and then polish the floor.</p> <p><b>Application on protected floors</b> Vacuum the floor. Add 30 ml/l to the wiping water, wipe floor to make it slightly damp, allow to dry and polish if necessary.</p>	1 l	6.295-778.0
<b>Glass and window cleaning products for Window Vacs</b>			
 <p><b>Glass cleaner concentrate RM 500</b> Perfect for streak-free cleaning of all smooth waterproof surfaces. Removes even stubborn dirt such as grease, insects, and emissions.</p>	<p>Add 1.5 caps (30 ml) of concentrate to the spray bottle and fill with 220 ml of water.</p> <p><b>Manual</b> Product is also excellent for manual processing.</p>	500 ml	6.295-773.0
 <p><b>Window cleaner concentrate RM 503</b> Window cleaner, packaged in practical measured doses, for streak-free cleaning of all smooth waterproof surfaces such as glass, windows, mirrors, shower cabins, etc. Improves rainwater runoff and keeps surfaces longer clean.</p>	<p>Open sachet. Add concentrate to the spray bottle and fill with 230 ml of water.</p>	4 × 20 ml	6.295-302.0



# WATERING WITH A CLEAR CONSCIENCE

Watering products from Kärcher are designed to work in perfect unison, allow you to work responsibly with natural resources and ensure that precious water is used in the most effective and economical way. Flexible, innovative systems allow targeted water distribution precisely where it is needed. To allow you to get maximum pleasure from the natural beauty of your garden, Kärcher provides maximum-efficiency sprayers, spray guns, sprinklers, hoses, watering units, hose connection systems and storage systems.



## Table of contents - Watering systems

Kärcher Rain System®	Page 122
Garden showers and spray lances	Page 125
Spray nozzles and sprinklers	Page 126
Hose connection systems	Page 128
Sprinklers	Page 131
Hoses and hose storage	Page 132
Automatic watering	Page 138





### 1 A sprinkling of options

Our varied range of nozzles, complete with turnable handles, easy water flow regulation and comfortable hand grip elements, provides the perfect solution for any requirement. In addition, our Plus and Premium product lines are bound to impress with their innovative membrane technology – which helps prevent drips, and garden work is made even more comfortable and efficient.

### 2 Hose connectors

Kärcher's robust, unbreakable and durable universal hose connectors are compatible with the three most popular hose diameters and all available click systems. The Aqua Stop function makes decoupling easy and spray-free. Kärcher sprayers, nozzles and spray lances are also compatible with all click systems on the market.

### 3 For every garden

Large or small, flat or sloping – Kärcher's range of circular sprinklers offers the right solution for every garden. And in order to make setting up and adjustment easier, Kärcher's oscillating sprinklers are even equipped with a splash guard.

### 4 Everything close at hand

The compact HR 7.300 watering station is a genius at storage, with practical attachment options for sprayers and lances as well as a spacious storage box for gardening gloves and small tools. The hose reel is easy to detach and functions either as a stationary or mobile hose storage device.

### 5 The first hose box specially designed for balconies

The CR 3.110 Balcony is the perfect solution for watering balconies, roof terraces and small gardens. Thanks to the tap adapter, which comes as standard, the hose reel can be attached to both outside and inside water taps. The CR 3.110 Balcony is also ideal for use as a supply hose for the K 2.200 Balcony.

### 6 Targeted watering

The new Kärcher Rain System® is very easy to install. Thanks to the adaptability of the system water is always delivered precisely where it is needed, and the output volume can be varied according to requirements and set for an individual location. In short: Maximum flexibility for ultimate watering efficiency.

### 7 Refreshing showers

The refreshing 2-in-1 garden system! The extremely easy to assemble, very sturdy and height-adjustable Garden Shower is ideal for cool refreshment on hot summer days, and the detachable shower lance lets you take a quick, refreshing shower the same way as in a bathroom shower cabin. Thanks to the fine shower spray, water consumption is a lot lower than using a garden hose to cool off. Furthermore, the shower lance is impressive in its alternate role as a spray lance for efficient plant watering. At the end of the summer, the shower can be taken apart quickly and easily, fitted together compactly and stored in a minimum of space. This also ensures that nothing is missing next summer.

# RAIN ON TAP!

**EFFICIENT & PRECISE WATERING**

**SAVE WATER**

The new Kärcher Rain System® combines the benefits of micro-dripping and conventional watering. The system operates at pressures up to 4 bar and includes a 1/2" PVC hose with drip and micro spray nozzles. A pressure reducer and filter for protection against excess pressure and dirt particles can also be installed. The Kärcher Rain System® can be adapted to any garden.



**Particle filter**

- To protect the Kärcher Rain System® from small dirt particles
- The filter inlay can be removed and cleaned
- Ergonomic design for comfortable handling
- Includes the G3/4 tap adaptor and an adaptor for Kärcher Rain System® hoses



**Pressure reducer with filter**

- To protect the Kärcher Rain System® from small dirt particles
- The filter inlay can be removed and cleaned
- Reduced input pressure with 4 bar output pressure
- Includes filter
- Includes the G3/4 tap adaptor and an adaptor for Kärcher Rain System® hoses



**T-connector with water flow regulation**

- For connecting three Kärcher Rain System® hoses and the trickle hose
- Side outlet with regulated flow
- Allows you to establish two independent hose lines
- Ergonomic design for comfortable handling
- Includes two pieces



**I-connector**

- For connecting two Kärcher Rain System® hoses and the trickle hose
- Ergonomic design for comfortable handling
- Includes two pieces



**Hose stop**

- For stopping the Kärcher Rain System® hose
- For stopping the trickle hose
- Ergonomic design for comfortable handling
- Includes two pieces

GARDEN

**Kärcher Rain System®**

<b>Order no. (PU)<sup>1)</sup></b>	2.645-225.0 (6 pc.)	2.645-226.0 (6 pc.)	2.645-231.0 (10 pc.)	2.645-232.0 (20 pc.)	2.645-233.0 (10 pc.)
------------------------------------	---------------------	---------------------	----------------------	----------------------	----------------------



**Drip nozzle**

- To be fitted onto the Kärcher Rain System® hose
- Easy to install thanks to its collar with an integrated needle
- Water volumes can be individually adjusted
- Drip volume can be adjusted from 0-10 l/h
- Includes five pieces



**Micro spray nozzles**

- To be fitted onto the Kärcher Rain System® hose
- Easy to install thanks to its collar with an integrated needle
- Water volume can be adjusted individually on the nozzle head (from 0 - 55 l/h)
- Adjustable nozzles
- Includes 1 × 360°, 2 × 180° and 2 × 90°



**Sealing collar**

- To be fitted onto the Kärcher Rain System® hose
- For closing unwanted nozzle holes
- Simple to fit thanks to the collar
- With an interior rubber sealing surface
- Includes five pieces



**Hose spike**

- For fixing the Kärcher Rain System® hoses and the trickle hoses in the bed
- With marker aids to ensure optimal depth
- Includes five pieces

**Kärcher Rain System®**

<b>Spray radius with 2 bar</b>	1.3 m			
<b>Spray radius with 4 bar</b>	1.8 m			
<b>Order no. (PU)<sup>1)</sup></b>	2.645-234.0 (10 pc.)	2.645-236.0 (10 pc.)	2.645-235.0 (10 pc.)	2.645-237.0 (16 pc.)

<sup>1)</sup> PU = packaging unit. All specifications relating to the watering area are based on a system pressure of 4 bar. G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.





**Flexible layout**

Thanks to the connection pieces, the Kärcher Rain System® hose and trickle hose can be used in any combination.



**Efficient drip irrigation**

Reliable watering for all of your plants. Suitable for plantings up to 50 m in length.



**Targeted watering**

Drip nozzle with water flow regulation for targeted watering directly onto the plants.



**Area watering**

Micro spray nozzles with three different spraying patterns (360°, 180° and 90°) and adjustable water volumes.



**Kärcher Rain System® hose**

- Supply hose for the Kärcher Rain System®
- Drip and micro spray nozzles and sealing collars can be fitted to it easily.
- Can be combined with the connection pieces for optimum results
- Weather-resistant anti-UV outer layer
- Free from cadmium, barium and lead
- Can be shortened as required and combined with the trickle hose



**Trickle hose**

- Efficient watering for all your plants
- Even distribution across the entire length
- Can be shortened as required and combined with the Kärcher Rain System®
- Extendible to a maximum of 50 m
- Optimum operation with 2 bar pressure
- 2-layer hose with core and textile coating
- Safe-to-operate and phthalate-free high-quality hose
- Free from cadmium, barium and lead

**Kärcher Rain System®**

<b>Inner diameter</b>	1/2"	1/2"	1/2"
<b>Length</b>	10 m	10 m	25 m
<b>Order no. (PU)<sup>1)</sup></b>	2.645-227.0 (1 pc.)	2.645-229.0 (10 pc.)	2.645-228.0 (10 pc.)



**Micro sprayer set**

- Extension kit for the Kärcher Rain Box
- Attachment to Kärcher Rain System® hose
- For the individual watering of different plant groups
- Includes 5 drip nozzles
- Includes 10 sealing collars
- Includes 10 micro spray nozzles (4 × 90°, 4 × 180°, 2 × 360°)
- Includes 5 hose spikes



**Hose connection set**

- Extension kit for the Kärcher Rain Box
- For connecting additional Kärcher Rain System® hoses or trickle hoses
- Includes 4 T-connectors with regulation
- Includes 4 I-connectors
- Includes 5 hose stops



**Trickle hose set**

- Ideal kit for targeted watering of all of your hedges and plants
- Ready-to-use set
- Includes 20 m trickle hose
- Includes particle filter and hose stop



**Kärcher Rain System®**

<b>Order no. (PU)<sup>1)</sup></b>	2.645-239.0 (9 pc.)	2.645-240.0 (7 pc.)	2.645-241.0 (10 pc.)
------------------------------------	---------------------	---------------------	----------------------

<sup>1)</sup> PU = packaging unit. All specifications relating to the watering area are based on a system pressure of 4 bar. G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# Kärcher Rain System® Sets - FOR TAILOR-MADE WATERING



The Kärcher Rain System® can be adapted to suit any garden and works perfectly together with the SensoTimer to provide a watering control system based on the requirements of the garden. The system is available in a variety of ready-to-use sets: from the beginner to deluxe set - practical carrying case included. The various micro spray and drip nozzles, together with the trickle hose, ensure optimal, targeted garden watering - suitable for gardens of any size with any plants.



## Kärcher Rain Box

- Ideal starter set for efficient watering
- The system can be adapted individually to suit any garden layout
- Set includes watering variants for hedges, bushes, flower beds and vegetable patches
- Includes practical plastic carrying case
- Includes 10 m Perl hose and 15 m Kärcher Rain System® hose (both as a supply hose and for the sprayers)
- Set includes: 4 T-connectors with water flow rate regulation, 4 I-connectors, 10 drip nozzles, 5 hose spikes for fixing the hoses, 5 hose stops, 1 filter and 2 connectors
- 1 G1 tap adaptor with G3/4 reducer

## Kärcher Rain System®

<b>Order no. (PU)<sup>1)</sup></b>	2.645-238.0 (1 pc.)
------------------------------------	---------------------



## Kärcher Rain System® pot watering set

- Starter set for need-based watering of up to 15 plants on balconies or terraces
- Ideal for pots and window boxes
- Easy installation without tools
- Includes 10 m flexible, phthalate-free 1/2" hose, G3/4 brass tap adaptor with G1/2 reducer and hose connector for connection to the tap
- Includes 10 m narrow, phthalate-free 4 mm hose for connection to the pots
- Includes 15 droppers, water volume can be adjusted from 0-10 l/h
- Includes 15 hose spikes to be fitted directly to the dropper or for fixing the 4 mm hose.
- Includes 10 T-connectors for connecting the 4 mm hoses
- Includes hose stops (3 × small, 1 × large) for stopping the hoses
- Can be combined and extended, for example with Kärcher Rain System® components, as well as with the SensoTimer ecologic for efficient control

## Kärcher Rain System®

<b>Order no. (PU)<sup>1)</sup></b>	2.645-276.0 (3 pc.)
------------------------------------	---------------------

<sup>1)</sup> PU = packaging unit. All specifications relating to the watering area are based on a system pressure of 4 bar.  
G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# A GARDEN FOR THE WHOLE FAMILY TO ENJOY




On hot summer days, both people and plants love to be cooled down. With the new garden shower and spray lances, any garden can become a refreshing oasis in no time. The practical Kärcher garden shower can be used not only to provide a refreshing and enjoyable shower, but also as the ideal system for watering your plants. It is easy to install, features a stable tripod and takes up minimum storage space. And the ergonomic Kärcher Premium spray lance is a masterpiece in perfection and comfort. Its various possible applications make it an excellent all-rounder.




### Premium spray lance

- Adjust the water flow rate with one hand and the ON/OFF function.
- 6 spraying patterns
- Turnable spray head (180°)
- Can be conveniently hung up
- Telescopic lance (70 - 105 cm)




### Spray lance Plus

- Adjust the water flow rate with one hand and the ON/OFF function.
- 6 spraying patterns
- Turnable spray head (180°)
- Can be conveniently hung up



### Spray lance

- Adjust the water flow rate with one hand and the ON/OFF function.
- 6 spraying patterns



### Spray lances

Order no. Blister (PU) <sup>1)</sup>	2.645-137.0 (8 pc.)	2.645-158.0 (8 pc.)	2.645-157.0 (8 pc.)
--------------------------------------	---------------------	---------------------	---------------------

### Garden shower



- With tripod and spike; can be set up in under three minutes
- Height adjustable from 1.50 to 2.20 m
- Detachable shower and spray lance (2-in-1)
- Turnable spray head (180°) with wide shower spray
- Adjust the water flow rate with one hand and the ON/OFF function
- Convenient and space-saving storage



### Wall bracket



- Spray lances may be optionally attached for use as garden shower
- Can also be used on interior walls for storing spray lances and other pipes (pipe diameter 16 - 20 mm)
- Includes anchors and screws

### Premium spray lance display | Spray lance display



- Ideal for secondary placements
- Includes 32 spray lances
- Space-saving oval shape for displaying against walls and in aisles
- Quick to assemble
- 4 compartments for loose items (maximum 150 items)
- Includes images of different uses and product information

### Garden showers and spray lances

Order no. (PU) <sup>1)</sup>	2.645-181.0 (3 pc.)	2.645-182.0 (6 pc.)	2.645-154.0   -159.0 (32 pc.)
------------------------------	---------------------	---------------------	-------------------------------

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# NEED-BASED WATERING



With Kärcher, watering your garden becomes a pleasure rather than a chore. For instance, there is our new metal multi-functional spray gun. This premium-quality spray gun with sophisticated design offers four spraying patterns. The innovative membrane technology ensures that unwanted dripping is prevented both when changing the spraying pattern and after switching off the flow. Additional benefits: The individually-adjustable handle has a comfortable outer layer made of soft components and fits perfectly in the hand. The spray gun's robust metal elements underline the high Kärcher quality and make the already-durable product even longer-lasting.


### Comfortable water flow regulation

The water volume can be comfortably adjusted with just one hand.



**Multi-functional metal spray gun Premium**

- Drip-proof
- Metal elements for extra robustness and durability
- Turnable handle to adapt operation to the individual needs
- Soft plastic elements for greater comfort and protection
- 4 spraying patterns: shower, flat jet, fine mist, aerator jet
- Ergonomic water flow regulation with one hand, from min. to max.
- Trigger can be easily locked in place for convenient, constant watering



**Metal spray gun Premium**

- Turnable handle to adapt operation to the individual needs
- Metal elements for extra robustness and durability
- Soft plastic elements for greater comfort and protection
- Spraying pattern continuously adjustable from hard jet to cone jet
- Ergonomic water flow regulation with one hand, from min. to max.
- Trigger can be easily locked in place for convenient, constant watering




### Nozzles and sprinklers

<b>Order no. Card (PU)<sup>1)</sup></b>	2.645-271.0 (8 pc.)	2.645-270.0 (10 pc.)
---	---------------------	----------------------



**Multi-functional spray gun Plus**

- Drip-proof
- Turnable handle to adapt operation to the individual needs
- Soft plastic elements for greater comfort and protection
- 4 spraying patterns: shower, flat jet, fine mist, hard jet
- Ergonomic water flow regulation with one hand, from min. to max.
- Trigger can be easily locked in place for convenient, constant watering



**Spray gun Plus**

- Turnable handle to adapt operation to the individual needs
- Soft plastic elements for greater comfort and protection
- Spraying pattern continuously adjustable from hard jet to cone jet
- Ergonomic water flow regulation with one hand, from min. to max.
- Trigger can be easily locked in place for convenient, constant watering



### Nozzles and sprinklers

<b>Order no. Card (PU)<sup>1)</sup></b>	2.645-269.0 (8 pc.)	2.645-268.0 (10 pc.)
---	---------------------	----------------------

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.





**Drip-proofing**

The dual seal technology ensures against dripping when changing spraying pattern and after turning off.



**Flexible handle adjustment**

The turnable handle can be optimally adjusted to suit the preferences of each individual operator.



**Sits comfortably in the hand**

High-quality soft components make for slip-free, ergonomic working and protect against injuries.




**Easy to change spraying pattern**

The spraying pattern can easily be adapted to individual watering requirements at any time.



**Multi-functional spray gun**

- Spraying pattern continuously adjustable from hard jet to cone jet and shower
- Ergonomic water flow regulation with one hand, from min. to max.
- Trigger can be easily locked in place for convenient, constant watering




**Spray gun**

- Spraying pattern continuously adjustable from hard jet to cone jet
- Ergonomic water flow regulation with one hand, from min. to max.
- Trigger can be easily locked in place for convenient, constant watering




**Spray nozzle**

- Spraying pattern continuously adjustable from hard jet to cone jet
- Ergonomic water flow regulation with one hand, from 0 to max.



**Nozzle**

- Spraying pattern can be adjusted with minimal movement
- Continuously adjustable from hard jet to cone jet
- Water flow can be locked



**Nozzles and sprinklers**

<b>Order no. Card (PU)<sup>1)</sup></b>	2.645-266.0 (9 pc.)	2.645-265.0 (10 pc.)	2.645-267.0 (14 pc.)	2.645-264.0 (10 pc.)
<b>Order no. loose (PU)<sup>1)</sup></b>	2.645-274.0 (10 pc.)	2.645-273.0 (15 pc.)	2.645-275.0 (15 pc.)	2.645-272.0 (20 pc.)



**Multi-functional spray gun set Plus**

- Watering set includes
- Multi-functional spray gun Plus (2.645-269.0)
  - Universal hose connector Plus (2.645-193.0)
  - Universal hose connector Plus with Aqua Stop (2.645-194.0)
  - G3/4 tap adaptor and G1/2 reducer (2.645-006.0)



**Spray gun set**

- Set includes
- Spray gun (2.645-265.0)
  - Hose connector for 1/2" and 5/8"
  - Hose connector with Aqua Stop for 1/2" and 5/8"
  - G3/4 tap adaptor and G1/2 reducer



**Nozzle set**

- Starter set includes
- Nozzle (2.645-264.0)
  - Hose connector for 1/2" and 5/8"
  - Hose connector with Aqua Stop for 1/2" and 5/8"
  - G3/4 tap adaptor and G1/2 reducer


**Nozzles and sprinklers**

<b>Order no. Card (PU)<sup>1)</sup></b>	2.645-290.0 (7 pc.)	2.645-289.0 (8 pc.)	2.645-288.0 (16 pc.)
---	---------------------	---------------------	----------------------

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# ONE CONNECTOR. THREE DIAMETERS



Regardless of the hose diameter - 1/2", 5/8" or 3/4": The watertight Kärcher hose connectors are always the perfect fit - guaranteed. The universal hose connectors also boast outstanding resilience and maximum tensile strength. The connectors are available with or without Aqua Stop. The premium universal hose connector also has an aluminium hose fastening and soft plastic recessed handles for even better handling. All Kärcher plug systems are of course compatible with the standard click systems on the market.



**Premium universal hose connector**

- Robust aluminium hose fastening
- Soft plastic recessed handles for easy handling
- Universally suitable for all standard garden hoses

**Premium universal hose connector with Aqua Stop**

- Robust aluminium hose fastening
- Soft plastic recessed handles for easy handling
- Aqua stop prevents splashing during disconnection
- Universally suitable for all standard garden hoses

**Universal hose connector Plus**

- Soft plastic recessed handles for easy handling
- Universally suitable for all standard garden hoses

**Universal hose connector Plus with Aqua Stop**

- Soft plastic recessed handles for easy handling
- Aqua stop prevents splashing during disconnection
- Universally suitable for all standard garden hoses

**Universal hose connector**

- Ergonomic design for easy handling
- Universally suitable for all standard garden hoses

## Hose connection systems

<b>Order no. Blister (PU)<sup>1)</sup></b>	2.645-195.0 (15 pc.)	2.645-196.0 (15 pc.)	2.645-193.0 (15 pc.)	2.645-194.0 (15 pc.)	2.645-191.0 (15 pc.)
<b>Order no. loose (PU)<sup>1)</sup></b>	-	-	2.645-203.0 (25 pc.)	2.645-204.0 (25 pc.)	2.645-201.0 (25 pc.)



**Universal hose connector with Aqua Stop**

- Ergonomic design for easy handling
- Aqua stop prevents splashing during disconnection
- Universally suitable for all standard garden hoses



**Universal hose mender**

- Ergonomic design for easy handling
- For connecting or repairing two hoses
- Universally suitable for all standard garden hoses



**Control valve**

- For regulating the water flow
- Includes 2-way connector
- For connecting a hose and sprinkler or two hoses
- For all standard click systems/connectors



**G3/4 tap adaptor with G1/2 reducer**

- Very robust
- Reducer allows connection to two thread sizes



**G1 tap adaptor with G3/4 reducer**

- Very robust
- Reducer allows connection to two thread sizes
- Primarily suitable for connection to Kärcher garden pumps

## Hose connection systems

<b>Order no. Blister (PU)<sup>1)</sup></b>	2.645-192.0 (15 pc.)	2.645-197.0 (15 pc.)	2.645-198.0 (15 pc.)	2.645-006.0 (15 pc.)	2.645-007.0 (15 pc.)
<b>Order no. loose (PU)<sup>1)</sup></b>	2.645-202.0 (25 pc.)	2.645-207.0 (25 pc.)	2.645-208.0 (15 pc.)	2.645-065.0 (25 pc.)	2.645-066.0 (25 pc.)

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.



**Aqua stop**  
For safe decoupling without splashing



**Recessed handles**  
Very comfortable soft plastic recessed handles facilitate connection/disconnection of Kärcher premium and plus connectors.



**3-way tap adaptor**  
High-quality 3-way tap adaptor with three independent controls.



**3-way connector**  
Intelligent 3-way connector for straightforward connection of three hoses.



**GHT3/4 tap adaptor**

- Very robust
- For connection to taps with 3/4" diameter (11.5 TPI)



**GHT3/4 hose connector with Aqua Stop**

- Ideal for connecting a garden hose with an outside thread to a pressure washer or tap
- Aqua Stop prevents splashing during disconnection



**Tap adaptor for round taps**

- Perfect for threadless taps
- Thanks to the reducer, outer diameters of between 15 and 20 mm are covered
- Install without tools by attaching the stainless steel hose clamp
- Compatible with standard click systems on the market



**Tap adaptor for in-house fittings**

- Allows connection to a garden hose in the house
- Robust attachment with brass inner thread
- Thread protection for easy attachment



**Equipment connectors G1/2 | G3/4**

- For connecting hose connectors and sprinklers with inner threads, among other things

**Hose connection systems**

<b>Order no. Blister (PU)<sup>1)</sup></b>	2.645-277.0 (15 pc.)	2.645-155.0 (15 pc.)	2.645-256.0 (10 pc.)	2.645-010.0 (15 pc.)	2.645-098.0   -099.0 (15 pc.)
<b>Order no. loose (PU)<sup>1)</sup></b>	-	-	-	-	-



**2-way tap adaptor**

- 2 independent, adjustable water connections
- Ideal for connecting two hoses to a single tap with G3/4 thread
- G3/4 brass tap adaptor with G1/2 reducer



**3-way tap adaptor**

- Tap adaptor for taps with G1 thread and G3/4 reducer
- Makes it possible to water with up to 3 hoses at the same time
- 3 independent, continuous controllers
- With 3 tap adaptors



**2-way connector | 3-way connector**

- 2-way connector for connecting 2 hoses
- 3-way connector for connecting 3 hoses
- Robust design



**Gasket set**

- 3 gaskets (2 for G3/4, 1 for G1)
- 1 prefilter for G3/4 tap adaptors



**O-ring set**

- 6 gaskets (4 × 10.8 × 2.6 mm, 1 × 15.9 × 2.6 mm, 1 × 17.1 × 2.6 mm)
- 1 sprinkler filter

**Hose connection systems**

<b>Order no. Blister (PU)<sup>1)</sup></b>	2.645-199.0 (10 pc.)	2.645-200.0 (4 pc.)	2.645-008.0   -009.0 (15 pc.)	2.645-073.0 (15 pc.)	2.645-074.0 (15 pc.)
<b>Order no. loose (PU)<sup>1)</sup></b>	-	-	2.645-067.0   -068.0 (25 pc.)	-	-

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# INTELLIGENT WATERING



Kärcher's high-quality brass line has been specially developed for demanding gardening tasks. These robust products boast outstanding workmanship and durability. The brass line not only exemplifies Kärcher's high quality claim, but also impresses with its ecologically sound use of materials to avoid waste.

### Plastic ring

Comfortable handle thanks to the soft plastic ring.



**Brass hose connector, 1/2" and 5/8"**

- High-quality brass hose connector
- Comfortable rubber ring on the handle for easy handling and better attachment
- Suitable for 1/2" and 5/8" hoses



**Brass hose connector, 1/2" und 5/8", with Aqua Stop**

- High-quality brass hose connector
- Comfortable rubber ring on the handle for easy handling and better attachment
- Aqua stop prevents splashing during disconnection
- Suitable for 1/2" and 5/8" hoses



**Brass hose connector, 3/4"**

- High-quality brass hose connector
- Comfortable rubber ring on the handle for easy handling and better attachment
- Suitable for 3/4" hoses



**Brass hose connector, 3/4", with Aqua Stop**

- High-quality brass hose connector
- Comfortable rubber ring on the handle for easy handling and better attachment
- Aqua stop prevents splashing during disconnection
- Suitable for 3/4" hoses



**Brass hose mender, 1/2" and 5/8" | 3/4"**

- For connecting hoses with 1/2" and 5/8" (2.645-102.0) 3/4" (2.645-103.0) inner diameter
- For repairing a damaged hose
- Made from robust brass

### Brass line

Order no. Blister (PU) <sup>1)</sup>	2.645-015.0 (10 pc.)	2.645-017.0 (10 pc.)	2.645-016.0 (10 pc.)	2.645-018.0 (10 pc.)	2.645-102.0   -103.0 (10 pc.)
--------------------------------------	----------------------	----------------------	----------------------	----------------------	-------------------------------



**Brass 2-way connector**

- For connecting two hoses/a hose extension
- Made from robust brass



**Brass 3-way connector**

- For connecting three hoses
- Allows you to establish two independent hose lines
- Made from robust brass



**Brass G3/4 tap adaptor with G1/2 reducer**

- High-quality brass tap adaptor
- Comfortable rubber ring on the handle for easy handling and better attachment
- Reducer allows connection to two thread sizes



**Brass G1 tap adaptor**

- High-quality brass tap adaptor
- Comfortable rubber ring on the handle for easy handling and better attachment



**Brass nozzle**

- Rubber ring grip for easy handling
- Spraying pattern can be adjusted from hard to soft



### Brass line

Order no. Blister (PU) <sup>1)</sup>	2.645-100.0 (10 pc.)	2.645-101.0 (10 pc.)	2.645-013.0 (10 pc.)	2.645-014.0 (10 pc.)	2.645-054.0 (10 pc.)
--------------------------------------	----------------------	----------------------	----------------------	----------------------	----------------------

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.



**Oscillating sprinkler**

Continuously adjustable sprinkling area up to a maximum area of 320 m<sup>2</sup>.

**Convenient alignment**

The splash guard protects the operator when the sprinkler is being aligned.

**In the dry**

Protected from the water, you can comfortably adjust the watering area and water volume.

**Variable width of spray**

The width of spray can be regulated by switching off the nozzles.



**Oscillating sprinkler OS 5.320 SV**

- Continuous reach adjustment
- Durable gear system
- Comfortable alignment thanks to the splash guard
- Adjustable water volume (0 - max)
- Max. watering area<sup>2)</sup> 320 m<sup>2</sup>
- Adjustable width of spray



**Oscillating sprinkler OS 5.320 S**

- Continuous reach adjustment
- Durable gear system
- Comfortable alignment thanks to the splash guard
- Adjustable water volume (0 - max)
- Max. watering area<sup>2)</sup> 320 m<sup>2</sup>



**Oscillating sprinkler OS 3.220**

- Continuous reach adjustment
- Durable gear system
- Max. watering area<sup>2)</sup> 220 m<sup>2</sup>



**Pulse, circular and sector sprinkler PS 300**

- Watering area of 30 - 360°
- Adjustable spray angle e.g. for watering under trees
- Robust spike for uneven or sloping underground
- Max. watering area<sup>2)</sup> 706 m<sup>2</sup>

**Sprinklers**

Area coverage	Length m	Width m	m <sup>2</sup>	Length m	Width m	m <sup>2</sup>	Length m	Width m	m <sup>2</sup>	ø in m	m <sup>2</sup>
<b>For 2 bar</b>	5-16	5-12	25-190	5-16	12	60-190	5-14	9	45-120	≤ 25	≤ 490
<b>For 4 bar</b>	6-20	6-16	36-320	6-20	16	100-320	6-17	13	80-220	≤ 30	≤ 706
<b>Spraying pattern</b>											
<b>Order no. (PU)<sup>1)</sup></b>	2.645-135.0 (6 pc.)			2.645-134.0 (6 pc.)			2.645-133.0 (6 pc.)			2.645-023.0 (10 pc.)	



**Rotating sprinkler RS 130/3**

- Robust metal arms
- Max. watering area<sup>2)</sup> 133 m<sup>2</sup>



**Rotating sprinkler RS 120/2**

- Adjustable spray angle
- Max. watering area<sup>2)</sup> 113 m<sup>2</sup>



**Circular sprinkler CS 90 Spike | CS 90 Vario**

- Robust spike for uneven or sloping underground
- Max. watering area<sup>2)</sup> 64 m<sup>2</sup>
- Extra adaptor for watering rectangular areas (CS 90 Vario)



**Multi-functional surface sprinkler MS 100, 6 functions**

- Various possible watering types with 6 different nozzle shapes
- Wall bracket
- Max. watering area<sup>2)</sup> 78 m<sup>2</sup>

**Sprinklers**

Area coverage	ø in m	m <sup>2</sup>	ø in m	m <sup>2</sup>	ø in m	m <sup>2</sup>	ø in m	m <sup>2</sup>
<b>For 2 bar</b>	≤ 11	≤ 95	≤ 8	≤ 50	≤ 9	≤ 64	≤ 8.4	≤ 55
<b>For 4 bar</b>	≤ 13	≤ 133	≤ 12	≤ 113	≤ 9	≤ 64	≤ 10	≤ 78
<b>Spraying pattern</b>								
<b>Order no. (PU)<sup>1)</sup></b>	2.645-019.0 (8 pc.)		2.645-020.0 (8 pc.)		2.645-024.0   -025.0 (10 pc.)		2.645-026.0 (8 pc.)	

<sup>1)</sup> PU = packaging unit. <sup>2)</sup> All of the specifications for the watering area are based on a system pressure of 4 bar. G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.



# NEW FREEDOM OF MOVEMENT



Greater mobility, less pulling and tugging: the new hose trolleys from Kärcher make gardening considerably easier. Now that the hose can be moved effortlessly from A to B on the hose trolley, the chore of dragging it through the garden is no longer necessary. Obstacles can be bypassed effortlessly and smoothly. The hose is simply unwound and laid down along the route on the ground. The long section of hose is simply connected to the tap and the short hose is used for watering. The result: no more annoying pulling on the hose, no more continually knocking the hose trolley over and considerably less damage.



### Metal hose trolley HT 80 M

- Robust and rust-resistance steel frame and drum
- Non-slip, ergonomic handle
- Height-adjustable handle
- Hose guide and freewheeling crank handle
- Angled hose connection
- With two universal hose connectors Plus (2.645-193.0)



### Metal hose trolley HT 80 M Kit

- Like HT 80 M hose trolleys
- With 20 m 1/2" PrimoFlex® Plus hose 2.645-144.0, spray gun Plus 2.645-268.0, 4 universal hose connectors Plus (3 × 2.645-193.0, 1 × 2.645-194.0) and G3/4 tap adaptor

#### Mobile hose storage

Hose capacities		
<b>1/2" (13 mm)</b>	max. 80 m	max. 80 m
<b>5/8" (15 mm)</b>	max. 60 m	max. 60 m
<b>3/4" (19 mm)</b>	max. 40 m	max. 40 m
<b>Order no. (PU)<sup>1)</sup></b>	2.645-042.0 (1 pc.)	2.645-043.0 (1 pc.)



### Hose trolley HT 4.500

- Non-slip, ergonomic handle
- Height-adjustable handle
- Foldable for space-saving storage
- Angled hose connection
- Spray lance or nozzle may optionally be attached
- Storage hook for short hose provides increased mobility
- 2 hose connectors
- Fully assembled



### Hose trolley HT 4.520 Kit 1/2" | HT 4.450 Kit 1/2"

- Like the HT 4.500
- HT 4.520 Kit 1/2" with 20 m 1/2" PrimoFlex® hose
- HT 4.450 Kit 1/2" with 40 m 1/2" PrimoFlex® hose
- Nozzle (2.645-264.0), 3 hose connectors, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Fully assembled



### Hose trolley HT 4.520 Kit 5/8"

- Like the HT 4.500
- With 20 m 5/8" PrimoFlex® hose, Nozzle (2.645-264.0), 3 hose connectors, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Fully assembled

#### Mobile hose storage

Hose capacities			
<b>1/2" (13 mm)</b>	max. 50 m	max. 50 m	max. 50 m
<b>5/8" (15 mm)</b>	max. 35 m	max. 35 m	max. 35 m
<b>3/4" (19 mm)</b>	max. 23 m	max. 23 m	max. 23 m
<b>Order no. (PU)<sup>1)</sup></b>	2.645-170.0 (6 pc.)	2.645-168.0 (6 pc.)   2.645-244.0 (6 pc.)	2.645-169.0 (6 pc.)

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.



**Mobile with style**

Simply place the short end of the hose over the hook, store accessories directly on the hose trolley and move it comfortably to the location of use.



**Greater manoeuvrability**

No more annoying tugging on the hose: obstacles can now be easily and smoothly bypassed with the new hose trolley.



**Compact comfort**

The new Kärcher hose trolley occupies minimal storage space.



**Robust and durable**

High-quality metal hose trolley for discerning gardeners.



**Hose trolley HT 3.400**

- Height-adjustable handle
- Foldable for space-saving storage
- Fully assembled



**Hose trolley HT 3.420 Kit 1/2" | HT 3.425 Kit 1/2"**

- HT 3.420 Kit 1/2" with 20 m 1/2" PrimoFlex® hose
- HT 3.425 Kit 1/2" with 25 m 1/2" PrimoFlex® hose
- Height-adjustable handle
- Foldable for space-saving storage
- Nozzle (2.645-264.0), 3 hose connectors, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Fully assembled



**Hose trolley HT 3.420 Kit 5/8"**

- Height-adjustable handle
- Foldable for space-saving storage
- With 20 m 5/8" Primo Flex® hose, Nozzle (2.645-264.0), 3 hose connectors, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Fully assembled

**Mobile hose storage**

Hose capacities			
<b>1/2" (13 mm)</b>	max. 40 m	max. 40 m	max. 40 m
<b>5/8" (15 mm)</b>	max. 30 m	max. 30 m	max. 30 m
<b>3/4" (19 mm)</b>	max. 20m	max. 20m	max. 20m
<b>Order no. (PU)<sup>1)</sup></b>	2.645-180.0 (6 pc.)	2.645-166.0 (6 pc.)   2.645-283.0 (6 pc.)	2.645-167.0 (6 pc.)



**Promotion pallet hose trolley HT 3.420 Kit 1/2"**

- 18×hose trolley HT 3.420 Kit with 20 m 1/2" PrimoFlex® hose and accessories (2.645-166.0) on one pallet
- 2 attention-grabbing posters with usage diagrams and product information
- Fully assembled



**Promotion pallet hose trolley HT 3.420 Kit 5/8"**

- 18×hose trolley HT 3.420 Kit with 20 m 5/8" PrimoFlex® hose and accessories (2.645-167.0) on one pallet
- 2 attention-grabbing posters with usage diagrams and product information
- Fully assembled

**Mobile hose storage**

<b>Order no. Display</b>	2.645-172.0 (18 pc.)	2.645-173.0 (18 pc.)
--------------------------	----------------------	----------------------

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

## PERFECTION IN HOSE STORAGE



No more tripping hazards and hoses left lying around. With Kärcher's practical storage systems, hoses can be elegantly stored and quickly brought out again when needed. For example the premium CR 7.220 Automatic hose reel: features smooth automatic hose retraction, integrated angle adjustment and 180° swivel function. Or the compact CR 3.110 Balcony hose reel with thin 10 m hose: ideal for watering on balconies and roof terraces. What's more, the CR 3.110 Balcony hose reel can also be fitted to in-house taps thanks to the matching tap adaptor for in-house fittings.



### Premium CR 7.220 Automatic hose reel

- With tidy automatic hose retraction
- Smooth hose winding
- Flat, space-saving wall bracket
- Can swivel from 0°-180°
- Adjustable swivel stop prevents damage to walls and objects next to the hose box
- Includes 20 plus 2 m high-quality, phthalate-free 1/2" hose, nozzle (2.645-264.0), 1 hose connector, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Convenient accessory storage
- Fully assembled



### HR 4.525 1/2" Wall hose reel Kit

- Practical hose storage for mobile or stationary use
- Smooth hose reel
- With wall bracket, 25 m 1/2" hose, nozzle (2.645-264.0), 3 hose connectors, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G3/4 reducer for G1/2

#### Stationary hose storage

<b>Hose capacities</b>	1/2" (13 mm) = max. 20 m	1/2" (13 mm) = max. 50 m
<b>Order no. (PU)<sup>1)</sup></b>	2.645-218.0 (1 pc.)	2.645-281.0 (1 pc.)



### Compact CR 3.110 Balcony hose reel

- First hose reel for watering on balconies, roof terraces and allotments
- Especially space-saving for storing in an apartment
- No risk of dirt or water leakage in the apartment
- Quick and convenient winding and unwinding
- Supply hose and accessories can be stored directly on the hose box
- Includes 10 plus 2 m high-quality, phthalate-free hose, nozzle (2.645-264.0), 2 hose connectors with Aqua Stop for decoupling without splashing, G3/4 tap adaptor and G1/2 reducer, flat wall bracket, connection pieces for outdoor and indoor taps
- Fully assembled



### Display for CR 3.110 Balcony hose reel

- Ideal for secondary placements (quarter pallet)
- Attention-grabbing balcony motif
- Universally applicable pallet corner, printed on both sides
- Includes 18 × CR 3.110 balcony hose reel

#### Stationary hose storage

<b>Hose capacities</b>	5/16" (8 mm) = max. 10 m	-
<b>Order no. (PU)<sup>1)</sup></b>	2.645-210.0 (4 pc.)	2.645-211.0 (18 pc.)

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.



#### Functional and discreet

No snagging, no unsightliness: The wall bracket with its extra flat design is very discreet. The CR 7.220 Automatic can be safely mounted and removed again.



#### Superbly compact

Ideal for balconies: Lightweight and with compact dimensions, the CR 3.110 Balcony is very easy to transport.



#### Smooth hose reel

The optimal spacing between hose and legs makes for convenient handling and easy winding.



#### Always at hand

No untidiness, no hunting around: the new hose hangers and reels provide ample storage space for your garden accessories.



#### Premium hose reel HR 7.300

- Practical, space-saving storage for hoses, nozzles and sprayers
- Spacious storage box for garden gloves, shears, shovels, etc.
- Spray lance or nozzle may optionally be attached
- Detachable hose reel (2-in-1)
- With wall bracket and 2 hose connectors
- Fully assembled



#### Premium hose reel HR 7.315 Kit 1/2"

- Like the HR 7.300 hose reel
- With wall bracket, 15 m 1/2" PrimoFlex® Hose, Nozzle (2.645-264.0), 3 hose connectors, 1 hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Fully assembled



#### Premium hose reel HR 7.315 Kit 5/8"

- Like the HR 7.300 hose reel
- With wall bracket, 15 m 5/8" PrimoFlex® Hose, Nozzle (2.645-264.0), 3 hose connectors, 1 Hose connector with Aqua Stop, G3/4 tap adaptor and G1/2 reducer
- Fully assembled

#### Stationary hose storage

Hose capacities			
<b>1/2" (13 mm)</b>	max. 30 m	max. 30 m	max. 30 m
<b>5/8" (15 mm)</b>	max. 20 m	max. 20 m	max. 20 m
<b>Order no. (PU)<sup>1)</sup></b>	2.645-163.0 (1 pc.)	2.645-164.0 (1 pc.)	2.645-165.0 (1 pc.)



#### Premium hose hanger with box

- Practical, space-saving hose storage
- Storage for nozzles and sprayers
- Storage compartment for tap adaptors, connectors and gardening gloves
- Additional storage box for gardening shears and other tools



#### Hose hanger Plus

- Practical, space-saving hose storage
- Storage for nozzles and sprayers
- Storage compartment for tap adaptors, connectors and gardening gloves



#### Hose hanger

- Robust design
- Easy to mount on outside walls
- Storage for nozzles and sprayers
- For all well-known garden hoses

#### Stationary hose storage

<b>Order no. (PU)<sup>1)</sup></b>	2.645-162.0 (4 pc.)	2.645-161.0 (4 pc.)	2.645-044.0 (10 pc.)
------------------------------------	---------------------	---------------------	----------------------

<sup>1)</sup> PU = packaging unit.

G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# HEALTHY WATERING - WITHOUT PHTHALATES



Kärcher's PrimoFlex® quality hoses are free from plasticisers, which are detrimental to health. They impress with their robustness, flexibility and kink-resistance, as well as outstanding functionality and handling. What's more: many of our hoses are available as practical sets and ready to use straight away.



**PrimoFlex® Premium hose**

- For the discerning gardener
- Non-hazardous, phthalate-free quality garden hose
- Resistant to high pressure thanks to the patented double reinforcement: Knitted and braided weave with innovative yellow Kevlar®<sup>2)</sup> fibre by DuPont™
- 5 layers
- Weather-resistant anti-UV outer layer
- Opaque middle layer prevents algae formation inside the hose
- Extremely flexible, kink-resistant and resistant to twisting
- Bursting pressure 50 bar<sup>3)</sup>
- High temperature resistance from -20 to +65 °C
- Free from cadmium, barium and lead
- 18-year guarantee



**PrimoFlex® hose Plus**

- For experienced gardeners
- Non-hazardous, phthalate-free quality garden hose
- Extremely robust, flexible hose which is resistant to kinks
- Knitted and braided weave with innovative yellow Kevlar®<sup>2)</sup> fibre by DuPont™
- 3 layers
- Weather-resistant anti-UV outer layer
- Opaque inner layer prevents algae formation inside the hose
- Bursting pressure 45 bar<sup>3)</sup>
- High temperature resistance from -20 to +65 °C
- Free from cadmium, barium and lead
- 15-year guarantee

## Hoses

Inner diameter	1/2"		5/8"		1/2"		5/8"		3/4"	
Length	20 m	50 m	25 m	50 m	20 m	50 m	25 m	50 m	25 m	50 m
Weight g/m	155	155	190	190	130	130	160	160	230	230
Order no. (PU) <sup>1)</sup>	2.645-1500 (1 pc.)	2.645-1510 (1 pc.)	2.645-1520 (1 pc.)	2.645-1530 (1 pc.)	2.645-144.0 (1 pc.)	2.645-145.0 (1 pc.)	2.645-146.0 (1 pc.)	2.645-147.0 (1 pc.)	2.645-148.0 (1 pc.)	2.645-149.0 (1 pc.)



**PrimoFlex® hose**

- Handy garden hose with pressure-resistant woven reinforcement
- Non-hazardous, phthalate-free quality garden hose
- 3 layers
- Weather-resistant anti-UV outer layer
- Opaque middle layer prevents algae formation inside the hose
- Bursting pressure 24 bar<sup>3)</sup>
- High temperature resistance from -20 to +65 °C
- Free from cadmium, barium and lead
- 12-year guarantee
- Available by the metre for individual length adjustment, max. 50 m (only 2.645-247.0)



**Spiral hose set | Spiral hose starter set, 10 m**

- Ideal for watering plants in small gardens, on balconies or terraces, or at campsites
- 10 m spiral hose, phthalate-free, resistant to kinks and UV-resistant
- Multi-functional spray gun with 4 spraying patterns
- Two spiral hose connectors with kink protection, one with Aqua Stop
- G3/4 tap adaptor and tap adaptor for in-house fittings (only 2.645-178)
- Wall bracket (only 2.645-178.0)

## Hoses

Inner diameter	1/2"		5/8"		3/4"		1"	5/16"	
Length	20 m	30 m	50 m	25 m	50 m	25 m	50 m	10 m	
Weight g/m	110	110	110	145	145	220	220	360	
Order no. (PU) <sup>1)</sup>	2.645-138.0 (1 pc.)	2.645-248.0 (1 pc.)	2.645-139.0 (1 pc.)	2.645-140.0 (1 pc.)	2.645-141.0 (1 pc.)	2.645-142.0 (1 pc.)	2.645-143.0 (1 pc.)	2.645-247.0 (1 pc.)	2.645-178.0   2.645-179.0 (3 pc.)

<sup>1)</sup> PU = packaging unit. <sup>2)</sup> Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company. <sup>3)</sup> This applies to 1/2" (13 mm) hoses without fittings. G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.





**Spiral hose set**  
Ideal for watering small gardens, balconies or terraces.



**Hose connection set**  
Ideal for garden watering - and for supplying water during high-pressure cleaning.



**Water supply hose set**  
To be connected to round threadless taps. For convenient water supply.



**Hose hanger**  
Practical hose hanger for mounting on walls.



**Hose set, 20 m**

- Ideal set for beginners
- Spray gun 2.645-265.0
- G3/4 brass tap adaptor with G1/2 reducer 2.645-006.0
- 1/2" PrimoFlex® hose
- Universal hose connector 2.645-191.0
- Universal hose connector with Aqua Stop 2.645-192.0



**Hose set, 30 m**

- Ideal set for beginners
- Nozzle 2.645-264.0
- G3/4 brass tap adaptor with G1/2 reducer 2.645-006.0
- 1/2" PrimoFlex® hose
- Universal hose connector 2.645-191.0
- Universal hose connector with Aqua Stop 2.645-192.0



**Hose set with Hose hanger, 15 m**

- Ideal set for use as a supply hose for pressure washers
- Hose switch
- Nozzle 2.645-264.0
- G1 tap adaptor with G3/4 reducer 2.645-007.0
- 1/2" PrimoFlex® hose
- Universal hose connector 2.645-191.0
- Universal hose connector with Aqua Stop 2.645-192.0

**Hose sets**

Length	20 m	30 m	15 m
Order no. (PU) <sup>1)</sup>	2.645-115.0 (4 pc.)	2.645-282.0 (4 pc.)	2.645-114.0 (4 pc.)



**Hose connection set for pressure washers**

- Ideal set for using as a supply hose for pressure washers
- 10 m 3/4" PrimoFlex® hose
- G3/4 tap adaptor
- Universal hose connector 2.645-193.0
- Universal hose connector with Aqua Stop 2.645-194.0



**Water supply hose set**

- 10 m 1/2" PrimoFlex® hose
- Hose connector
- Hose connector with Aqua Stop 2.645-256.0 (outer: ø 15-20 mm)



**Connection set**

- For connecting the hose trolley and reel to the tap
- Suitable for all standard products
- G3/4 tap adaptor with G1/2- reducer (2.645-006.0)
- 2 x Universal hose connector (2.645-191.0)
- 1.5 m 5/8" PrimoFlex® hose

**Hose sets**

Length	10 m	10 m	2.645-122.0 (5 pc.)
Order no. (PU) <sup>1)</sup>	2.645-156.0 (1 pc.)	2.645-258.0 (1 pc.)	2.645-122.0 (5 pc.)

<sup>1)</sup> PU = packaging unit.  
G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.

# SIMPLE, AUTOMATIC WATERING



**Convenient control**  
With the automatic watering control system, you will have more time to enjoy your garden.



**Water Timer WT 4**  
Easy-to-programme water timer for needs-based watering.



**Water Timer WT 5**  
Thanks to its precise programming every weekday, the WT 5 is especially suitable for regions with watering restrictions.



**Water Timer WT 2**  
Combines the advantages of a 3-way tap adaptor and a water timer in a single product.



### Water timer WT 5

- Precise programming every weekday
- Start and duration of watering can be programmed to the minute (max. 120 minutes)
- 2 watering sessions per day
- Manual watering possible
- Detachable display for convenient programming
- Pause mode: deactivates watering for 24 h
- Includes Tap adaptor and prefilter
- Water stops when the battery has run out

### Automatic watering

<b>Connection thread</b>	G3/4 and G1
<b>Order no. Blister (PU)<sup>1)</sup></b>	2.645-219.0 (3 pc.)



### Water timer WT 4

- Easy individual programming
- Max. watering duration 120 mins
- Manual watering possible
- Detachable display for convenient programming
- Includes Tap adaptor and prefilter
- Water stops when the battery has run out



### Water timer WT 2

- Watering stops automatically once the set time has lapsed  
Max. 120 min
- Ideal for connecting 3 hoses to a single tap
- 2 water connections with continuous controls
- 1 water connection with water timer
- Includes Tap adaptor and prefilter

### Automatic watering

<b>Connection thread</b>	G3/4 and G1	G3/4 and G1
<b>Order no. Blister (PU)<sup>1)</sup></b>	2.645-174.0 (3 pc.)	2.645-209.0 (3 pc.)

<sup>1)</sup> PU = packaging unit.  
G1 = 33.3 mm; G3/4 = 26.4 mm; G1/2 = 21.0 mm; Hose inner diameter: 5/16" = 8 mm; 1/2" = 13 mm; 5/8" = 15 mm; 3/4" = 19 mm.









#### Table of contents - Submersible pumps

Submersible pumps	Page 141
Submersible pump accessories	Page 142




## SUBMERSIBLE PUMPS - WATER-TIGHT BENEFITS

Kärcher pumps for clean and dirty water are ideal for draining or transferring even relatively large volumes of water from swimming pools, laundry rooms, cellars and drainage shafts. Equipped with the IQ Level Sensor, they feature adaptive pumping rhythm for continuous adjustment to varying water volumes, so they always pump off exactly the right amount of water. They bear the “Ceramic Technology” seal of approval and are fitted with ceramic slide ring sealing, a proven solution often used in the professional realm. This makes them more robust and prolongs their service life.



### Reacts immediately

IQ Level Sensor sensor of the submersible pumps switches the pump on immediately upon contact with water. The switching level is freely selectable.



### Durable protection

The ceramic slide ring sealing is permanently protected by oil and significantly increases the durability of the pump.



### Priming

If the pump does not immediately take in water after being started up, it can simply be primed by the touch of a button.



### Mop-dry results

When switched to flat pick-up mode, the SCP 12000 IQ Level Sensor sucks up water down to 1 mm above floor level.



**SDP 14000**  
IQ Level Sensor

- Electronic IQ Level Sensor
- Push-button priming



**SDP 7000**

- Comfortable railing handle



**SCP 12000**  
IQ Level Sensor

- Electronic IQ Level Sensor
- Flat pick-up to a depth of 1 mm



**SCP 6000**

- Comfortable railing handle

### Technical data

Frequency MX	Hz	60	60	60	60
Voltage MX	volt	127	127	127	127
Max. motor rating	W	800	320	600	250
Max. flow rate*	l/h	14000	7000	12000	6000
Delivery height / pressure, max.	m / bar	8 / 0.8	6 / 0.6	7 / 0.7	5 / 0.5
Max. depth of immersion	m	8	8	8	8
Flat pick-up to a depth of	mm	-	-	1	5
Max. grain size	mm	25	20	5	5
Delivery temperature, max.	°C	35	35	35	35
Weight without accessory	kg	6.9	4.3	6.6	4
Dimensions (L x W x H)	mm	220 x 220 x 390	170 x 190 x 310	210 x 215 x 335	175 x 190 x 260
Connecting thread		G1 1/4	G1	G1 1/4	G1
Power cord		H07RN-F, 11 m	H05RN-F, 11 m	H07RN-F, 11 m	H05RN-F, 11 m

### Equipment

Comfortable carry handle	■	■	■	■
Optimised union	■	■	■	■
Pump starts at low water level	-	-	■	■
Push-button priming	■	-	■	-
Ceramic slide ring sealing	■	-	■	-
Electronic IQ Level Sensor	■	-	■	-
Simple definition of switching level	Infinitely variable	■	Infinitely variable	■
Removable stainless steel filter	□	-	□	-
Connecting hose	1 1/4", 1" incl. non-return valve	1"	1 1/4", 1" incl. non-return valve	1"
<b>Order No. MX</b>	<b>1.645-127.0</b>	<b>1.645-126.0</b>	<b>1.645-179.0</b>	<b>1.645-178.0</b>

■ Included in delivery package. □ Optional accessories.

\* Tip: The pumping capacity of the pump depends on the pump height, the connected hoses and watering systems.

By lowering the pump height or increasing the inside diameter of the connected hoses and watering systems, a higher water flow rate can be achieved.



## ACCESSORIES FOR SUBMERSIBLE PUMPS

A full range for all requirements. Kärcher original accessories for submersible pumps include spiral hoses, prefilters, pump connectors and the high-quality fabric hose set. By the way: Kärcher pump accessories are so versatile that they can easily be used with devices from other manufacturers.










Can be used in drainage shafts.



The easy way to drain a pond.



Pumping water from A to B.

							SDP 14000 IQ Level Sensor	SDP 7000	SCP 12000 IQ Level Sensor	SCP 6000
		Order no.	Sizes	Diameter	Description					
<b>Vacuum-proof spiral hoses</b>										
	Vacuum-resistant spiral hose, available by the metre	1	6.997-347.0	Length: 25 m	3/4"	Vacuum-resistant spiral hose. Available by the metre for individual hose lengths. Can be used as an individual suction kit in combination with the Kärcher connection pieces and Kärcher suction filters.	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Vacuum-resistant spiral hose, available by the metre	2	6.997-346.0	Length: 25 m	1"	Vacuum-resistant spiral hose. Available by the metre for individual hose lengths. Can be used as an individual suction kit in combination with the Kärcher connection pieces and Kärcher suction filters.	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1, 2										
<b>Filter</b>										
	Prefilter for drainage pumps, large	3	6.997-353.0	-	-	This detachable stainless steel prefilter increases the operational reliability of your submersible pump and protects the pump impeller against blockages.	3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3										
<b>Adapters/connections</b>										
	Pump connector including non-return valve, small	4	6.997-359.0	For 3/4" and 1" hoses	-	Vacuum-proof connection of the suction hoses to the pump. Includes union nut, hose clamp, flat seal, and non-return valve. For pumps with G1 (33.3 mm) connection threads and 3/4" and 1" hoses.	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4										
	Pump connector including non-return valve, large	5	6.997-418.0	For 1" and 1 1/4" hoses	-	For the vacuum-proof connection of the hoses to the pump. Includes union nut, two pump connection pieces, hose clamp, flat seal and non-return valve. For pumps with G1 1/4 (41.9 mm) connection threads and 1" and 1 1/4" hoses.	5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5										
<b>Miscellaneous</b>										
	Fabric hose set	6	2.997-100.0	Length: 10 m	1 1/4"	Flexible fabric hose with stainless steel hose clamp (30-40 mm) with wing bolt for tool-free connection. Highly recommended for submersible pumps used for the removal of large volumes of water. Max. operating pressure: 5 bar.	6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6										

Optional accessories.







## ◀ OUR PICTOGRAMS



# OUR PICTOGRAMS



**ecologic**  
Highly efficient products that save energy, detergent, water and time.



**Electrostatic protection**  
Electrostatic protection for safe and convenient handling.




**Multi-functional and effortless**  
Our multi-functional steam cleaners are ideal for effortless cleaning around the home.



**Water cooled motor**  
Pressure washers with a water cooled motor.



**Deep cleaning without chemicals**  
With thorough cleaning, up to 99.99% of all common household bacteria are killed.\*



**Aqua Stop**  
The Aqua Stop function enables hoses to be disconnected without splashing.



**Thirty-five times more powerful**  
Our pressure washers are 35 times more powerful than a conventional garden hose.




**HEPA filter**  
The filter retains allergenic pollen, fungal spores, bacteria and dust mites.



**Save water**  
Products water efficiently and precisely where needed.



**80% water savings**  
Compared to a garden hose, our pressure washers generate 80% water savings.



**Water filter**  
The innovative water filter system reliably binds dirt for clean, fresh air.



**Metal**  
Robust metal elements for a longer service life.



**3-in-1 detergent**  
Detergent with our 3-in-1 formula. Maximum cleaning power, gentle care and reliable protection in one detergent.



**The original**  
As the inventor of the Window vac, we have revolutionised and perfected window cleaning.



**Phthalate-free**  
No harmful plasticizers and heavy metals.




**Vario Power spray lance**  
Variable adjustment from high to low pressure.



**Three times faster**  
Clean windows three times faster than with conventional methods using the Kärcher Window Vac.



**Dirt blaster**  
Rotating point jet for extremely powerful cleaning.



**Improved cleaning performance**  
Cleaning with a steam cleaner is more hygienic than with a manual mop and detergent.\*\*

\* Thorough cleaning with the Kärcher steam cleaner removes 99.99% of all common household bacteria from common household hard surfaces.

\*\* When thoroughly cleaning with the Kärcher steam cleaner the cleaning performance is better than cleaning with a manual mop and detergent. Tested according to international performance standards.

Please contact us for more information:

#### **Head Office Germany**

Alfred Kärcher GmbH & Co. KG  
Alfred-Kärcher-Straße 28-40  
71364 Winnenden

Phone +49 7195-14-0  
Fax +49 7195-14-2212

[www.kaercher.com](http://www.kaercher.com)

#### **North America**

Kärcher North America  
4555 Airport Way  
Denver, CO 80239  
U.S.A.

Phone +1 303-738-5805  
Fax +1 303-738-2758

[www.karcherna.com](http://www.karcherna.com)

#### **United Kingdom**

Kärcher (UK) Ltd.  
Kärcher House  
Beaumont Road  
Banbury  
Oxon OX16 1TB

Phone +44 1295-752-000  
Fax +44 1295-267-511

[www.karcher.co.uk](http://www.karcher.co.uk)

#### **Ireland**

Karcher Ltd.  
Unit 4  
E.P. Mooney Business Park  
Walkinstown Avenue  
Dublin 12

Phone +353 1-409-7777  
Fax +353 1-409-7775

[www.karcher.ie](http://www.karcher.ie)

#### **Southeast Asia**

Regional Head Office  
Southeast Asia

Karcher South East Asia Pte. Ltd.  
3 Depot Close #01-01  
Singapore 109840

Phone +65 6897 18 11  
Fax +65 6897 16 11

[www.karcher.com.sg](http://www.karcher.com.sg)

#### **Hong Kong**

Kärcher Limited  
Unit 05, 13/F, Nanyang Plaza  
57 Hung To Road  
Kwun Tong, Kowloon

Phone +852 2-357-5863  
Fax +852 2-357-5632

[www.karcher.com.hk](http://www.karcher.com.hk)

#### **Australia**

Karcher Pty. Ltd.  
40 Koornang Road  
Scoresby VIC 3179  
Melbourne, Victoria

Phone +61 3-9765-2300  
Fax +61 3-9765-2398

[www.karcher.com.au](http://www.karcher.com.au)

#### **New Zealand**

Karcher Ltd.  
66 Allens Road  
East Tamaki  
Auckland 2013

Phone +64 9-274-4603  
Fax +64 9-274-6932

[www.karcher.co.nz](http://www.karcher.co.nz)

#### **South Africa**

Kärcher (Pty) Ltd.  
Cnr. Mount Joy & George Allen Rd.  
Wilbart Ext. 2  
P.O. Box 11818  
Vorna Valley, 1686

Phone +27 11 657 7300  
Fax +27 11 657 7440

[www.karcher.co.za](http://www.karcher.co.za)

#### **Dubai**

Karcher FZE  
Quality Cleaning Systems  
Jebel Ali Free Zone  
Plot No. S-10104 South Zone  
RA 08, XB 1, Jebel Ali

Phone +971 4-886-1177  
Fax +971 4-886-1575

[www.kaercher.com](http://www.kaercher.com)