

KÄRCHER

makes a difference



IMPOSSIBLE ? DONE !

The right setting for every job.

HOME & GARDEN | High Pressure Washer

**K 2 Basic OJ****Technical Details**

Pressure (bar)	20 -max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m ² /h)	20
Weight without accessories (kg)	4
Dimensions (L×W×H) (mm)	176 x 280 x 443
High-pressure gun	Standard Quick Connect
Vario power jet	No
One-jet spray lance	Yes
Dirt blaster	No
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.673-153.0

K 2 Compact**Technical Details**

Pressure (bar)	20 -max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m ² /h)	20
Weight without accessories (kg)	4.0
Dimensions (L×W×H) (mm)	176 x 280 x 443
High-pressure gun	Standard Quick Connect
One-jet spray lance	Yes
Dirt blaster	Yes
Pressure hose (m)	4
Detergent application via	Suction
Integrated water filter	Yes
A3/4" garden hose connector adaptor	No
Order no	1.673-121.0

K 2 Full Control**Technical Details**

Pressure (bar)	20 -max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m ² /h)	20
Weight without accessories (kg)	4.3
Dimensions (L×W×H) (mm)	246 x 280 x 586
Detergent application via	Suction
High-pressure gun	G 120 Q
Handle	Telescopic
Vario Power Spray lance	Yes
Integrated Water filter	Yes
High-pressure hose	4 m
Dirt Blaster	Yes
Order no	1.673-400.0

**K 2.420 Air Con****Technical Details**

Pressure (bar)	20 - max. 100
Flow rate (l/h)	360
Max. inlet temperature (°C)	40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Weight without accessories (kg)	7.9
Dimensions (L×W×H) (mm)	374 x 201 x 296
Vario Power Jet Short 360°	Yes
High-pressure gun, Standard Quick Connect	Yes
High-pressure hose	7.5
Integrated water filter	Yes
Order no.	1.601-110.0

K 3 Premium**Technical Details**

Pressure (bar)	max. 120
Flow rate (l/h)	max. 380
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.6
Area performance (m ² /h)	25
Weight without accessories (kg)	9.6
Dimensions (L×W×H) (mm)	285 x 331 x 563
Car Kit, Wash brush, 0.3 l foam jet, detergent concentrate, car shampoo	No
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Vario power jet	Yes
Order no	1.603-180.0

K 4 Silent**Technical Details**

Pressure (bar)	20 - max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	11.2
Dimensions (L×W×H) (mm)	516 x 295 x 294
Car Kit, Wash brush, 0.3 l foam jet, detergent concentrate, car shampoo	No
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	with anti- twist systems
Integrated water filter	Yes
Vario power jet	Yes
Order no	1.637-350.0

**K 4 Basic****Technical Details**

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	230
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	10.9
Dimensions (L×W×H) (mm)	285 x 309 x 876
High pressure gun	Standard Quick Connect
Vario Power jet	Yes
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Water-cooled motor	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.180-080.0

K 4 Premium**Technical Details**

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	14.1
Dimensions (L×W×H) (mm)	349 x 426 x 878
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
Order no	1.180-310.0

K 5 Compact Car**Technical Details**

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	11.5
Dimensions (L×W×H) (mm)	516 x 295 x 282
Car Kit	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
Order no	1.630-723.0

**K 5 Premium****Technical Details**

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max.40
Voltage (V)	220 -240
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	14.5
Dimensions (L×W×H) (mm)	349 x 426 x 878
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
Order no	1.181-313.0

K 5 Premium Full Control**Technical Details**

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	up to 40
Voltage (V)	230
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	13.1
Dimensions (L×W×H) (mm)	411 x 305 x 584
High-pressure spray gun	Full Control Power gun
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Detergent application via	Yes
Vario power spray lance	Yes
Water suction	Yes
Order no	1.324-600.0



G 145 Q and G 120 Q

User-friendly operation

- Selection of the appropriate spray lance for the surface to be cleaned.
- Setting the appropriate pressure or detergent level on the Vario Power spray lance.
- Direct control of the setting on the displays of the G 145 Q (LED display) and the G 120 Q (analogue display).




G 145 Q FULL CONTROL POWER GUN

Included in:
K 5 Full Control



APPLICATION FIELDS DOMAINES D'APPLICATION





**FULL CONTROL CLICK VARIO
POWER SPRAY LANCE:
FULL CONTROL IN AN INSTANT.**

Included in:
K 2 Full Control



Advantages that make the difference

- The symbols printed on the spray lance help you select the most appropriate pressure setting for your application.
- The pressure settings **HARD**, **MEDIUM**, **SOFT** and the detergent setting can be selected by simply turning the spray lance - without interrupting work.
- The arrow on the Vario Power spray lance indicates the selected pressure and detergent settings.



Head Office

Karcher Cleaning Systems Private Limited

D-120, Sector-63, Noida, U.P. 201307

Ph. +91 120 7111800 | Help Line No : 1800 1234 180

Email: info@in.kaercher.com | service@in.kaercher.com

www.kaercher.com/in

Dealer Stamp