

makes a difference



MORE POWERFUL THAN EVER BEFORE !

Home & Garden I Vacuums







Technical Details

Actual suction power*(Air watts) Energy use (W)	160 1000
Container capacity (I) Container material	15 Plastic
Power cable (m)	Plastic 4
Standard accessory ID (mm)	35
Voltage (V)	220/240
Weight without accessories (kg)	3.7
Dimensions (L × W × H) (mm)	331 x 352 x 461
Blower Function	Yes
Filter Bag	Paper
Suction Hose length / diameter	1.8m, 35mm
Order no	1.098-300.0

* Measured at the suction tubes according to the IEC 60312 standard.



Technical Details

Actual suction power*(Air watts)	200
Energy use (W)	1000
Container capacity (I)	17
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220/240
Weight without accessories (kg)	5.5
Dimensions (L × W × H) (mm)	388 x 340 x 503
Blower Function	Yes
Cartridge Filter	Standard
Filter Bag	Paper
Suction Hose length / diameter	2m, 35mm
Order no	1.629-800.0
* Measured at the suction tubes according	

Measured at the suction tubes according to the IEC 60312 standard.

WD 4



Technical Details

Actual suction power* (Air Watts) Energy use (W)	220 1000
Container capacity (I)	20
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220/240
Weight without accessories (kg)	7.1
Dimensions (L × W × H) (mm)	384 x 365 x 526
Blower Function	No
Filter Bag	Fleece
Suction Hose length / diameter	2.2m, 35mm
Order no	1.348-110.0

* Measured at the suction tubes according to the IEC 60312 standard.

Technical Details

Actual suction power* (Air Watts	5) 240
Energy use (W)	1100
Container capacity (I)	25
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220/240
Weight without accessories (kg)	8.2
Dimensions (L × W × H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2m, 35mm
Order no	1.348-190.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 5



WD 3 Premium

Technical Details

Actual suction power* (Air Watts) Energy use (W) Container capacity (I) Container material Stainless Steel Power cable (m) Standard accessory ID (mm) 220/240 Voltage (V) Weight without accessories (kg) Dimensions $(L \times W \times H)$ (mm) 388 x 340 x 525 **Blower Function** Filter Bag Suction Hose length / diameter 2 m, 35mm Order no 1.629-840.0

* Measured at the suction tubes according to the IEC 60312 standard.



Technical Details

Actual suction power*(Air watts)	
Energy use (W)	
Container capacity (I)	
Container material	Stainless
Power cable (m)	
Standard accessory ID (mm)	
Voltage (V)	220
Weight without accessories (kg)	
Dimensions (L × W × H) (mm)	388 x 365
Blower Function	
Filter Bag	I
Suction Hose length / diameter	2.2 m, 3
Order no	1.348-

* Measured at the suction tubes according to the IEC 60312 standard.

1000 20 s Steel 5 35 0/240 7.5 x 520 No Fleece 35mm -150.0

200

1000

17

4

35

5.8

Yes

220

Paper

WD 4 Premium



Disclaimer: The details mentioned in the collateral can be changed without prior notice at the sole discretion of Karcher due to up gradation / change in the specification.



WD 5 Premium



Technical Details

Actual suction power* (Air watts)	240
Energy use (W)	1100
Container capacity (I)	25
Container material	Stainless Steel
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220/240
Weight without accessories (kg)	8.7
Dimensions (L × W × H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2 m, 35mm
Order no	1.348-230.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 6 P Premium



Technical Details

Actual suction power*(Airwatts)	260
Energy use (W)	1300
Container capacity (I)	30
Container material	Stainless Steel
Power cable (m)	6
Standard accessory ID (mm)	35
Voltage (V)	220/240
Weight without accessories (kg)	9.5
Dimensions (L × W × H) (mm)	418 x 382 x 694
Blower Function	Yes
Filter Bag	Fleece
Drain Screw	Yes
Power Tool	Yes
Suction Hose length / diameter	2.2 m, 35mm
Order no	1.348-270.0
* Measured at the suction tubes according	

Optimal air flow The highly flexible suction hose comes with a wider opening to avoid blockages while vacuuming. Flow resistance is significantly reduced by the improved hose geometry.

* Measured at the suction tubes according to the IEC 60312 standard.

OPTIMISED ACCESSORIES AND FEATURES





Removable handle The ergonomic handle can be easily removed from the suction hose in order to attach other accessories such as brushes. Perfect for working in confined spaces (e.g. in cars).



Convenient filter removal Patented innovative technology for quick and convenient filter removal and emptying without contact with dirt.

Extremely durable Robust, long-lasting plastic hose

> Optimal dirt pick-up Use the switches to adjust the nozzle to suit your vacuuming needs (dry or wet vacuuming). There are also two integrated brush strips or squeegees adanted to different cleaning tacks.

(77)



-

Mor

Airtight Better-quality seals between the the vacuum head, together with connection between the hose an ensure that the vacuum is airtigit vents unwanted air from being c

> Less effort Lateral rollers guaranteeing smooth and effortless movement.

ve been made si



Carpet Cleaner

Technical Details

Vacuum (mbar) Air flow (I/s) Ereck (dithumater tapk (I)	210/21 70 4/4
Fresh/ dirty water tank (I) Input power turbine/pump (W)	1400 / 40
Spray rate (I/min)	1400/40
Spray pressure (bar)	1
Power cable (m)	7.5
Working width (mm)	230
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.8
Dimensions (L × W × H) (mm)	441 x 386 x 480
Filter Bag	Paper
Crevice nozzle	Yes
Spray extraction tubes, 2 piece(s),	0.5 m, 35 mm
Wet and dry floor nozzle, Clips	Yes
Upholstery nozzle	Yes
Foam filter	Yes
Carpet Cleaner	RM 519 (100 ml)
Order no	1.081-130.0





Water Filter Vacuum Cleaner

Technical Details

Rated input power (W)	900
Water filter (I)	2
Power cable (m)	6.5
Operating radius (m)	10.2
Sound pressure level (dB(A))	66
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.4
Dimensions (L × W × H) (mm) 53	85 x 289 x 345
Suction hose	2.1 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Switchable dry floor nozzle	Yes
Order no	1.195-210.0



Dry Vacuum

Technical Details

Rated input power (W) Water filter (I)	1300 0.9
	6.5
Power cable (m)	
Operating radius (m)	7.5
Sound pressure level (dB(A))	78
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	4.5
Dimensions (L × W × H)	388 x 269 x 334
Suction hose (m)	1.5 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Automatic cable rewind	Yes
Order no	1.198-121.0



Disclaimer: The details mentioned in the collateral can be changed without prior notice at the sole discretion of Karcher due to up gradation / change in the specification.

Head Office

Karcher Cleaning Systems Private Limited D-120, Sector-63, Noida, U.P. 201307 Ph. +91 120 7111800 | Help line No : 1800 1234 180 Email: info@in.kaercher.com | service@in.kaercher.com

Dealer Stamp