

KÄRCHER

makes a difference



KÄRCHER
Professional

PROGRAMME

Professional

PERFECT FOR TOUGH JOBS IN NON-STOP USE



HIGH-PRESSURE CLEANERS

	Current type (phases)	Connection output (kW)	Flow rate (l/h)	Working pressure (bar /MPa)	Max. temperature (°C)
HD super class					
HD 17/14-4 SX Plus	3	9.4	650-1700	30-140/3-14	60
HD 10/25-4 S	3	9.2	500-1000	30-250/3-25	60
HD 10/21-4 S	3	7.8	1000	210/21	60



**Not on HD 10/21



HD middle class					
HD 9/20-4 M	3	7	460-900	40-200/4-20	60
HD 6/16-4 M	1	3.4	230-600	30-160/3-16	60



EXCELLENT FEATURES - PRACTICAL EVERYWHERE



	Current type (phases)	Connection output (kW)	Flow rate (l/h)	Working pressure (bar / MPa)	Max. temperature (°C)
HD compact class					
HD 7/18 C	3	4.7	240-700	20-175/2-17.5	60
HD 6/15 C Plus	1	3.1	230-560	30-150/3-15	60
HD 6/12-4 C	1	2.8	300-600	20-120/2-12	60
HD 5/15 C	1	2.8	500	150/15	60




1 - 2 h



EASY PRESS



AVS



HD classic class					
	Current type (phases)	Connection output (kW)	Flow rate (l/h)	Working pressure (bar / MPa)	Max. temperature (°C)
HD 9/20-4 Classic	3	6.9	520-900	70-200/7-20	60
HD 7/18-4 Classic	3	4.9	520-700	70-180/7-18	60
HD 7/11-4 Classic	1	2.9	520-700	70-110/7-11	60
HD 6/15-4 Classic	1	3.4	450-600	70-150/7-15	60

ULTRA HIGH-PRESSURE CLEANERS IN BOTH ELECTRIC OR PETROL




HIGH-PRESSURE CLEANERS

	Current type (phases)	Connection output (kW)	Flow rate (l/h)	Working pressure (bar /MPa)	Max. temperature (°C)
HD cage					
HD 9/50-4 Cage	3	15	500-900	150-500/15-50	60
HD 9/50 Ge Cage		Honda 16	500-900	150-500/15-50	60
HD 10/25-4 Cage Plus	3	9.2	1000	250/25	60



**On HD 10/25-4



HD cage classic					
HD 9/18-4 Cage Classic	3	5.9	450-900	70-180/7-18	60
HD 7/16-4 Cage Classic	3	4.3	400-700	70-160/7-16	60
HD 7/11-4 Cage Classic	1	3.3	520-700	70-110/7-11	60



MOBILE, INDEPENDENT AND SERVICE-FRIENDLY



	Current type (phases)	Connection output (kW)	Flow rate (l/h)	Working pressure (bar / MPa)	Max. temperature (°C)
HD classic with combustion engine					
HD 8/23 G Classic		6.8	800	230/23	60
HD 6/15 G Classic		4.1	600	150/15	60




1 - 2 h



EASY PRESS



AVS



HD cage industrial with combustion engine					
HD 1050 DE		7.4	400-930	40-230/4-23	60
HD 1040 B		8	200-850	10-210/1-21	60
HD 801 B		4	650	150/15	60

UNTIRING AND PROFESSIONAL



	Current type (phases)	Connection output (kW)	Flow rate (l/h)	Working pressure (bar /MPa)	Max. temperature (°C)
HDS special class					
HDS-E 8/16-4 M 24 kw	3	29.5	300-760	30-160/3-16	45/85
HDS 2000 Super	3	2 x 6.7	800-1850	30-180/3-18	80/98
HDS 1000 De		7.4/10	450-900	40-200/4-20	98/80



3 - 4 h



EASY PRESS




AVS



HDS					
HDS 12/18-4S Classic	3	8.4	600-1200	30-180/3-18	80/155
HDS 10/20-4M Classic	3	7.8	500-1000	30-200/3-20	80/155
HDS 8/18-4 C Classic	3	6	300-800	30-180/3-18	80/155
HDS 6/14 C Classic	1	3.6	240-560	30-140/3-14	80/155
HDS 5/15 UX	1	2.7	450	150/15	80


MAXIMUM CLEANING PERFORMANCE, LESS CONSUMPTION



	Container capacity (l)	Weight (kg)	Flow rate (l/s)	Vacuum (bar /MPa)	Sound Pressure (dB) A
eco!efficiency					
T17/1 eco!efficiency	17	7	43	230/23	58
T12/1 eco!efficiency	12	6.6	43	230/23	65




VACS, SWEEPERS AND OTHER



Dry & Backpack Vacuums					
T15/1	15	8	61	244/24.4	60
T7/1 Classic	7.5	3.5	40	230/23	63
BV 5/1	5	5.3	61	244/24.4	64

FLEXIBLE ALL-ROUND TALENT



VACS, SWEEPERS
AND OTHER

	Container capacity (l)	Weight (kg)	Flow rate (l/s)	Vacuum (bar / MPa)	Cable length (m)
Upright vacuum					
CV 66/2	35	72	52	143/14.3	20
CV 60/2	17	123	34	117/11.7	Battery
CV 30/1	5.5	8.4	48	207/20.7	12




	Container capacity (l)	Weight (kg)	Working width (mm)	Voltage (V)	Operating time (textile/hard surface) (min)
Cordless broom					
EB 30/1 Li-ion	1	2	300	220-240	41/52

CONSTANT SUCTION POWER AND EASY HANDLING



	Container capacity (l)	Weight (kg)	Flow rate (l/s)	Vacuum (bar / MPa)	Cable length (m)
Tact					
NT 65/2 Tact ² Tc	65	26.5	74	254/25.4	10
NT 45/1 Tact	45	12.5	74	254/25.4	7.5



Ap					
	Container capacity (l)	Weight (kg)	Flow rate (l/s)	Vacuum (bar / MPa)	Cable length (m)
NT 65/2 Ap	65	20	74	254/25.4	10
NT 35/1 Ap	35	11.5	74	254/25.4	7.5
NT 20/1 Ap Te	20	8.5	74	254/25	6


THE VACUUMING PROFESSIONALS



Container capacity (l)	Weight (kg)	Flow rate (l/s)	Vacuum (bar / MPa)	Cable length (m)
------------------------	-------------	-----------------	--------------------	------------------

Standard & Special Vacuums

NT 70/2	70	24.9	56	208/20.8	10
NT 75/1 Me Ec H Z22	75	24.8	61	220/22	10
NT 55/1 Tact Bs	55	15	61	230/23	7.5
NT 45/1 Tact Te H	45	13.5	74	254/25.4	7.5



Classic Vacuums


NT 70/2 Me Classic	70	18	53	225/22.5	7.5
NT 50/2 Me Classic	50	17	53	225/22.5	7.5
NT 30/1 Me Classic	30	8	59	227/22.7	6.5

Industrial vacuums also available.

THE PROFESSIONAL FOR TEXTILE AND CARPET



	Container capacity Fresh/Dirty (l)	Weight (kg)	Flow rate (l/s)	Vacuum (bar / MPa)	Max performance area (m ²)
Spray Extraction					
Puzzi 30/4	30/15	26	74	254/25.4	60-75
Puzzi 10/2 Adv	10/9	11.5	54	220/22	30-45
Puzzi 10/1	10/9	10.7	54	220/22	20-25
Puzzi 8/1 C	8/7	9.8	61	236/23.6	12-18



Power brushes					
PW 30/1 (Puzzi 10/2)	n/a	5.7	n/a	n/a	40-55
PW 30/1 (Puzzi 30/4)	n/a	5.9	n/a	n/a	70-110

HYGIENE, NON-STOP



VACS, SWEEPERS
AND OTHER

	Container capacity (l)	Weight (kg)	Heating capacity (W)	Steam pressure (bar)	Cable length (m)
Steam cleaners & Steam Vacuums					
SGV 8/5	5	40	3000	8	7.5
SGV 6/5	5	39	3000	6	7.5
SG 4/4	4	8	2300	4	7.5

ONE DISC, TWO CONTROL SHAFTS



*Tank is an optional accessory on all machines

	Brush working width(mm)	Weight (kg)	Brush contact pressure (g/cm ²)	Voltage (V)	Brush speed (rpm)
Single disc					
BDS 43/Duo C Adv	432	47	45	220-240	150-300
BDP 43/450 C Adv	432	45.7	42	220-240	450
BDS 43/180 C Adv	432	43	38	220-240	180
BDS 33/180 C Adv	330	31	47	220-240	180



	Brush working width(mm)	Weight (kg)	Brush contact pressure (g/cm ²)	Voltage (V)	Brush speed (rpm)
Compact Scrubber driers					
BR 40/25	400	55*	250	220-240	1350
BD 43/25 C BP	430	48*	30-40	24	180
BR 40/10 C Adv	400	30	100-200	220-240	1100
BR 35/12 C Bp Pack	350	35	150	25.2/21	700-1500
BR 30/4 C	300	11.5	100	220-240	1450

*Excludes batteries


EFFICIENT AND WELL THOUGHT OUT.



VACS, SWEEPERS
AND OTHER

	Brush working width(mm)	Weight (kg)	Brush contact pressure (g/cm ²)	Voltage (V)	Brush speed (rpm)
walk behind					
BD 50/40 Rs Bp	508	96/200	20	36	180
B 80 W Bp	750	129/311	R 374-430 D 28-32	24	R 600-1300 D 180
B 60 W BP	550	88/232	R 265-315 D 20-35	24	R 600-1300 D 180
B 40 C BP	450	87/163	R 140-160 D 30-50	24	R 1200 D 180
B 40 C EP	450	87/163	R 170-190 D 20-26	230-240	R 1100 D 180

Various head options available



Ride-on					
B 150	750-900	435/520	D 34-46 R 505-560	36	R 600-1300 D 180
B 90 R Bp	550-750	150/273	D 20-35 R 200-315	24	R 600-1300 D 180

Various head options available

USER-FRIENDLY COMBINED WITH EFFICIENCY.



*Canopy optional

	Working width (mm) *one side brush	Unloading Height (mm)	Max performance area (m ²)	Power (kW)	Waste container (l)
Ride on					
KM 130/300 RD	1300	1550	13000	15.8	300
KM 125/130 RD + KSSB	1250	1550	9600	6.6	130
KM 100/100 R Bp	700	-	7800	-	100
KM 100/100 R G	700	-	8000	6.7	100
KM 90/60 R Bp Adv	615	-	5400	-	60
KM 90/60 R G	615	-	7200	4.8	60

*Other Sweepers available on request.

BRILLIANT CLEANING RESULTS.



	Working width(mm)	Weight (kg)	Max performance area (m ²)	Power (kW)	Waste container (l)
Walk behind					
KM 85/50 W Bp	850	112/177	3825	Battery	50
KM 85/50 W G	850	123	3825	Petrol	50
KM 75/40 W BP	750	78/124	3375	Battery	40
KM 75/40 W G	750	84	3375	Petol	40
KM 70/15 C	700	25	2800	Manual	42



VACS, SWEEPERS
AND OTHER



WE HAVE THE SOLUTION FOR EVERY PROFESSIONAL.














CHER



THE PERFECT ADDITION

Kärcher offers the largest range of accessories and cleaning agents on the market, therefore opening up unlimited application possibilities. Kärcher has the right solution for almost any cleaning challenge.

Product		Order no.	For use with the following machines
Trigger Gun	1	4.775-529.0	HD 5/15 C
Trigger Gun	2	9.751-139.0	HD 6/15-4, HD 7/11-4 Classic
Trigger Gun	3	4.775-463.0	HD 6/12-4 C to HD 10/25
Trigger Gun	4	4.775-466.0	HDS 10/20-4 M
Lance	5	9.751-043.0	100 mm - HD 7/11-4 Classic
Lance	6	4.760-665.0	550 mm- HD 5/15 C
Lance	7	4.760-664.0	600 mm - HD 6/12-4 C to HD 10/25
Lance	8	9.751-044.0	850 mm - HD 6/15-4 Classic
Lance	9	4.760-663.0	850 mm - HD 6/12-4C to HD 10/25
Lance	10	4.760-660.0	1050 mm - HD 6/12-4 C to HD 10/25
Lance	11	4.760-661.0	1550 mm - HD 6/12-4 C to HD 10/25
Lance	12	4.760-662.0	2050 mm - HD 6/12-4 C to HD 10/25
Telescopic Lance	13	6.394-690.0	1.8 to 5.4 metres - HD & HDS
Triple Nozzle	14	4.767-145.0	HD 5/15 C
Triple Nozzle	15	4.767-147.0	HD 6/15 C Plus
Triple Nozzle	16	4.767-149.0	HD 6/16-4M Plus
Triple Nozzle	17	4.767-154.0	HD 9/20 - HD 10/25
Touchless triple nozzle	18	4.767-065.0	HD 10/25
Dirt Blaster	19	4.767-022.0	HD 5/15 - HD 6/15
Dirt Blaster	20	4.763-253.0	HD 9/20 - HD 10/25
HP Hose (10m)	21	6.391-238.0	HD 5/15 - HD 6/16
HP Hose (10m)	22	9.751-035.0	HD 6/15-4, HD 7/11-4 Classic
HP Hose (10m)	23	6.390-025.0	HD 9/20 - HD 10/25
HP Hose (10m) longlife	24	6.391-351.0	All HD and HDS
HP Hose (10m) extension	25	6.391-342.0	All HD and HDS
HP Hose (15m) extension	26	6.391-010.0	All HD and HDS
HP Hose (20m) extension	27	6.391-031.0	All HD and HDS
HP Hose (30m) extension	28	6.390-293.0	All HD and HDS
Pipe cleaning hose (20m) - nozzle kit also required	29	6.390-030.0	All HD and HDS
Automatic hose reel (coated) - excludes hose	30	2.639-919.0	All HD and HDS
Stainless steel automatic hose reel - excl. hose	31	6.391-421.0	All HD and HDS
Hp hose (1.5m)	32	6.388-886.0	Connection to hose reel
Hp hose (20m) extension	33	6.388-208.0	Hose reel to gun
Bottle foam lance	34	6.394-668.0	All HD and HDS
Quick coupling	35	6.401-458.0	All HD and HDS - 1 required for inexpensive, simple foaming option - for gun
Male coupling	36	6.401-459.0	All HD and HDS - 2 required for inexpensive, simple foaming option - 1 for lance and 1 for bottle foam lance
Easy foam set - nozzle kit also required	37	2.640-691.0	HDS C and HDS M class
Inno foam kit (excl. injector) - nozzle kit also required	38	2.640-692.0	HDS C and HDS M class
Inno foam kit (excl. injector) - nozzle kit also required	39	2.640-151.0	All HD
Wet blasting attachment - nozzle kit also required	40	4.762-022.0	All HD and HDS
FR 30 - nozzle kit also required	41	2.642-997.0	All HD and HDS - 60°C only
FR 30 - nozzle kit also required	42	2.640-355.0	All HD and HDS - 85°C only
FR 30 - nozzle kit also required	43	2.642-999.0	All HD and HDS - 60°C only
FR 30 Me - nozzle kit also required	44	2.642-911.0	All HD and HDS - 85°C only
FR 50 - nozzle kit also required	45	2.640-679.0	Min of 160 bar HD or HDS - 85°C only
Coupling	46	4.403-002.0	Connect extension hoses, 2 x M 22
Water filter	47	4.730-127.0	For HD with 3/4 inch inlet
Ceiling mount boom	48	9.560-095.0	HD and HDS installations
Floor tool	49	9.770-606.0	NT with ID 35
Hand tool	50	4.130-116.0	Puzzi 100
Hand nozzle	51	4.130-001.0	Puzzi 10/1
Hand tool	52	4.130-000.0	Puzzi 10/1
Floor tool	53	4.130-443.0	Puzzi 100
Floor tool	54	4.130-007.0	Puzzi 10/1
Suction hose - 2.5 metre	55	6.391-410.0	Puzzi 100
Suction hose - 2.5 metre	56	6.394-826.0	Puzzi 10/1
DS 3 dosage system	57	2.641-811.0	HD, HDS, BR
Carpet Cleaning kit	58	2.783-005.0	BR 30/4 C
Carpet Cleaning kit	59	2.783-014.0	BR 40/10 C
Spray bottle (1 litre)	60	6.394-409.0	Any application



ACHIEVE YOUR REQUIRED RESULTS WITH KÄRCHER CLEANING AND CARE AGENTS

The advantages speak for themselves: faster and improved cleaning with low energy consumption and less waste of water. Kärcher cleaning and care agents deliver brilliant performance in industry, trade and the food sector.

Product		Order no.	For use with the following machines
Paper filter bag (10)	1	6.904-294.0	CV 30/1
Fleece filter bag (10)	2	6.904-305.0	CV 30/1
Paper filter bag (10)	3	6.904-333.0	T 7/1, T 10/1
Paper filter bag (10)	4	6.904-312.0	T 12/1 Ecoefficiency
Fleece filter bag (10)	5	6.904-335.0	T 7/1
Fleece filter bag (10)	6	6.904-315.0	T 10/1, T 12/1
Fabric filter bag (washable)	7	6.904-316.0	T 7/1, T 10/1, T 12/1, T 15/1
Paper filter bag (10)	8	6.907-019.0	T 15/1
Fleece filter bag (10)	9	6.907-017.0	T 15/1
Paper filter bag (5)	10	6.904-290.0	NT 27/1
Paper filter bag (5)	11	9.755-358.0	NT 30/1 Me
Paper filter bag (5)	12	6.904-210.0	NT 361 / NT 35/1
Fleece filter bag (5)	13	6.907-479.0	NT 361 / NT 35/1
Paper filter bag (5)	14	6.904-208.0	NT 45/1
Paper filter bag (5)	15	6.904-285.0	NT 65/2 Ap, NT 65/2 Tact, NT 70/2
Special filter bag - tear resist (5)	16	6.904-252.0	NT 65/2 Ap, NT 65/2 Tact, NT 70/2
Main filter basket (1)	17	5.731-624.0	T 7/1, T 10/1
Main filter basket (1)	18	4.731-011.0	T 12/1 Ecoefficiency
Main filter basket (1)	19	5.731-640.0	T 15/1
Cartridge filter (1)	20	6.414-789.0	NT 27/1
Cartridge filter (1)	21	9.755-260.0	NT 30/1
Flat pleated filter (1)	22	6.904-367.0	NT 361, NT 35/1, NT 45/1
Flat pleated filter (1)	23	6.904-283.0	NT 65/2 Eco TC
Flat pleated paper filter (1)	24	6.907-276.0	NT 65/2 Tact
Flat pleated PES filter (1)	25	6.907-277.0	NT 65/2 Tact
Cartridge filter (1)	26	6.907-038.0	NT 70/2
RM 81 5 litre	27	9.560-006.0	General purpose cleaner (HD & HDS)
RM 81 25 litre	28	9.560-007.0	General purpose cleaner (HD & HDS)
RM 812 20 litre	29	6.295-430.0	Foam cleaner - car wash
RM 57 20 litre	30	6.295-178.0	Foam cleaner - food industry
RM 110 1 litre	31	6.295-625.0	Water softner (HDS)
RM 110 5 litre	32	9.560-010.0	Water softner (HDS)
RM 110 25 litre	33	9.560-011.0	Water softner (HDS)
RM 69 10 litre	34	6.295-120.0	Floor deep cleaner (BR)
RM 750 10 litre	35	6.295-539.0	Intensive deep cleaner (BR)
RM 755 10 litre	36	6.295-174.0	Floor cleaner with shine (BR)
Puzzi Powder 1 Kg	37	9.560-012.0	Carpet & upholstery cleaner (Puzzi)
Puzzi Powder 10 Kg	38	6.291-388.0	Carpet & upholstery cleaner (Puzzi)
Puzzi Powder 20 Kg	39	6.291-055.0	Carpet & upholstery cleaner (Puzzi)
iCapsol RM 768	40	6.295-562.0	Carpet Cleaning (BRS)
330 mm White pads (5 pack)	41	6.369-903.0	BDS
432 mm White pads (5 pack)	42	6.369-469.0	BDS
330 mm Red pads (5 pack)	43	6.369-905.0	BDS
432 mm Red pads (5 pack)	44	6.369-470.0	BDS
Red Brush	45	4.762-005.0	BR 30/4 C
Red Brush	46	4.762-003.0	BR 40/10 C, BR 40/25 C
Red Brush	47	4.762-392.0	BR 45/40 R 45
Red Brush	48	4.762-393.0	BR 55/40 R 55
Red Brush	49	6.907-414.0	R 65
Red Brush	50	6.907-415.0	R 75
Red Brush	51	6.907-377.0	R 90
Red Disc	52	4.905-022.0	For D 43 head
Red Disc	53	4.905-026.0	For D 51 head
Red Disc	54	4.905-014.0	For D 55 head
Red Disc	55	4.905-010.0	For D 65 head
Red Disc	56	4.905-003.0	For D 90 head



1



2



3




4



5



6




7




8



9



10



11



12



13




14




15



16




17




18



19



20




21




22



23



24



25



26



27*



28*



29



30



31



32*



33*



34



35



36



37




38




39*



40



41



42




43




44



45




46



47



48



49



50



51



52



53



54



55



56

*packaging might differ from original picture

Please contact us for more information:

South Africa

Kärcher (Pty) Ltd.
Cnr. Mount Joy & George Allen Rd.
Wilbart Ext. 2
P.O. Box 11818
Vorna Valley, 1686

Phone +27 11 657 7300
Fax +27 11 657 7440

www.karcher.co.za