


KÄRCHER

makes a difference



HELLO , EVERYDAY LIFE! GOOD- BYE, DIRT!

HOME & GARDEN | Product Range 2017



High Pressure Washers

K 2 Basic OJ



Technical Details

Pressure (bar)	20 - max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m ² /h)	20
Weight without accessories (kg)	4
Dimensions (L×W×H) (mm)	176 x 280 x 443
High-pressure gun	Standard Quick Connect
Vario power jet	No
One-jet spray lance	Yes
Dirt blaster	No
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.673-153.0

K 2 Compact



Technical Details

Pressure (bar)	20 - max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m ² /h)	20
Weight without accessories (kg)	4.0
Dimensions (L×W×H) (mm)	176 x 280 x 443
High-pressure gun	Standard Quick Connect
One-jet spray lance	Yes
Dirt blaster	Yes
Pressure hose (m)	4
Detergent application via	Suction
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.673-121.0

K 2 Full Control

NEW



Technical Details

Pressure (bar)	20 - max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m ² /h)	20
Weight without accessories (kg)	4.3
Dimensions (L×W×H) (mm)	246 x 280 x 586
Detergent application via	Suction
High-pressure gun	G 120 Q
Handle	Telescopic
Vario Power Spray lance	Yes
Integrated Water filter	Yes
High-pressure hose	4m
Dirt Blaster	Yes
Order no	1.673-400.0

K 2.420 Air Con



Technical Details

Pressure (bar)	20 - max. 100
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Weight without accessories (kg)	7.9
Dimensions (L×W×H) (mm)	374 x 201 x 296
Vario Power Jet Short 360°	Yes
High-pressure gun, Standard Quick Connect	Yes
High-pressure hose	7.5m
Integrated water filter	Yes
Order no.	1.601-110.0

K 3 Premium



Technical Details

Pressure (bar)	max. 120
Flow rate (l/h)	max. 380
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.6
Area performance (m ² /h)	25
Weight without accessories (kg)	9.6
Dimensions (L×W×H) (mm)	285 x 331 x 563
Car Kit, Wash brush, 0.3 l foam jet, detergent concentrate, car shampoo	No
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Vario power jet	Yes
Order no	1.603-180.0

K 4 Basic



Technical Details

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	230
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	10.9
Dimensions (L×W×H) (mm)	285 x 309 x 876
High pressure gun	Standard Quick Connect
Vario Power jet	Yes
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Water-cooled motor	Yes
A3/4" garden hose connector adaptor	Yes
Order no	1.180-080.0

K 4 Silent



Technical Details

Pressure (bar)	20 - max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	11.2
Dimensions (L×W×H) (mm)	516 x 295 x 294
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	with anti- twist systems
Integrated water filter	Yes
Vario power jet	Yes
Order no	1.637-350.0

K 4 Premium



Technical Details

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.8
Area performance (m ² /h)	30
Weight without accessories (kg)	14.1
Dimensions (L×W×H) (mm)	349 x 426 x 878
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
Order no	1.180-310.0



High Pressure Washers

K 5 Compact Car



Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	11.5
Dimensions (L×W×H) (mm)	516 x 295 x 282
Car Kit	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
Order no	1.630-723.0

K 5 Premium



Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	14.5
Dimensions (L×W×H) (mm)	349 x 426 x 878
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
Order no	1.181-313.0

K 5 Premium Full Control



NEW

Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	up to 40
Voltage (V)	230
Connection load (kW)	2.1
Area performance (m ² /h)	40
Weight without accessories (kg)	13.1
Dimensions (L×W×H) (mm)	411 x 305 x 584
High-pressure spray gun	Full Control Power gun
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Detergent application via	Yes
Vario power spray lance	Yes
Water suction	Yes
Order no	1.324-600.0

Sweepers

S 650



Technical data

Working width without side brush	No
Working width with side brush (mm)	650
Max. area performance (m ² /h)	1800
Housing / frame	Plastic/Plastic
Weight, ready to operate (kg)	11
Waste container (l)	16
Order No.	1.766.300.0

S 750



Technical data

Working width without side brush	480
Working width with side brush (mm)	700
Max. area performance (m ² /h)	2500
Housing / frame	Plastic/Plastic
Weight, ready to operate (kg)	13
Waste container (l)	32
Order No.	1.766.910.0



Steam Cleaner & Steam Vac

SC 1 Premium



Technical overview

Heating output(W)	1200
Tank Capacity(l)	0.20
Max. steam pressure(bar)	3.0
Weight without accessories(Kg)	1.6
Dimensions (L x W x H)(mm)	321 x 127 x 186
Heating Time (min)	3
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	No
Steam flow control	No
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.516-220.0

SC 1 Premium + Floor Kit



Technical overview

Heating output(W)	1200
Tank Capacity(l)	0.20
Max. steam pressure(bar)	3.0
Weight without accessories(Kg)	1.6
Dimensions (L x W x H)(mm)	321 x 127 x 186
Heating Time (min)	3
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Steam flow control	No
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.516-226.0

SC 2



Technical overview

Heating output (W)	1500
Tank Capacity (l)	1
Max. steam pressure(bar)	3.2
Weight without accessories(Kg)	2.9
Dimensions (L x W x H)(mm)	380 x 254 x 260
Heating Time (min)	6.5
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Window nozzle / window wiper	No
Steam flow control	On the handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.512-000.0

SC 3



Technical overview

Heating output(W)	1900
Tank Capacity(l)	1
Max. steam pressure(bar)	3.5
Weight without accessories(Kg)	3.1
Dimensions (L x W x H)(mm)	360 x 236 x 253
Heating Time (min)	0.5
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Window nozzle / window wiper	No
Steam flow control	On the Handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.513-000.0

SC 4



Technical overview

Heating output(W)	2000
Tank Capacity(l)	0.5 + 0.8(r emovable kit)
Max. steam pressure(bar)	3.5
Weight without accessories(kg)	4.0
Dimensions (L x W x H)(mm)	380 x 251 x 273
Heating Time (min)	4
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Steam flow control	On the handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.512-405.0

SC 4 Iron Kit



Technical overview

Heating output (W)	2000
Tank Capacity (l)	0.5 + 0.8
Max. steam pressure(bar)	3.5
Weight without accessories(Kg)	4.1
Dimensions (L x W x H)(mm)	380 x 254 x 273
Heating Time (min)	4
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Window nozzle / window wiper	No
Steam flow control	On the handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.512-408.0

Steam Vacuum

SV 7



Technical overview

Heating output (W)	2200
Boiler Capacity (l)	0.45 + .50
Max. steam pressure(bar)	4
Water Filter (l)	1.2
Dimensions (L x W x H)(mm)	515 x 336 x 340
Vacuum (mbar)	210
Cable Length (m)	6
Childproof safety lock	Yes
HEPA filter	Yes
Floor cleaning kit	Yes
Crevice nozzle	Yes
Upholstery nozzle	Yes
Hand nozzle, detail nozzle, round brush	Yes
Foamstop defoamer	Yes
Order No.	1.439-410.0





Vacuum Cleaners

WD 1



Technical Details

Actual suction power*(Air watts)	160
Energy use (W)	1000
Container capacity (l)	15
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	3.7
Dimensions (L x W x H) (mm)	331 x 352 x 461
Blower Function	Yes
Filter Bag	Paper
Suction Hose length / diameter	1.8m / 35mm
Order no	1.098-300.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 3



Technical Details

Actual suction power*(Air watts)	200
Energy use (W)	1000
Container capacity (l)	17
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	5.5
Dimensions (L x W x H) (mm)	388 x 340 x 503
Blower Function	Yes
Cartridge Filter	Standard
Filter Bag	Paper
Suction Hose length / diameter	2m / 35mm
Order no	1.629-800.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 3 Premium



Technical Details

Actual suction power* (Air Watts)	200
Energy use (W)	1000
Container capacity (l)	17
Container material	Stainless Steel
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	5.8
Dimensions (L x W x H) (mm)	388 x 340 x 525
Blower Function	Yes
Filter Bag	Paper
Suction Hose length / diameter	2 m / 35mm
Order no	1.629-840.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 4



Technical Details

Actual suction power* (Air Watts)	220
Energy use (W)	1000
Container capacity (l)	20
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	7.1
Dimensions (L x W x H) (mm)	384 x 365 x 526
Blower Function	No
Filter Bag	Fleece
Suction Hose length / diameter	2.2m / 35mm
Order no	1.348-110.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 4 Premium



Technical Details

Actual suction power*(Air watts)	220
Energy use (W)	1000
Container capacity (l)	20
Container material	Stainless Steel
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	7.5
Dimensions (L x W x H) (mm)	388 x 365 x 520
Blower Function	No
Filter Bag	Fleece
Suction Hose length / diameter	2.2 m / 35mm
Order no	1.348-150.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 5



Technical Details

Actual suction power* (Air Watts)	240
Energy use (W)	1100
Container capacity (l)	25
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	8.2
Dimensions (L x W x H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2m / 35mm
Order no	1.348-190.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 5 Premium



Technical Details

Actual suction power* (Air watts)	240
Energy use (W)	1100
Container capacity (l)	25
Container material	Stainless Steel
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	8.7
Dimensions (L x W x H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2 m / 35mm
Order no	1.348-230.0

* Measured at the suction tubes according to the IEC 60312 standard.

WD 6 P Premium



Technical Details

Actual suction power*(Airwatts)	260
Energy use (W)	1300
Container capacity (l)	30
Container material	Stainless Steel
Power cable (m)	6
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	9.5
Dimensions (L x W x H) (mm)	418 x 382 x 694
Blower Function	Yes
Filter Bag	Fleece
Drain Screw	Yes
Power Tool	Yes
Suction Hose length / diameter	2.2 m / 35mm
Order no	1.348-270.0

* Measured at the suction tubes according to the IEC 60312 standard.



Water Filter Vacuum Cleaner - DS 5.800



Technical Details

Rated input power (W)	900
Water filter (l)	2
Power cable (m)	6.5
Operating radius (m)	10.2
Sound pressure level (dB(A))	66
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.4
Dimensions (L x W x H) (mm)	535 x 289 x 345
Suction hose	2.1 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Switchable dry floor nozzle	Yes
Order no	1.195-210.0

Dry Vacuum - VC 3



Technical Details

Rated input power (W)	1300
Water filter (l)	0.9
Power cable (m)	6.5
Operating radius (m)	7.5
Sound pressure level (dB(A))	78
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	4.5
Dimensions (L x W x H)	388 x 269 x 334
Suction hose (m)	1.5 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Automatic cable rewind	Yes
Order no	1.198-121.0

Carpet Cleaner - SE 4001



Technical Details

Vacuum (mbar)	210 / 21
Air flow (l/s)	70
Fresh/ dirty water tank (l)	4 / 4
Input power turbine/pump (W)	1400 / 40
Spray rate (l/min)	1
Spray pressure (bar)	1
Power cable (m)	7.5
Working width (mm)	230
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.8
Dimensions (L x W x H) (mm)	441 x 386 x 480
Filter Bag	Paper
Crevice nozzle	Yes
Spray extraction tubes, 2 piece(s)	0.5 m, 35 mm
Wet and dry floor nozzle, Clips	Yes
Upholstery nozzle	Yes
Foam filter	Yes
Carpet Cleaner	RM 519 (100 ml)
Order no	1.081-130.0

Window Cleaner - WV 1 Plus



Technical data

Dirty water tank(ml)	100
Battery duration(min)	20
Time required to charge battery(min)	120
Area cleaned per battery charge	Approx. 55 m ² = 18 windows
Working width of vacuum nozzle (mm)	250
Weight incl. battery(kg)	0.5
Dimensions (mm)	130 x 250 x 275

Equipment

Battery charger	Yes
Lithium ion battery	Yes
Spray bottle with micro fibre wiper	Yes
Window Cleaner Concentrate	Yes
Hip bag	No
Order No.	1.633-014.0

Electric Broom - KB 5



Technical data

Area cleaned per battery charge	m ²	60-100
Battery running time	min.	30
Working width	mm	210 (per hair brush)/
Container capacity	ml	370
Battery voltage	V	3.7
Weight incl. battery	kg	1.2
Dimensions (L x W x H)	mm	260 x 300 x 96

Equipment

Wall bracket	Yes
Battery charger	Yes
Long life rechargeable battery	Yes
Standard brush	Detachable
Pet hair brush	Detachable
Order No.	1.258-000.0

Floor Polisher - FP 303



Technical data

Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Working width (mm)	290
Power rating (W)	600
Speed (rpm)	1000
Filter bag capacity (l)	4
Cable length (m)	7
Weight (kg)	7
Dimensions (L x W x H) (mm)	385 X 340 X 1155

Equipment

Polish Pad	3 Piece
Filter bag	Paper
Cable storage	Yes
Order No.	1.056-820.0

Drill Dust Catcher



Technical data

Container capacity (cm ³)	23
Drill sizes (mm)	Max. 15
Weight (Kg)	0.2
Dimensions (L x W x H)	207 x 106 x 117
Order No.	2.863 -234.0



Additional Accessories

High Pressure Washer



1



2



3



4



5



6



7



8



9



10



11

S. No	Accessories	Order No												
			K 2 Basic OJ	K 2 Compact	K 2 Full Control	K 2 Aircon	K 3 Premium	K 4 Silent	K 4 Basic	K 4 Premium	K 5 Compact Car	K 5 Premium	K 5 Premium Full Control	
1	G 145 Q, Full Control Power Gun	2.643-634.0	-	-	-	-	-	-	-	-	-	-	-	-
2	Universal hose connector	2.645-191.0	■	■	■	■	■	■	■	■	■	■	■	■
3	T - 550, T-Racer Surface Cleaner	2.643-251.0	-	-	-	-	-	■	■	■	■	■	■	■
4	T 450, T-Racer Surface Cleaner	2.643.214.0	-	-	-	-	-	■	■	■	■	■	■	■
5	T 350, T-Racer Surface Cleaner	2.643-252.0	■	■	■	■	■	■	■	■	■	■	■	■
6	PS 40, Power Scrubber Surface Cleaner	2.643-245.0	■	■	■	■	■	■	■	■	■	■	■	■
7	Telescopic spray lance	2.642-347.0	■	■	■	■	■	■	■	■	■	■	■	■
8	HK 12, High Pressure Hose Kit	2.643-909.0	■	■	■	■	■	■	■	■	■	■	■	-
9	HK 7.5, High Pressure Hose Kit	2.643-910.0	■	■	■	■	■	■	■	■	■	■	■	-
10	HK 4, High Pressure Hose Kit	2.643-912.0	-	■	-	-	-	-	-	-	-	-	-	-
11	Water filter	4.730-059.0	■	■	■	■	■	■	■	■	■	■	■	■



Wet & Dry Vacuum cleaner



Car interior kit
(2.862-128.0)



Suction hose extension
(2.863-001.0)




Suction brush
(2.863-146.0)



Coarse dirt filter
(2.863-161.0)



Paper filter bag
(6.904-322.0)



Fleece filter bag
(2.863-006.0)



Filter kit
(6.904-143.0)



Cartridge filter
(6.414-552.0)



Flat pleated filter
(2.863-005.0 / 6.414-498.0)

Steam cleaner



Round brush set
(2.863-058.0)



Textile care nozzle
(4.130-390.0)



Round brush with
brass bristles
(2.863-061.0)



Multipurpose
accessory kit
(2.863-215.0)



Big round brush
(2.863-022.0)



Descaling sticks
(6.295-206.0)

Window Vacuum



Extension kit
(2.633-111.0)

Contact us for our products & services across India

Help line No: 1800 1234 180 (9:30 AM- 5 PM, Mon- Fri)

www.kaercher.com/in

e-mail: info@in.kaercher.com | service@in.kaercher.com

Noida (Head Office)

D-120, Sec-63,
Noida - 201 307,
Uttar Pradesh
Ph. : +91 120 7111800
Fax : +91 120 7111900

CIN : U29142DL2011PTC214243

Dealer stamp here:

Find our nearest Dealer

SMS <Karcher> space <Pincode> send to 53456* T & C Apply.(SMS Rates Apply)