

KÄRCHER

makes a difference



Cleaning Technology for Professionals

Teknologi Pembersih untuk Profesional

2017

Cleaning Solutions for Over 80 Years



Since its beginning in 1935 the value-oriented family business Kärcher has developed into a worldwide brand offering its customers three strong attributes: top performance, innovation and quality. Kärcher products have won more than 100 national and international prizes for exemplary design. In addition, more than 1,300 patents and utility models are evidence of the company's inventive spirit and passion for innovation. Today, Kärcher is the leading global provider of efficient, resource-saving cleaning systems, characterized by reliable, user-friendly products, and strong service.

Sejak dimulai di tahun 1935, Kärcher, bisnis keluarga berorientasi pada nilai-nilai telah berkembang menjadi merek internasional yang menawarkan 3 atribut penting kepada pelanggannya: kinerja terbaik, inovasi dan kualitas. Produk-produk Kärcher telah memenangkan lebih dari 100 penghargaan nasional dan internasional untuk desain produk. Di samping itu, lebih dari 1.300 paten dan model utilitas merupakan bukti semangat inventif dan inovatif kami. Saat ini, Kärcher merupakan penyedia global terkemuka akan sistem pembersihan yang efisien dan hemat sumber daya, memiliki karakteristik mudah digunakan dan pelayanan yang baik.



As for our commitment to the environment, we have been cleaning historical monuments and buildings for more than 30 years as part of our cultural sponsorship programme. From Christ the Redeemer statue in Brazil, Colonnades in Rome, Mount Rushmore in United States, Monumen Nasional in Indonesia, to Merlion Statue in Singapore and many others, we are happy to take on any challenge. We have made cleaning our business and at the same time, make our contribution towards preserving values for people. Worldwide.

Atas komitmen kami terhadap lingkungan, kami telah membersihkan berbagai monumen dan bangunan bersejarah selama lebih dari 30 tahun sebagai bagian dari program sponsor kebudayaan kami. dari patung Christ the Redeemer di Brasil, Colonnades di Roma, Colossi of Memnon di Mesir, Mount Rushmore di Amerika Serikat, Monumen Nasional di Indonesia, dan banyak lainnya, kami senang menghadapi tiap tantangan. Membersihkan telah menjadi bisnis kami dan disaat bersamaan, kami memberi kontribusi bagi kebudayaan nilai bagi orang-orang. Secara global.

Kärcher makes a difference

Kärcher Industry Solutions

Finding the best solution for cleaning tasks is of growing importance for businesses of all kinds. This is why we have tailored our extensive range of products precisely to your requirements, reducing time, costs and resource consumption without compromising performance. We understand the demands of your business, whatever market sector you operate in.

Menemukan solusi terbaik untuk pekerjaan membersihkan adalah kebutuhan yang makin penting bagi segala jenis bisnis. Karena inilah kami merancang jajaran produk yang ekstensif secara tepat untuk kebutuhan Anda, mengurangi konsumsi waktu, biaya dan sumber daya tanpa mengurangi kinerja. Kami memahami tuntutan bisnis Anda pada sektor pasar manapun Anda beroperasi.



Automotive




Construction



Contract Cleaners



Health sector



Hotel & Hospitality



Industry



Agriculture



Public Services and Municipal Equipment



Retail



Transportation



Table of Contents

Cold Water High Pressure Cleaners <i>Pembersih Air Dingin Bertekanan Tinggi</i>	4	Carpet Cleaners <i>Pembersih karpet</i>	12
Hot Water High Pressure Cleaners <i>Pembersih Air Panas Bertekanan Tinggi</i>	5	Dry Ice Cleaning <i>Pembersihan dengan Biang Es</i>	14
Scrubbers, Scrubber Driers & Polishers <i>Mesin Penyikat & Pengkilap Lantai</i>	6	Steam Cleaner <i>Pembersih dengan Uap Panas</i>	15
Dry Vacuum Cleaners <i>Pengisap kotoran kering</i>	8	Parts Cleaner <i>Pembersih Suku Cadang</i>	15
Wet & Dry Vacuum Cleaners <i>Pengisap kotoran basah & kering</i>	9	Leaf Blower & Chainsaw <i>Mesin peniup & Gergaji mesin</i>	16
Industrial Vacuum Cleaners <i>Pengisap Kotoran untuk Industri</i>	10	Optional Accessories <i>Aksesoris Tambahan</i>	17
Sweepers <i>Mesin Penyapu</i>	11	Kärcher Service <i>Kärcher Service</i>	19

60 Hz machines are available upon demand for most products
Mesin 60 Hz tersedia berdasarkan permintaan untuk sebagian besar produk



Kärcher for Cleaner Indonesia



Cold Water High-Pressure Cleaners



Product (order n.)		HD 5/12 C (1.520-120.0)	HD 5/15 C Plus (1.520-931.0)	HD 7/11-4 Classic (1.367-305.0)
Technical Data				
Benefits		Compact & portable, versatile operation	Versatile operation, including dirt blaster	Adjustable flow rate, robust metal frame chassis
Class		Compact	Compact	Classic
Current type	Ph/V/Hz	1 / 230 / 50	1 / 230 / 50	1 / 220-240 / 50
Opr. pressure	bar	120	150	30-110
Flow rate	l/h	500	500	520 - 700
Max. inlet temp.	°C	60	60	60
Power rating	kW	2.5	2.8	2.9
Dim. (LxWxH)	mm	380 × 360 × 930	380 × 360 × 930	700 × 455 × 1010
Weight	kg	23.7	23.7	52



Product (order n.)		HD 6/16-4 M Classic (1.524-909.0)	HD 7/10 CXF (1.151-906.0)	HD 9/18-4 Cage Classic (1.367-315.0)
Technical Data				
Benefits		Suitable for longer operation period	Specialized for food industries, water inlet up to 80°C	High flow rate, mountable on wall
Class		Middle	Super	Classic
Current type	Ph/V/Hz	1 / 230 / 50	3 / 400 / 50	3 / 400 / 50
Opr. pressure	bar/MPa	30-160	10-100	70-180
Flow rate	l/h	230 - 600	250 - 700	450 - 900
Max. inlet temp.	°C	60	80	60
Power rating	kW	3.4	4.5	5.9
Dim. (LxWxH)	mm	467 × 407 × 1010	360 × 375 × 925	640 × 360 × 500
Weight	kg	48	31.3	55



Product (order n.)		HD 10/25-4 S Plus (1.286-913.0)	HD 9/50-4 (1.367-156.0)	HD 9/23 De (1.187-907.0)
Technical Data				
Benefits		Upright-space-saving design, integrated detergent tank	Very powerful against stubborn dirt, robust cage for safe crane-loading	Versatile water sourcing, for difficult infrastructure areas
Class		Super	Industrial	Combustion Engine
Current type	Ph/V/Hz	3 / 400 / 50	3 / 400 / 50	-
Opr. pressure	bar/MPa	30-250	150-500	40-230
Flow rate	l/h	500 -1000	500 - 900	400-930
Max. inlet temp.	°C	60	60	60
Power rating	kW	9.2	15	7.4 (kW) 10 (hp)
Dim. (LxWxH)	mm	560 × 500 × 1090	930 × 800 × 920	870 × 725 × 1170
Weight	kg	62	190	108

Hot Water High-Pressure Cleaners



Product (order n.)		HDS 6/14 C (1.169-900.0)	HDS 8/18-4 C Basic (1.174-907.0)	HDS 10/20-4 M Classic (1.071-905.0)
Technical Data				
Benefits		Eco-environment friendly, steam cleaning	Water-cooled electric motor	Water-cooled electric motor with 2 detergent tanks
Class		Compact	Compact	Middle
Current type	Ph/V/Hz	1 / 230 / 50	3 / 400 / 50	3 / 400 / 50
Opr. pressure	bar	30-140	30-180	30-200
Flow rate	l/h	240 - 560	300 - 800	500 - 1000
Temperature	°C	80 - 155	30 - 85	80 - 155
Power rating	kW	3.6	6	7.8
Dim. (LxWxH)	mm	1060 × 650 × 920	1060 × 650 × 920	1330 × 750 × 1060
Weight	kg	93	112	171



Product (order n.)		HDS-E 8/16 -4 M 12 KW (1.030-904.0)	HDS 1000 De (1.811-943.0)
Technical Data			
Benefits		Eco-environment friendly, without exhaust gases	Long service life even with tough and continuous use
Class		Special	Combustion Engine
Current type	Ph/V/Hz	3 / 400 / 50	-
Opr. pressure	bar	30-160	40-200
Flow rate	l/h	300-760	450 - 900
Temperature	°C	30 - 85	30 - 85
Power rating	kW	17.5	7.4 / 10
Dim. (LxWxH)	mm	1330 × 750 × 1060	1100 × 750 × 785
Weight	kg	108	185

Scrubbers, Scrubber Driers & Polishers



NEW



BEST SELLER
HIGH SPEED



Product (order n.)		BD 17/5 C (1.737-105.0)	BDS 43/150 C (1.291-242.0)	BDP 50/1500 C (1.291-141.0)
Technical Data				
Benefits		Compact single-disc surface cleaner for small areas	All purpose machine for hard floor cleaning, carpet shampooing, crystallization & sanding	With Ultra-high speed, polishes 30% faster than conventional machine
Category		Staircase cleaners	Single-disc machines	Polishing machine
Working width	mm	170-200 -	430 -	508 (pad) 560
Brush Vacuum				
Area perform.	m ² /h	-	-	900 (theoretical)
Brush speed	rpm	470	150	1500
Power rating	W	150	1100	1100
Dim. (LxWxH)	mm	360 × 180 × 330	590 × 430 × 1180	760 × 550 × 1250
Weight	kg	5	43	34,5



eco efficiency



Product (order n.)		BR 30/4 C Adv (1.783-213.0)	BR 40/10 C Adv (1.783-316.0)	BR 35/12 C Bp Pack (1.783-450.0)
Technical Data				
Benefits		Ideal for shops, restaurants, supermarkets & sanitary area	Bidirectional brushing & low noise cleaning	180° rotative brush head fast rechargeable high performance li-ion battery
Category		Compact scrubber drier	Compact scrubber drier	Compact scrubber drier
Working width	mm	300 300	400 400	350 450
Brush Vacuum				
Area perform.	m ² /h	200 (max.)	400 (max.)	1400 (max.)
Brush speed	rpm	1450	1100	700-1500
Power rating	W	820	2710	500
Wtr. tank (f d)	l	4 4	10 10	12 12
Dim. (LxWxH)	mm	390 × 335 × 1180	520 × 470 × 380	1000 × 450 × 1300
Weight	kg	12,4	30	35

NEW



NEW



Battery powered



Product (order n.)		BD 30/4 C Bp Pack (1.783-230.0)	BD 50/60 Ep Classic (1.127-002.0)	BD 50/50 Bp Classic (1.127-001.0)
Technical Data				
Benefits		Applicable on most floors, with rotative squeegee	Entry level scrubber with hi-cleaning performance	Entry level battery-powered scrubber
Category		Compact scrubber drier	Compact scrubber drier	Compact scrubber drier
Working width	mm	280 325	510 840	510 850
Brush Vacuum				
Area perform.	m ² /h	900 (theoretical)	2040 (max.)	2000 (max.)
Brush speed	rpm	150	155	155
Power rating	W	-	1100	1100
Wtr. tank (f d)	l	3 4	60 60	50 50
Dim. (LxWxH)	mm	555 × 375 × 1050	1185 × 540 × 1000	1185 × 540 × 1000
Weight	kg	20	57	57 (without battery)



Product (order n.)		B 40 C Ep 240V (2.533-200.0)		B 40 C Bp (2.533-202.0)	BR 47/35 ESC (1.310-109.0)
Technical Data		D 51 (disc brush)	R 55 (roller brush)	R 55 (roller brush)	
Benefits		Suitable for medium warehouse and industries, equipped with traction motor, very easy to use		Suitable for medium warehouse and industries with high traffic, cordless	Suitable for cleaning up to 3 escalator/travelator per hour
Category		Walk-behind Scrubber Drier		Walk-behind Scrubber Drier	Escalator cleaner
Working width	mm	508 850	550 850	550 850	470 470
Brush speed	rpm	180	1100	1100	870-1090
Area perform.	m ² /h	theore. 2000	theore. 2200	theore. 2200	-
Wtr. tank (f d)	l	40 40	40 40	40 40	35 / 35
Power rating	W	1300 (total)	1300 (total)	1100 (total)	1100 (brush) 800 (suction)
Dim. (LxWxH)	mm	1249 × 575 × 1145	1249 × 620 × 1145	1249 × 620 × 1145	1200 × 670 × 1100
Weight	kg	79	77	81 (without battery)	90

NEW




BEST SELLER



Product (order n.)		BD 50/70 R Bp Pack Classic (1.161-071.0)	B 90 R Classic Bp (1.161-306.0)
Benefits		Productivity of a ride-on at a price of walk behind, suitable for industry	Switchable roller/disc scrubber drier
Category		Ride-on scrubber drier	Ride-on scrubber drier
Brush Vacuum Working width	mm	510 850	550 - 750
Area perform.	m ² /h	2500 (theoretical)	4500 (theoretical)
Wtr. tank (f d)	l	70 75	90 90
Power rating	W	-	2200
Dim. (LxWxH)	mm	1310 × 590 × 1060	1450 × 800 × 1200
Weight	kg	195	149

Dry Vacuum Cleaners



Product (order n.)		T 9/1 Bp (1.528-111.0)	T 12/1 eco efficiency (1.355-135.0)	T 15/1 HEPA (1.355-235.0)
Technical Data				
Benefits		Battery-powered, high mobility and flexibility	Low noise & energy-use, perfect for noise-sensitive areas such as hotels & hospitals	With HEPA filter for hygienically pure, particle-free exhaust air in hotels, hospitals and nurseries
Category		Dry Vacuum Cleaner	Dry Vacuum Cleaner	Dry Vacuum Cleaner
Air flow rate	l/s	46	43	61
Vacuum	mbar/kPa	207/20.7	230/23	244/24.4
Container	l	9	12	15
Max. power	W	650	750	1300
Sound level	dB(A)	62	65	63
Dim. (LxWxH)	mm	419 × 325 × 381	410 × 315 × 340	406 × 320 × 434
Weight	kg	7.2	6.6	8



Product (order n.)		BV 5/1 (1.394-200.0)	BV 5/1 Bp (1.394-219.0)
Technical Data			
Benefits		Comfortable backpack vacuum, suitable for hard-to-reach places	Cordless backpack vacuum, suitable for cinemas, meeting halls, auditoriums which demand greater flexibility & mobility
Category		Backpack Dry Vacuum Cleaner	Backpack Dry Vacuum Cleaner
Air flow rate	l/s	61	46
Vacuum	mbar/kPa	244/24.4	207
Container	l	5	5
Power rating	W	1300	730 / 400
Sound level	dB(A)	64	57
Dim. (LxWxH)	mm	400 × 320 × 540	400 × 320 × 636
Weight	kg	5.3	8.7

Wet & Dry Vacuum Cleaners



BEST SELLER



Product (order n.)		NT 35/1 Ap (1.184-505.0)	NT 50/2 Me Classic (1.667-021.0)	NT 55/1 Tact (1.146-820.0)
Technical Data				
Benefits		Featuring semi-automatic filter cleaning, flat pleated filter at top to allow extra container capacity	Entry level with 2-motors deliver high suction power perfect for automotive, BSC, construction industries	Tact feature for fully automatic filter cleaning, equipped with oil-resitant drain hose, perfect for industries
Class		Ap	Classic	Tact
Air flow rate	l/s	74	53	74
Vacuum	mbar/kPa	254 / 25.4	225 / 22.5	254 / 25.4
Container	l	35	50	55
Max. power	W	1380	2300	1380
Sound level	dB(A)	70	76	69
Dim. (LxWxH)	mm	520 × 380 × 580	560 × 502 × 687	520 × 380 × 870
Weight	kg	11.5	17.5	16

BEST SELLER



Product (order n.)		NT 70/2 Me Classic (1.667-224.0)	NT 70/2 (1.667-269.0)	NT 90/2 Me Classic (1.667-701.0)
Technical Data				
Benefits		Very powerful 2-motors, perfect for wet applications and vacuuming coarse dirt	Durable plastic container for demanding applications, with 2-motors for powerful vacuum suction	Designed for industry, with larger capacity and powerful 2-motors vacuum power
Class		Classic	Standard	Classic
Air flow rate	l/s	2 × 56	56	53
Vacuum	mbar/kPa	208 / 20.8	208 / 20.8	225 / 22.5
Container	l	70	70	90
Max. power	W	2300	2400	2300
Sound level	dB(A)	76	75	76
Dim. (LxWxH)	mm	560 × 502 × 832	720 × 510 × 975	560 × 502 × 977
Weight	kg	18	24.9	19

Industrial Vacuum Cleaners

With wide options in power and container size, you will find the right machine for every industrial application in the Kärcher range of industrial vacuums. These powerful and reliable vacuum cleaners are ideal for non-stop operation. The machines are also available with dust explosion protection and hazardous dust class.

Dengan berbagai pilihan daya dan ukuran kontainer, kebutuhan akan mesin untuk aplikasi industri dapat terpenuhi oleh Kärcher. Pengisap kotoran yang kuat dan terpercaya ini cocok untuk operasional tanpa henti. Tersedia juga mesin untuk klasifikasi **dust explosion protection** dan klasifikasi **hazardous dust**.



Product (order n.)		IVC 60/24-2 Ap (1.576-104.0)	IVC 60/12-1 Ec H Z22 (1.576-103.0)	IVL 50/24-2 (1.573-952.0)
Technical Data				
Benefits		Entry-level, with semi automatic filter cleaning, ideal for production areas & machines cleaning	Suitable for continuous use in production & hygiene-sensitive areas (fine dust class H, ATEX zone 22)	Designed for coolants and lubricants, also solid contaminants in liquid
Class		Compact	Ex vacuum	Liquid and swarf vacuum
Current type	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	2.4	1.2	2.4
Air flow rate	l/s m³/h	2 × 74	62.5 225	112 403
Vacuum	mbar/kPa	254 / 25.4	244 / 24.4	235 / 23.5
Filter area	m²	0.95	0.95	1
Container	l	60	60	50
Dim. (LxWxH)	mm	970 × 690 × 995	970 × 690 × 995	980 × 650 × 1250
Weight	kg	60	59	110



Product (order n.)		IV 60/30 (1.573-500.0)	IV 100/55 H B1 (Z22) (1.573-755.0)
Technical Data			
Benefits		Suitable for stationary use in multiple shift operation, 2.3 m² continuous filter	Specialy designed for dust explosion classes ST 1-3 in zone 22 & continuous use
Class		Middle-class Industrial Vac.	Explosion-protected vacuum
Current type	Ph/V/Hz	3 / 400 / 50	3 / 400 / 50
Power rating	kW	3	6
Air flow rate	l/s	68 / 244.8	139 / 500
Vacuum	mbar/kPa	286 / 28.6	280 / 28
Filter area	m²	2.3	3.9
Container	l	60	100
Dim. (LxWxH)	mm	870 × 640 × 1650	1220 × 670 × 1530
Weight	kg	96	155

Sweepers



Product (order n.)		EB 30/1 Li-Ion (1.545-126.0)
Technical Data		
Benefit		Quiet-56 dB electric broom, suitable for cleaning hard floors and carpets during business hours
Category		Electric Broom
Working width	mm	300
Operating time	min.	30 - 45
Charging time	h	3
Container	l	1
Sound level	dB(A)	56
Dim. (LxWxH)	mm	250 × 300 × 1100
Weight	kg	2



Product (order n.)		KM 70/15 C (1.517-151.0)	KM 70/30 C Bp Adv (1.517-212.0)	KM 75/40 W G (1.049-205.0)
Technical Data				
Benefits		2-wheels driven brush for outstanding sweeping result	3-steps adjustable main brush for all sweeping needs of indoors and outdoors	Gasoline powered engine, perfect for sweeping outdoors and warehouse areas
Category		Walk-behind sweeper	Walk-behind sweeper	Walk-behind vacuum sweeper
Drive Power		Manual -	Manual 195/150	4-stroke petrol 3.3 kW
Area perform.	m ² /h	2800	2800	3375 (max.)
Working width w/ side brushes	mm	480 (0) 700 (1) -	480 (0) 700 (1)	550 (0) 750 (1)
Waste Container	l	42	42	40
Dim. (LxWxH)	mm	1300 × 810 × 1040	1240 × 710 × 1150	1430 × 780 × 1180
Weight	kg	20	35	84
Area usage		indoor / outdoor	indoor / outdoor	outdoor



Product (order n.)		KM 100/100 R D (1.280-115.0)	KM 130/300 R D Classic (1.186-139.0)
Technical Data			
Benefits		Suitable for large warehouses and outdoor areas	Fully hydraulic, for tough jobs in the building material or metal-working industries, foundries and abrasive dirt-intensive sectors
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive Power		4-stroke diesel engine / Yanmar 4.4 kW	4-stroke diesel engine / Yanmar 15.8 kW
Max. area perf. w/ side brushes	m ² /h	8000 (1) 10400 (2)	13000 (1) 15500 (2)
Working width w/ side brushes	mm	700 (0) 1000 (1) 1300 (2)	1000 (0) 1300 (1) 1550 (2)
Waste Container	l	100	300
Dim. (LxWxH)	mm	2006 × 1005 × 1343	2150 × 1330 × 1430
Weight	kg	340	940
Area usage		outdoor	outdoor


Carpet Cleaners



Product (order n.)		CV 38/2 (1.033-321.0)	CV 66/2 (1.012-585.0)
Technical Data			
Benefits		Daily carpet vacuum with extremely durable, anti-twist yellow highflex cable	For thorough and economical maintenance cleaning of medium-sized carpets
Category		Upright Brush Vacuum Cleaner	Upright Brush Vacuum Cleaner
Air flow rate	l/s	48	52
Vacuum	mbar/kPa	250/25	143 / 14.3
Working width	mm	380	660
Container	l	5.5	35
Max. power	W	1050	1650
Sound level	dB(A)	67	73
Dim. (LxWxH)	mm	351 × 391 × 1215	1270 × 770 × 1120
Weight	kg	9.5	72




Product (order n.)		PuZZi 8/1 C (1.100-225.0)	PuZZi 10/2 Adv (1.193-120.0)	PuZZi 30/4 (1.101-120.0)
Technical Data				
Benefits		Powerful entry-level for spot cleaning on carpets	Higher spray pressure for textile surface cleaning	The quietest in its class 66 dB(A), for larger carpets
Category		Spray extraction machine	Spray extraction machine	Spray extraction machine
Area perform.	m ² /h	12 - 18 (max.)	30-45 (max.)	60 - 75 (max.)
Power rating	W	1200 (turbine) 40 (pump)	1250 (turbine) 80 (pump)	1200 (turbine) 70 (pump)
Air flow rate	l/s	61	54	74
Vacuum	mbar/kPa	236 / 23.6	220 / 22	254 / 25.4
Wtr. tank (f d)	l	8 7	10 9	30 15
Dim. (LxWxH)	mm	530 × 330 × 440	705 × 320 × 435	580 × 460 × 930
Weight	kg	9.8	11.5	26



Product (order n.)		PW 30/1 (1.913-103.0)
Technical Data		
Benefits		Additional power brush for PuZZi 10/2 & PuZZi 30/4, increasing working speed up to 35% faster
Category		Power brush
Area perform.	m ² /h	70 - 110 (max.)
Power rating	W	60 (brush motor)
Dim. (LxWxH)	mm	350 × 260 × 835
Weight	kg	5.9





Product (order n.)		BRS 43/500 C (1.006-671.0)	BRC 30/15 C (230 V) (1.008-057.0)
Technical Data			
Benefits		Easy to use, sufficiently dry in 20 minutes with encapsulation technology	Compact carpet cleaner for fast and economical spray extraction; also ideal for spot and interim cleaning
Category		Intermediate carpet cleaner	Deep carpet cleaner
Cleaning area performance	m ² /h	300 (interim iCapsol)	150 (deep cleaning)
Power rating	W	370 (brush motor)	1130 (turbine) 80 (brush motor)
Air flow rate	l/s	-	20
Vacuum	mbar/kPa	-	300 / 30
Wtr. tank (f d)	l	7.5 -	15 17
Spray pressure	bar	3.4	3.5
Spray rate	l/min	0.38	1
Dim. (LxWxH)	mm	400 × 460 × 1160	920 × 360 × 750
Weight	kg	25	36



Product (order n.)		AB 45 (1.004-060.0)	AB 20 (1.004-045.0)
Technical Data			
Benefits		High-performance blower enables quick drying after water damage	Very compact, low energy-use but high performance, delivers outstanding results thanks to innovative axial vane technology
Category		Air blower	Air blower
Air flow rate (level 1 2 3)	m ³ /min.	57 88 133	18.8
Blower speed (level 1 2 3)	rpm.	950 1150 1350	1355
Power rating	W	700	100
Cord length	m	6.1	7.6
Dim. (LxWxH)	mm	405 × 475 × 475	570 × 470 × 300
Weight	kg	11.87	11

Dry Ice Cleaning

Dry ice cleaning leaves no moisture or abrasive material residue. Thanks to the “Cleaning in Place” option, almost always without disassembly of the machine, downtime as well as servicing and maintenance costs are drastically reduced. Dry ice blasting is very gentle and spotlessly cleans even for sensitive surfaces. Applications include engine blocks, gearboxes, robots, plastic/metal molds, paint descaling, for automotive, aviation MRO, food & chemical industries. Additionally, dry ice blasting requires no cleaning agents or other additives. No chemicals, neither waste disposal costs.

Pembersihan dengan biang es tidak meninggalkan kelembapan atau residu material abrasif. Berkat kemampuan “Membersihkan Di Tempat”, hampir selalu tanpa membongkar mesin, penghentian operasi, biaya servis & perawatan berkurang drastis. Prosesnya sangat lembut dan tidak meninggalkan noda bahkan pada permukaan sensitif. Dapat diaplikasikan pada blok mesin, gearbox, robot, cetakan plastik/metal, kerak cat, otomotif, penerbangan, industri makanan & kimia. Selain itu, pembersihan dengan biang es ini tidak memerlukan bahan pembersih atau aditif lain. Tanpa bahan kimia maupun biaya pembuangan limbah.



Product (order n.)		IB 7/40 Adv (1.574-002.0)
Technical Data		
Benefits		For high-performance cleaning and restoration of metal objects and surfaces without residue
Class		Compact ice blaster
Air pressure	bar/MPa	2-10 / 0.2-1
Air flow	m3/min	0.5-3.5
Dry ice cap.	kg	15
Dry ice consumption	kg/h	15-50
Power rating	W	600
Dim. (LxWxH)	mm	768 × 510 × 1100
Weight	kg	70

Product (order n.)		IP 55 (1.574-110.0)
Technical Data		
Benefits		Self contained dry ice pellets production unit for dry ice cleaner
Category		Pelletiser
Production quantity	kg/h	55
Power rating	kW	1.6
Current type	Ph/V/Hz	3 / 400 / 50
Dim. (LxWxH)	mm	1150 × 600 × 1300
Weight	kg	147
CO ₂ storage tank		liquid phase 13-21 bar
CO ₂ supply connection		1/2" BSP socket

Steam Cleaners

User-friendly SG 4/4 steam cleaner with sophisticated filling technology, infinite adjustment of steam pressure and saturation (VapoHydro), two-tanks system, accessories holder and storage compartment. Very handy and compact, ideal for stainless and ceramic surfaces

Steam cleaner SG 4/4 yang mudah digunakan dengan teknologi pengisian yang canggih. Tekanan uap dan saturasi yg dapat disesuaikan, sistem 2-tangki, tempat aksesoris & penyimpanan. Sangat berguna & ringkas cocok untuk permukaan yang mulus dan keramik



DEEP CLEANING
WITHOUT CHEMICALS

Kills
99.99%
Bacteria



Product (order n.)		SG 4/4 (1.092-104.0)
Technical Data		
Benefit		Continuous steaming with volume control and VapoHydro function for perfect cleaning result without chemicals
Power rating	W	2300
Tank capacity	l	4
Steam pressure	bar/MPa	4
Voltage	V	220-240
Weight	kg	8
Cable length	m	7.5
Dim. (LxWxH)	mm	475 x 320 x 275


Parts Cleaner

Thorough and eco-friendly: biological parts cleaners made from impact-resistant plastic are suitable for cleaning tools, motor components, and other parts contaminated with oil or grease up to a weight of 100 kg.

Pembersih tuntas & ramah lingkungan: pembersih suku cadang biologis terbuat dari plastik tahan benturan yang cocok untuk membersihkan peralatan & komponen dari kotoran minyak & lemak.



The biological
cleaning
process



Product (order n.)		PC 100 M2 Bio (1.626-722.0)
Technical Data		
Benefits		Oil & grease removal using aqueous cleaning agent and decomposition by microbes
Pressure	bar/MPa	0.3 / 0.03
Flow rate	l/h	900
Working area	mm	1041 x 660
Max. temp.	OC	40
Load Capacity	kg	100
Tank capacity	l	80
Power rating	W	1000
Dim. (LxWxH)	mm	952 x 1181 x 1067

Leaf Blower

Untiring, economical, environmentally friendly and very quiet, our battery-powered leaf blower is an ideal addition to Kärcher municipal vehicles in the day-to-day removal of leaves, refuse and dirt – particularly in hard-to-reach places. Batteries and battery chargers must be ordered separately.

Tidak melelahkan, ekonomis, ramah lingkungan & sangat senyap, leaf blower bertenaga baterai adalah tambahan ideal bagi kendaraan municipal Kärcher untuk menyingkirkan dedaunan, sampah dan debu - khususnya di tempat yang susah dijangkau. Baterai dan pengisi baterai dijual terpisah.



50V technology



Product (order n.)		LB 850 Bp (1.442-110.0)
Technical Data		
Benefits		Suitable for noise-sensitive areas; residential, school, hotels and hospital even at night time
Category		Park & City Solutions
Air speed	m/s	40
Air throughput	m³/h	816
Sound level	dB(A)	82 (ΔK = 2.5 dB(A))
Vibration values	m/s²	1.07 (K=1.5 m/s²)
Weight	kg	2.34
Dim. (LxWxH)	mm	905 × 165 × 270
Max. run time (Battery type)	hrs. (x10 mA)	2.0 3.5 (Bp 400 Adv Bp 800 Adv)

Chainsaw

Battery-powered, no fumes, hardly any vibrations, yet a fully fledged chainsaw: the CS 330 Bp with innovative 50 V technology impresses with easy handling and high performance. It is so quiet that it can even be used in noise-sensitive areas at any time. Batteries and battery chargers must be ordered separately.

Bertenaga baterai, tanpa asap, hampir tanpa getaran, namun gergaji mesin yang lengkap: CS 330 Bp dengan teknologi 50 V mengesankan dengan kendali yang mudah dan performa tinggi. Sangat senyap sehingga dapat digunakan di area yang sensitif-bunyi kapan pun. Baterai dan pengisi baterai dijual terpisah.



50V technology



Product (order n.)		CS 330 Bp (1.442-111.0)
Technical Data		
Benefits		Cordless, no fumes, suitable for residential areas, around school, hospital & nursing homes parks & hotels surrounding
Category		Park & City Solutions
Guide rail	cm	35
Chain speed	m/s	12
Chain pitch		3/8"
Sound level	dB(A)	86 (ΔK = 2.5 dB(A))
Weight	kg	3.76
Dim. (LxWxH)	mm	780 × 240 × 247
Max. run time (Battery type)	hrs. (x10 mA)	3.5 7.0 (Bp 400 Adv Bp 800 Adv)

Optional Accessories

Cold & Hot Water High Pressure Cleaner Accessories		Order Number	Description
1		2.642-999.0	1. FRV 30 (for cold water only)
2		2.642-911.0	2. FRV 30 ME (for hot water only)
3		2.641-740.0	3. ABS Barrel Cleaner
4		4.762-010.0	4. Wet blasting attachment with flow control (no nozzle)
5		4.110-004.0	5. iSolar TL 7 H (without hose)
6		6.392-978.0	6. Hose solar
7		6.368-456.0	7. Brush iSolar 400
8		6.368-455.0	8. Brush iSolar 800
9		4.405-048.0	9. Y distributor
10		6.394-654.0	10. Jet pipe flexible
11		6.394-690.0	11. Telescopic spray lance
12		4.424-004.0	12. Adapter M 22 Swivel
13		6.373-987.0	13. Restrain belt for telescopic jet pipe
Dry Vacuum Cleaner Accessories		Order Number	Description
1		2.860-113.0	1. Upholstery nozzle TURBO
2		2.860-114.0	2. Floor tool TURBO DN 35/32
Wet & Dry Vacuum Cleaner Accessories		Order Number	Description
1		2.679-000.0	1. Drilling dust tool
2		4.130-401.0	2. Wide nozzle NT 55/1 Tact
3		2.640-341.0	3. Baking oven kit ID 35

Optional Accessories

Industrial Vacuum Cleaner Accessories		Order Number	Description
	1	2.869-106.0	For textile and Insulating material, food & pharmaceutical industry, apparatus engineering & warehouse cleaning. chemical industry (suction of liquids, bases and depleted acids) cleaning in steel works and smelter For cutting industry (cleaning of machine tools - metal splinters and KSS) cleaning in steel works and smelter, cement works, fondries & glass factories cleaning in steel works and smelter, cement works, fondries & chemical industry (suction of liquids, bases and depleted acids).
	2,3	2.641-177.0 2.641-175.0	
	4	2.869-109.0	
	5	2.869-107.0	
	6	2.896-108.0	
	7,8	2.641-178.0 2.641-176.0	
Carpet Cleaner & Spray Extraction Cleaner Accessories		Order Number	
	1	4.130-001.0	Upholstery nozzle, 110 mm.
	2	4.130-163.0	Stainless steel with transparent nozzle, ID 38. For cleaning upholstery or small surfaces that cannot be reached with the floor nozzle.
	3	4.440-644.0	Complete, metal coupling. Floor tool
	4	6.295-634.0	Powerful dry foam CarpetPro Cleaner with odour eliminator and encapsulation technology.
Scrubber & Polisher Accessories		Order Number	Description
	1	6.905-526.0	Excellent cleaning power. Also effectively cleans fine stoneware tiles.
	2	6.369-895.0	Medium hardness scrubbing brush.
	3	6.369-896.0	Medium-soft hardness shampooing brush.
	4	6.369-898.0	Hard scrubbing brush, GRIT
	5	6.369-899.0	For low speed pad.
Ice Blaster Accessories		Order Number	Description
	1	4.574-026.0	Kärcher patented innovative Scrambler, mounted between the trigger gun and spray nozzle, breaks up the 3 mm dry ice pellets (3 force levels) into fine particles. This makes it possible to clean very sensitive surfaces. 90° and 105° angled spray lance can be combined with all available nozzles. Requires the use of intermediate piece 4.130-425.0.
	2	4.574-035.0	
	3	4.574-036.0	
Park & City Solution Accessories		Order Number	Description
	1	2.852-184.0	2 - 3.5 hours usage, 4 A - 200 Wh battery with 800 - 1200 charging cycles
	2	2.852-189.0	3.5 - 7 hours usage, 7.5 A - 375 Wh battery with 800 - 1200 charging cycles
	3	2.852-182.0	With 50 V technology from Kärcher for 50% faster charging than standard charger

Kärcher Service

Our skilled service team provide personalised support over the entire service life of your Kärcher machine. Wherever you need us, we or one of our service partners will be there to assist you on-site.

Tim ahli kami menghadirkan dukungan secara personal selama masa penggunaan mesin Kärcher Anda. Dimana Anda membutuhkan, kami atau rekan servis kami akan hadir untuk membantu Anda.



Repair Processes

We offer a fast, efficient, top-quality repair service. Our aim is to provide the fastest possible service to your utmost satisfaction. The service process described explains how efficient our service system is in the event of a machine fault. Customer service really can be that simple and inspired.

Kami menawarkan servis perbaikan yang cepat, efisien dengan kualitas terbaik. Tujuan kami adalah menyediakan pelayanan secepat mungkin untuk kepuasan Anda. Proses penanganan perbaikan kami merefleksikan efisiensi dalam penanganan mesin yang bermasalah. Pelayanan kami begitu mudah dan menginspirasi.

Service Training

Thanks to our comprehensive training system, our service engineers and those of our service partners are trained using the latest teaching methods. Specialist knowledge is acquired through technical as well as electronic training. A wide range of practical exercises ensure that the service engineers are ideally prepared for working in the field.

Dengan sistem pelatihan kami yang komprehensif, teknisi kami dan rekan servis kami terlatih menggunakan metode pembelajaran terkini. Pengetahuan spesialis diperoleh melalui pelatihan teknis maupun elektronik. Banyaknya jenis latihan terapan memastikan para teknisi secara ideal siap bekerja di lapangan.

Service Contract Packages

The Kärcher Service Contract packages combine accumulated technical expertise and in-depth application knowledge to yield optimal solutions. Each service package is precisely tailored to a defined need. The scope of services ranges from inspection as part of mandatory safety testing, to maintenance at date due, to the flat-rate Full Service. In addition to the service packages, add-on services such as battery, maintenance or the delivery of consumables are possible.

Paket-paket kontrak servis Kärcher menggabungkan keahlian teknis dan pengetahuan aplikasi yang mendalam untuk menghasilkan solusi optimal. Tiap paket servis dirancang untuk kebutuhan tertentu. Cakupan servis meliputi pengecekan sebagai bagian dari kelaikan unit, perawatan berkala, hingga Full Service dengan flat-rate, Layanan tambahan seperti baterai, perawatan atau pengiriman perlengkapan dapat dilakukan sebagai opsional.

Kärcher Service Package	Kärcher Full Service	Kärcher Maintain	Kärcher Inspect
Safety inspection including certificate & inspection plate	■	■	■
inspection	■	■	■
Travel expenses*	■	■	■
Labor costs*	■	■	■
Adjustment of the operating hours within runtime is possible	■	■	■
Preventive replacement of defined wear parts in accordance with the manufacturer's maintenance plan	■	■	
Spare parts & wear parts included (except batteries & consumables such as brushes, roller brushes, suction lips, cleaning agents, etc.)	■		
Functional guarantee - continuous preservation of function*	■		
Consumables included (brushes, roller brushes, suction lips, cleaning agents, etc.)	□	□	□
Battery (maintenance, replacement, repair)	□	□	□

* Does not apply in case of customer fault, improper use, use of force, force majeure, erroneous operation, etc.



Please contact our authorised dealers & services for more information:

DKI Jakarta

KÄRCHER CENTER JAKARTA □
Komplek Sudirman Park Blok A6-A7
Jl. K. H. Mas Mansyur Kav. 35
Jakarta 10220
Phone +62 21 8065 7600
Email info@id.kaercher.com

KÄRCHER STORE BA GROUP □
Ruko Griya Inti Sentosa Kav. 67-68 No. 1-2
Jl. Griya Utama blok M3 Selatan
Jakarta 14350
Phone +62 21 6583 3061
+62 21 6471 3390
+62 21 6471 3395
+62 21 6471 3397
Email info@baindoprata.com

PT Panatek Mulya Sejahtera ▲▲▲
Pertokoan Glodok Jaya No.38-39
Jl. Hayam Wuruk
Mangga Besar 11180
Phone +62 21 6255 506
Email sales@panatek.co.id

PT Weld-Tech Indonesia ▲▲▲
Pergudangan Green Sedayu Biz Park
Blok DM-1 No. 90
Jln. Daan Mogot Raya KM. 18
Jakarta Barat 11840
Phone +62 21 22 522 777
Email sales@weldtech-indo.com

PT Highrope International ▲▲▲
GP Plaza Building, Lantai 2 Suite 5
Jl. Gelora II, Slipi Palmerah
Jakarta 10270
Phone +62 21 2253 0989
Email daidra@highrope.international

PT Panca Utama ▲
Rukan Griya Inti Sentosa
Jl. Griya Sejahtera N Blok L No. 59
Sunter, Jakarta utara 14350
Phone +62 21 2968 9849

Banten

PT Bumi Bangun Perkasa ▲▲
Golden Road, Block C. 28 No. 10, ITC BSD
Tangerang Selatan 15310
Phone +62 21 5315 2793
Email marketing@bumibangun.com

PT Enera Teknika Utama ▲▲
Jl. Graha Raya Bintaro
Ruko Althia Blok GB/AP-29 Bintaro Jaya
Tangerang
Phone +62 21 2931 4687
Email sales.enera@gmail.com

PT Kawan Baru Tehnik ▲▲
Komplek Ruko Cilegon City Square
Blok G 10 PCI
Cilegon 42423
Phone +62 254 375765
+62 254 387163
Email info@kawanbaru-tehnik.com

PT Karsamudika Andalan Utama ▲▲
Komplek Golden Boulevard Blok R/43
Jl. Pahlawan Seribu, BSD City, Serpong
Tangerang 15322
Phone +62 21 5381 155
Email sales@karsamudika.com

Jawa Barat

KÄRCHER STORE UAP AIR □
Jl. Suniaraja No. 29 A
Bandung 40111, Jawa Barat
Phone +62 22 8588 0101
+62 22 8588 0102
+62 22 8588 0103
Email pt_uapair@yahoo.co.id

PT Kalingga Tataraya ▲▲
Komp. Pergudangan Tambun City, Blok C7
Jl. Sultan Hasanudin No. 263
Tambun, Bekasi
Phone +62 21 8951 0100
Email sales@tataraya.com

PT Perkakasku Multi Cemerlang ▲▲▲
Jl. Jend. A. Yani 350
Bandung
Phone +62 22 7271 396
Email cs@perkakasku.co.id

Sumber Teknik ▲▲
Jl. Mayjend Didi Kartasasmita 988
Kota Banjar

Phone +62 265 2733 312
+62 265 2733 313
Email sumberteknik.pwt@yahoo.co.id

Jawa Tengah

PT SAE Karisma Cemerlang ▲▲
Jl. Raya Solo Baru Blok AC 7
Sukoharjo, Solo
Phone +62 271 6223 95
Email admin@saekarisma.com

Sumber Teknik ▲▲
Jl. Gerilya No. 560 - 561
Purwokerto
Phone +62 281 6377 43
+62 281 6381 58
Email sumberteknik_pwt@yahoo.co.id

CV Anugerah Cipta Prima ▲▲
Jl. M. T. Haryono No. 8
Semarang
Phone +62 24 3546 030
+62 24 3555 595
Email acpsemarang@gmail.com

Jawa Timur

**KÄRCHER STORE
SAE KARUNIA CEMERLANG** □
Jl. Raya Jemursari 100
Surabaya, Jawa Timur
Phone +62 31 8477 991
Email
cleanisfun@saekaruniacemerlang.com

PT Panatek Mulya Sejahtera ▲▲
Jl. Pucang Anom Timur
Surabaya
Phone +62 31 5035 439
Email sales@panatek.co.id

Indocon Sukses Abadi ▲▲▲
Jl. Dupak 61
Kompleks Best Land Blok A No. 9
Surabaya 60179
Phone +62 31 5455 788
Email sales@indoconsa.com

Bali

KÄRCHER STORE ALTEK DEWATA □
Jl. Gatot Subroto Timur No.36 A-B
Kesiman, Denpasar 80239
Phone +62 361 467610
Email altekdeiwata@ud-nasional.com

PT Bagoes Baliindo Jaya ▲▲
Jl. Raya Semebaung No.18
Ganyar 80511
Phone +62 361 9519 18
Email tri_dbb@yahoo.co.id

CV Laksmi Dewata ▲▲▲
Jl. Dewata no. 26
Denpasar 80224
Phone +62 361 7291 65
Email laksmi.dewata@gmail.com
laksmi.dewata@yahoo.com

Sumatera Utara

PT Faedah Teknik ▲▲▲
Jl. Bogor No.40
Medan 20212
Phone +62 61 4568 886
Email faedahteknik@gmail.com

PT Primanusa Jaya Mandiri ▲▲
Jl. Sidomulyo, Komplek Orlando
Sidomulyo Residence No.11 F
Medan
Phone +62 61 8003 3608
Email primanusa_pjm@yahoo.co.id

Riau

PT Yanmarindo Perkasa ▲▲
Jl. Riau No. 53 A-E
Pekanbaru
Phone +62 761 44000 (hunting)
+62 761 44150
+62 761 44154
Email user@yanmarpekanbaru.com

PT Rauda Global Sarana ▲▲▲
Jl. Tuanku Tambusai No. 320
(di seberang Global Bangunan)
Pekanbaru
Phone +62 761 356 56
Email info@raudagroup.co.id

Kepulauan Riau

PT Han-Indo Millenium ▲
Ruko Mahkota Raya Blok G No. 1-3
Batam 29400
Phone +62 778 7496 688
Email sales@han-indo.com

Lampung

PT Andalan Mitra Tehnik ▲▲
Lampung Diesel
Jl. P. Diponegoro No. 11 G
Bandar Lampung 35111
Phone +62 721 266777
+62 721 258488
+62 721 265565
Email sales@lampungdiesel.com

Kalimantan Timur

PT Bumi Bangun Perkasa ▲▲▲
Jl. Mulawarman No. 17, RT 33
Batakan, Balikpapan 76115
Phone +62 542 7571 079
+62 542 7571 080
Email marketing@bumibangun.com

Sulawesi Utara

Plaza Bangunan Electronic ▲▲
Jl. Sisingamangaraja No. 45, Calaca
Manado 95121
Phone +62 431 8585 10
Email
purchasing_cic@plazabangunan.com

□ Dealer + Service ▲ Home & Garden ▲ Professional ▲ Service Center

www.Kaercher.com/id

☎ 0800 140 1551

✉ info@id.kaercher.com

📘 Kaercher Indonesia

📷 Kaercher.id

Dealer info: