

# KÄRCHER

makes a difference

## KARCHER IN INDIA FOR OVER 20 YEARS



### KARCHER PROFESSIONAL RANGE 2017

Experience how Kärcher makes a difference.



## Kärcher, the worldwide market leader

All over the world, the name Kärcher stands for power, quality, innovation and cleaning expertise that has been setting the highest of standards for 80 years. As the inventor of high pressure cleaning, Kärcher is today a world market leader and one of the driving forces behind technological developments. Kärcher employs more than 12,000 people and has more than 100 subsidiaries all over the world. More than 900 engineers and technicians at 5 engineering centers are working on further improvements and new products, using the most advanced technologies in design, development and testing in their quest for even better performance, long service life and better environmental protection. They are guided by the principle that the customer is the measure of all things.

# 80 YEARS



reddot design award



Focus Energy



### Innovative from the very beginning

In 1950 Kärcher developed the first hot water high pressure cleaner for professional cleaning.

### Degree of innovation

More than 2000 patents have been registered from 1935 till today. 95% of our products are less than 5 years old.

### Excellent performance

Every year Kärcher receives awards, commendations and certificates for design, ergonomics, performance and environmental protection.

### All over the world

Kärcher is active in over 190 countries.

### Worldwide customer service

More than 40,000 sales outlets all over the world provide a support network that is second to none and enable our customers to find fast and comprehensive help with all their questions about cleaning and our products.

### Clean Environment

Kärcher engineers work on environmental protection daily with new products, technologies and investments in production facilities.







## Cold Water High Pressure Cleaners



# KÄRCHER



HD 5/11



HD 7/18 - 4 M



HD 7/16 - 4 Cage Classic



HD 10/25 - 4 S



HD 13/50-4 Cage Classic

S. No.	Machine Model	Supply Voltage (Phase)	Water Flow (l/hr)	Max. Pressure (bar)	Operating Pressure (bar/Mpa)	Power Rating (kW)	Detergent Tank (l)	Weight (kg)	Dimension (l x w x h) (mm)
1	HD 5/11	1	500	130	115/11.5	2.2	-	19	360x375x925
2	HD 5/12 C	1	500	150	120/12	2.3	-	22	360x375x925
3	HD 6/15 C	1	230-560	190	30-150/3-15	3.1	-	23	360x375x925
4	HD 7/18 - 4 M	3	240-700	215	30-180/3-18	5	2x2.5 L Bottles	48	467x407x1010
5	HD 7/16 - 4 Cage Classic	3	400-700	220	160/16	4.3	-	55	780x360x500
6	HD 10/25 - 4 S	3	500-1000	275	30-250/3-25	9.2	-	62	560x500x1090
7	HD 13/35 - 4 *	3	1260	400	350/35	15	-	190	930x800x920
8	HD 13/50-4 Cage Classic *	3	1300	570	150-500/15-50	22	-	275	1110x800x950
9	HD 801 B	* Petrol-Honda	650	160	150/15	3.6	-	34	1044x542x662
10	HD 1050 B	* Petrol-Honda	400-930	250	40-230/4-23	8.2/9.75	-	66	1044x549x662
11	HD 1050 DE	* Diesel-Yanmar	400-930	250	40-230/4-23	7.4	-	103	1050x540x720

## Hot Water High Pressure Cleaners



HDS 5/15 U



HDS 7/16 C



HDS 8/18-4 C



HDS 8/16 - 4 kW - 4 E  
(12/24/36 kW)



HDS 10/20-4M Eco

S. No.	Machine Model	Supply Voltage (Phase)	Water Flow (l/hr)	Operating Pressure (Bar)	Power Rating (kW)	Maximum Temperature (°C)	Fuel Tank (l)	Detergent Tank (l)	Weight (kg)	Dimension (l x w x h) (mm)
1	HDS 5/15 U *	1	450	150	2.7	80	6.5	-	74	620x620x990
2	HDS 7/16 C	3	270 - 660	30 - 160	4.7	80/155	15	15.5	103	1060x650x920
3	HDS 8/18-4 C	3	300-800	30-180	6	80/155	15	15.5	112	1060x650x920
4	HDS E 8/16-4M 24kW	3	300 - 760	30 - 160	28.5	45/85	Electrical	20 + 10	112	1330x750x1060
5	HDS 10/20 - 4M Eco	3	500 - 1000	30 - 200	7.8	80/155	25	20 + 10	171	1330x750x1060

## Related Accessories



FR 30  
Splash Guard



FRV 30  
Splash Guard with Suction



iSolar 800  
Solar Panel Cleaning



Dirt Blaster



Drain Cleaning Hose

\* Longer Delivery Time

Products shown in the photographs may vary from the actual





IVC 60/24 - 2 Ap



IVC 60/30 Ap



IV 60/30



IVS 100/75 M



IVR-L 120/24-2

S. No.	Machine Model	Phase (Ph)	Voltage/Frequency (V/hz)	Air Flow Rate (l/s)	Vacuum (mbar/kPa)	Container Capacity (l)	Power Rating in Operation (kW)	Filter Area (m <sup>2</sup> )	Hose Dia (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	IVC 60/24 - 2 Ap	1	230/50	2 x 74	254/25.4	60	2.4	0.95	ID 42/52/72	60	970x690x995
2	IVC 60/24 - 2 Tact <sup>2</sup> *	1	230/50	2 x 74	254/25.4	60	2.4	0.95	ID 42/52	60	970x690x995
3	IVC 60/30 Ap	3	400/50	68	286/28.6	60	3	1.9	ID 42/52/72	95	970x690x1240
4	IVC 60/30 Tact <sup>2</sup>	3	400/50	68	286/28.6	60	3	19	ID 42/52	95	970x690x1240
5	IVC 60/30	3	400/50	68	286/28.6	60	3	2.3	ID 51	96	870x640x1650
6	IV 60/30 *	3	400/50	64	220/22	60	3	2.3	ID 51	96	870x640x1650
7	IVS 100/55 M *	3	400/50	139	250/25	100	5.5	2.2	ID 72/52	155	1215x674x1509
8	IVS 100/75 M *	3	400/50	149	360/36	100	7.5	2.2	ID 72/52	188	1215x674x1509
9	IVS 100/55 M Z22 *	3	400/50	139	250/25	100	5.5	2.2	ID 72/52	155	1215x674x1509
10	IVS 100/75 M Z22 *	3	400/50	149	360/36	100	7.5	2.2	ID 72/52	188	1215x674x1509

M B1 (Z22): M Class Filter / ATEX Certified Zone 22

S. No.	Industrial Vacuum Cleaner with discharge pump	Phase (Ph)	Voltage/Frequency (V/hz)	Air Flow Rate (l/s)	Vacuum (mbar/kPa)	Container Capacity (l)	Intake Performance (kW)	Hose Dia (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	IVR-L 100/30 *	3	400/50	89	260/26	100	3	ID 72/52	136	850x760x1800
2	IVR-L 120/24-2 Tc Me Dp *	1	220-240/50-60	148	235/23.5	120	2.4	ID 52/42	-	745x710x1420

**Cleaning Devices For Industrial Cleaning**



PC 100 M2 BIO



PC 60/130 T



IB 7/40

S. No.	Parts Cleaner	Pressure (bar/Mpa)	Flow Rate (l/h)	Working Area (mm)	Load Capacity (kg)	Tank Capacity (l)	Weight (kg)	Connection Load (kW)	Dimension (l x w x h) (mm)
1	PC 100 M2 BIO *	0.3/0.03	900	1041x660	100	80	44	1	952x1181x1067
2	PC 60/130 T *	1.5/0.15	4500	-	130	100	165	5.5	1080x1000x1250

S. No.	Dry Ice Blasting	Air Pressure (bar/Mpa)	Air Quality	Air Flow (m <sup>3</sup> /min)	Sound Pressure Level (dB(A))	Dry Ice Capacity (kg)	Dry Ice Consumption (kg/h)	Weight (kg)	Pallets (Dia-mm)	Dimension (l x w x h) (mm)
1	IB 7/40 Classic *	2-10/0.2-1	Dry & Oil Free	0.5-3.5	99	15	15-50	69	3	768x510x1100

**Related Accessories**



Floor Nozzle



Longopac Disposal System



Pipe Cleaning Nozzle



Triangular Nozzle



Industrial Kit

**Ap** : Manual Pressed Filter Cleaning  
**Tact / Tact<sup>2</sup>**: Automatic Filter Cleaning

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual



## Dry Vacuum Cleaners



# KÄRCHER



T 15/1



BV 5/1 BP



T 9/1 BP



CV 48/2



CV 60/2 RS



EB 30/1 Adv

S. No.	Machine Model	Air Flow Rate (l/s)	Vacuum (mbar)	Sound Level (dB(A))	Container Capacity (l)	Max. Power Rating		Weight (kg)	Hose Dia (mm)	Dimension (l x w x h) (mm)
						(W)	Brush (W)			
1	T 10/1	61	244	63	10	1250	-	6	32	355x310x385
2	T 12/1	61	244	61	12	1300	-	6.6	32	340x315x410
3	T 12/1 eco! efficiency	43	230	56	12	750	-	6.6	32	340x315x410
4	T 15/1	61	244	59	15	1300	-	8	32	406x320x434
5	T 15/1 eco! efficiency	43	230	56	15	750	-	8	32	406x320x434
6	BV 5/1 Bp	46	207	57	5	730	-	8.7	32	400x320x636
7	T 9/1 Bp	46	207	62	9	730	-	7.2	32	419x325x381
8	CV 38/2	48	250	67	5.5	1200	150	9.5	35	351x391x1215
9	CV 48/2	48	250	67	5.5	1200	150	10	35	350x485x1215
10	CV 66/2 *	52	143	73	35	1650	400	72	-	1270x770x1120
11	CV 60/2 RS *	34	117	68	17	1224	373	123	-	1120x640x1290

S. No.	Machine Model	Working Width (mm)	Operating Time (Carpet/Hard Surface) (min)	Sound Level (dB(A))	Container Capacity (l)	Battery Charging Time (min)	Weight (kg)	Dimension (l x w x h) (mm)
1	EB 30/1 Adv	300	30/45	56	1	180	2.3	250x300x1100

## Wet & Dry Vacuum Cleaners



NT 27/1



NT 35/1 Ap



NT 65/2 Ap



NT 75/2 Ap Me TC

Me : Stainless Steel  
 Ap : Manual Pressed Filter Cleaning  
 TC : Tilting Container  
 TACT/TACT<sup>2</sup> : Automatic Filter Cleaning

S. No.	Machine Model	Air Flow Rate (l/s)	Vacuum (mbar)	Sound Level (dB(A))	Container Capacity (l)	Power Rating (W)	Weight (kg)	Hose Dia (mm)	Dimension (l x w x h) (mm)
1	NT 27/1 ^	67	200	72	27	1380	7.5	35	420x420x525
2	NT 48/1 ^	67	200	72	48	1380	10.5	35	490x390x780
3	NT 70/3 ^ *	3 x 56	208	79	70	3600	27.6	40	720x510x975
4	NT 14/1 #	61	230	70	14	1380	14	35	497x467x416
5	NT 35/1 Ap #	61	230	67	35	1380	9.5	35	520x380x580
6	NT 65/2 Ap #	2 x 74	254	73	65	2760	20	40	600x480x920
7	NT 65/2 TACT <sup>2</sup> #	2 x 74	254	73	65	2760	26.5	40	575x490x880
8	NT 75/2 Ap Me TC #	2 x 74	254	73	75	2760	26.5	40	575x490x880

## Related Accessories

^ Machine with cartridge filter # Machine with pleated flat filter



Vacuum Tool Kit



Roller Brush



Fleece Filter



Hepa Filter



Filter Bag

\* Longer Delivery Time

Products shown in the photographs may vary from the actual





**Puzzi 10/1 \*Eu**



**Puzzi 30/4**



**BRS 43/500 C**



**BRC 45/45 C Ep**



**BRC 50/70 W BP**

S. No.	Machine Model	Air Flow Rate (l/s)	Vacuum (mbar)	Spray Rate (l/min)	Spray Pressure (bar)	Fresh / Dirty Water (l)	Vacuum (W) / Brush (W)	Area Performance (m <sup>2</sup> /h)	Working Width (Brush) (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	Puzzi 8/1 C	61	236	1	2.5	8 / 7	-	12 - 18	-	9.8	530x330x440
2	Puzzi 10/1 *Eu	54	220	1	1	10 / 9	-	20 - 25	-	10.7	710x330x440
3	Puzzi 10/2 Adv *Eu	54	220	2	2	10 / 9	-	30 - 45	-	11.5	710x330x440
4	Puzzi 30/4 *	74	254	3	4	30 / 15	1200 / -	-	-	26	580x460x930
5	BRS 43/500 C	-	-	0.38 (ic)	3.4 (ic)	7.5 / -	- / Yes	300 (ic)	430	25	400x460x1160
6	BRC 45/45 C Ep	45	300	0.7 (ic)/3.2 (dc)	3.5 (ic) / 7 (dc)	45 / 38	1100 / Yes	350 (dc)/1000 (ic)	410	48	770x545x1250
7	BRC 50/70 W Battery Powered *	71	184	0.9 (ic) / 4 (dc)	7 (ic) / 7 (dc)	76 / 61	375 / Yes	450 (dc)/1250 (ic)	508	290	1400x700x1100

ic: Interim Cleaning / iCapsol  
dc: Deep Cleaning / Spray Extraction

**Air Blowers**



**AB 30 Classic**



**AB 45 Classic**

**Steam Cleaners**



**SG 4/4**



**SGV 8/5**

S. No.	Machine Model	Air Flow Rate (Levels 1/2/3) (m <sup>3</sup> /min)	Fan Speed (rpm)	Cable Length (m)	Power Rating (W)	Weight (kg)	Dimension (l x w x h) (mm)
1	AB 30 Classic	29.3	1350 Max.	6.1	520	8.54	405x400x415
2	AB 45 Classic	44.6	1350 Max.	6.1	700	11.87	405x475x475

S. No.	Machine Model	Voltage (V)	Heating Output (W)	Tank Capacity (l)	Steam Pressure (bar)	Weight (kg)	Dimension (l x w x h) (mm)
1	SG 4/4	230	2300	2 / 2.4	4	8	475x320x275
2	SGV 6/5	220	3000	5	6	45	640x495x965
3	SGV 8/5	220	3000	5	8	45	640x495x965

**Related Accessories**



Hand Tool



Bio Descaler



Trolley



Window Nozzel

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual





KM 70/15 C



KM 75/40



KM 100/100 R P



KM 130/300 Classic




KM 150/500 Classic

S. No.	Machine Model	Drive / Drive Power	Max. Area Performance (m <sup>2</sup> /h)	Working Width without/with 1/2 Side Brushes (mm)	Waste Container (l)	Working Speed (km/hr)	Filter Area (m <sup>2</sup> )	Weight (kg)	Dimension (l x w x h) (mm)
1	KM 70/15 C	Manual	2800	480/700/960	42	Push	-	25	1300x810x1040
2	KM 70/20 C	Manual	2800	480/700/960	42	Push	Dust Filter	23	1300x850x1050
3	KM 35/5 C	Battery	1480	350	5	Push	-	5.6	400x400x190
4	KM 75/40 W P	Honda/3.3 kW	3375	550/750/-	40	4.5	1.8	84	1430x780x1180
5	KM 75/40 W Bp Pack	24V / 400W	3375	550/750/-	40	4.5	1.8	78/124	1430x780x1180
6	KM 90/60 R P *	Honda/4.8 kW	9200	615/900/1150	60	8	4	220	1635x980x1260
7	KM 90/60 R Bp Pack *	24V / 600W	6900	615/900/1150	60	6	4	200/330	1635x980x1260
8	KM 100/100 R P	Honda/6.7kW	10400	700/1000/1300	100	8	6	340	2006x1005x1343
9	KM 100/100 Bp Pack *	24V / 750W	7800	700/1000/1300	100	6	6	320/540	2006x1005x1343
10	KM 125/130 R *	Yanmar/4.5kW	10000	1250/1700/1700	130	8	Triple Tact	920	1800x1250x1450
11	KM 100/100 R D	Yanmar/4.4kW	8000	1000/1300/1300	100	8	6	340	2006x1005x1343
12	KM 130/300 Classic *	Yanmar/19.3kW	13000	1000/1300	300	10	5.5	850	2040x1330x1430
13	KM 150/500 Classic *	Yanmar/21.6kW	21000	1200/1500	500	14	8	1440	2442x1570x1640
14	IC 15/240 W *	Honda/4kW	-	-	240	6	3.6	220	1840x940x1600

**Related Accessories**



Litter Picker



Flat Filter



Light



Canopy

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual





**Mop Vac**



B 60/10



S. No.	Machine Model	Fresh / Dirty Water Tank (l)	Max. Area Performance (m <sup>2</sup> /h)	Weight (kg)	Dimension (l x w x h) (mm)
1	B 60/10	10	1500	21	1356 x 635 x 1311

**Escalator Cleaner**



BR 45/10 Esc



BR 47/35 Esc

S. No.	Machine Model	Working Width (mm)	Working Width Vacuum (mm)	Fresh/Dirty Water Tank (l)	Rotation Speed (rpm)	Brush Motor Rating (W)	Suction Motor (W)	Water Throughput (l/h)	Pressure (bar)	Weight (kg)	Dimension (l x w x h) (mm)
1	BR 45/10 Esc *	450	450	-	190 / 290	190	1500	-	-	44	800x460x220
2	BR 47/35 Esc *	470	470	35	870 / 1090	1100	800	60	4 - 7	90	1200x670x1100

**Single Disc Machines**



BD 17/5 C



BDS 43/180 C IN



BDS 43/Duo C I Adv



BDP 50/1500 C

S. No.	Machine Model	Working Width (mm)	Power Rating (W)	Brush Contact Pressure (g/cm <sup>2</sup> )	Pad Rotation Speed (rpm)	Power Supply (V/hz)	Working Width Vacuum (mm)	Max. Area Performance (m <sup>2</sup> /h)	Weight (kg)	Dimension (l x w x h) (mm)
1	BDS 43/180 C IN	430	1200	38	180	230 / 50	-	-	42.5	620x450x1200
2	BDS 43/180 C Adv	430	1200	-	180	230 / 50	-	-	40	660x430x1180
3	BDS 43/Duo C I Adv	430	1560	42	150-300	220-240/50	-	-	47	630x430x1200
4	BDP 50/1500 C	508	1100	4	1500	230 / 50	560	900	34.5	760x560x1250
5	BD 17/5 C	170 / 200	230	-	0 - 470	50	-	-	5	360x180x330

**Related Accessories**



Pump Spray Bottle



Suction Ring



Diamond Pad



Universal Pad Holder

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual

## Scrubber Driers



# KÄRCHER



BR 30/4 C



BR 45/22



BD 43/40 Classic EP



BD 50/60 Classic EP



BD 50/50 Classic

S. No.	Machine Model	Working Width Brush (mm)	Working Width Vacuum (mm)	Motor Rating/Traction Motor (W)	Fresh/Dirty Water Tank (l)	Brush Contact Pressure/Rotation Speed (g/cm <sup>2</sup> / rpm)	Max. Area Performance (m <sup>2</sup> /h)	Power Supply (V/hz)	Battery Capacity (V/Ah)	Weight (kg)	Dimension (l x w x h) (mm)
1	BR 30/4 C	300	300	820	4 / 4	100/1450	200	230/50	-	11.5	390x335x1180
2	BR 40/10 C	400	400	1900	10 / 10	100-200/1100	400	230/50	-	30	520x470x380
3	BR 45/22 C	450	550	550	22 / 22	150	1800	-	42/-	48	920x550x1115
4	BD 43/40 Classic EP	430	740	800	40 / 40	-/235	1720	230/50	-	56	1137x505x1028
5	BD 50/60 Classic EP	500	510	1200	60 / 60	-/155	2000	230/50	-	55/117	1185x540x1000
6	BD 50/50 Classic BP	500	510	1100	50 / 50	-/155	2000	-	24/-	55/117	1185x540x1000

## Stand-On & Ride-On Scrubber Driers



BD 50/40 RS Bp



B 95 RS D 65 R



BD 50/70 Bp Classic



B 150 R Bp



B 250 R Bp



B 300 RI

S. No.	Machine Model	Working Width Brush (mm)	Working Width Vacuum (mm)	Motor Rating (W)	Fresh/Dirty Water Tank (l)	Max. Area Performance (m <sup>2</sup> /h)	Battery Capacity (V/Ah)	Weight (kg) (With Battery)	Sweeping Container (l)	Dimension (l x w x h) (mm)
1	BD 50/40 RS Bp	* 508	691	157	40 / 40	2200	36 / 76	200	-	1130x680x1543
2	B 95 RS D 65 R	* 650	940	600	95 / 95	2600	24 / 198	334	-	1425x765x1270
3	BD 50/70 R Bp Classic (Disc)	* 510	850	300	70 / 75	2300	24 / 105	194	-	1310x590x1060
4	B 90 R Bp (Disc)	* 550/700 ^	850	600	90 / 90	3300/4500	24/180	269	-	1450x800x1200
5	B 150 R Bp (Disc)	* 450/750 ^	940	600	150 / 150	4500/5400	36/180	520	-	1690x910x1390
6	B 200 R Bp (Disc)	* 750/900 ^	1060	600	200/200	4500/5400	36/180	565	9	1860x910x1410
7	B 250 R Bp (Disc)	* 1000/1200 ^	1420	6900	250 / 250	8000/9600	36 / 630	1270	24	1900x1260x1550
8	B 300 RI (Roller)	* 1045	1440	25000	300 / 300	16550	Diesel	1750	180	2400x1540x1760

^ Disc Brush Head available, Roller option also available

## Related Accessories



Brush Head



Curved Squeegee



Pad Roller Shaft



Roller Brush



Pad

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual



# Notes

A series of horizontal dotted lines for writing notes.

## Please contact us for more information:

**Toll Free No: 1800 1234 180 (9:30 AM - 5 PM, Mon - Fri)**

**E-Mail: [info@in.kaercher.com](mailto:info@in.kaercher.com) | [service@in.kaercher.com](mailto:service@in.kaercher.com)**

**[www.kaercher.com/in](http://www.kaercher.com/in)**

### Branch Offices:

#### **Noida**

D-120, Sector 63,  
Noida-201 307,  
Uttar Pradesh  
Ph: +91 120 7111800  
Fax: +91 (120) 7111900

#### **Ahmedabad**

36-37 FF, Orchid Mall,  
Nr. Govardhan Party Plot,  
Thaltej,  
Ahmedabad-380 059,  
Gujarat  
Ph: +91 (079) 40031039

#### **Bengaluru**

#2404, 2<sup>nd</sup> Cross,  
HAL 3<sup>rd</sup> Stage,  
Old Airport Road,  
Bengaluru-560 017,  
Karnataka  
Ph: +91 (080) 41113819  
Fax: +91 (080) 41463901

#### **Chennai**

No. 54,  
Alappakkam Main Road,  
Maduravoyal,  
Chennai-600 095,  
Tamil Nadu  
Ph: +91 (044) 42814230  
Fax: +91 (044) 42814230

#### **Cochin**

46/561,  
Kottankavu Junction,  
Vennala (PO),  
Ernakulam-682 028,  
Kerala  
Ph: +91 (484) 2808484

#### **Haryana/Punjab**

Plot No. 375,  
Industrial Area, Phase-2,  
Near BEL Factory,  
Panchkula-134 113,  
Haryana  
Ph: +91 (172) 5048800

#### **Indore**

R 96, Mahalaxmi Nagar,  
Indore-452 010,  
Madhya Pradesh  
Ph: +91 (731) 4700432

#### **Jamshedpur**

#139, New Baradwari,  
Sakchi,  
Jamshedpur - 831001,  
East Singhbhum  
Ph: (+91) 9771423887

#### **Kolkata**

Unit No. 409,  
PS IXL, Atghorha,  
New Town Rajarhat,  
Kolkata - 700136,  
West Bengal  
Ph: +91 (033) 40638124  
Fax: +91 (033) 40638124

#### **Mumbai**

A 206 & B 009,  
Punit Industrial Estate,  
TTC Industrial Area,  
Thane - Belapur Road,  
Turbhe,  
Navi Mumbai-400 705  
Maharashtra  
Ph: +91 (022) 27684716

#### **Secunderabad**

Flat No. 001, Ground Floor,  
Rehana Manzil,  
Plot No. 12/13,  
Sanjeevaiah Nagar,  
House Building Society,  
Sikh Village,  
Secunderabad-500 009,  
Telangana  
Ph: +91 (040) 40023654  
Fax: +91 (040) 40023653

#### **Vadodara**

Office Number 418 & 419,  
Orchid Plaza,  
Behind McDonald's ,  
Sama Savli Road,  
Vadodara-390024,  
Gujarat  
Ph: +91 (265) 3935244  
Fax: +91 (265) 3935244

### Head Office:

D-120, Sector 63,  
Noida-201 307,  
Uttar Pradesh  
Ph: +91 120 7111800  
Fax: +91 (120) 7111900

**Dealer Stamp Here:**