

KÄRCHER


makes a difference



PROFESSIONAL TO THE CORE.

High performance, self cleaning commercial vacuums.

NT 35/1 ECO



Efficient vacuum cleaners.

These powerful vacuum cleaners pick up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. Ideal for long periods of uninterrupted use and constant high suction power.

1 Tact system (Auto Filter Clean System)

The filter is cleaned with strong air blasts. The process is triggered automatically whilst maintaining constant high suction power. Further advantages; low maintenance costs, long filter life.

2 On-board accessory storage

On-board storage for all accessories, includes two hooks for the suction hose and power cord.

NT 45/1 TACT



Built to last.

High efficiency, low wear: The motor of the NT 45/1 Tact has no carbon brushes - ideal for hard and long industrial use with a life expectancy of 5,000 hours.

1 Rugged and dependable commercial wet/dry vacuum

Large rear wheels and front swivel casters for easy maneuverability.

Metal Wand, Floor Tool, Crevice Tool, and Washable Nylon Filter are included with each NT wet/dry vacuum.

Crush resistant hose stows conveniently on top for storage.

Self-cleaning filter.

Drain hose allows user to empty unit directly into a drain or gutter.

Technical data and equipment.

NT 35/1 Tact

NT 35/1 Tact Te

NT 45/1 Tact

Technical data

Technical data		NT 35/1 Tact	NT 35/1 Tact Te	NT 45/1 Tact
Container capacity	Gal/l	9.2 (35)	9.2 (35)	11.9 (45)
Vacuum motor	AMPS	8	8	8
Waterlift	in	88	88	88
Max. power rating	Watts	1,265	1,265	1,265
Filtration system		TACT	TACT	TACT
Cable length	in (m)	25 (7.6)	25 (7.6)	25 (7.6)
Hose length & diameter	in (mm)	8 x 1.37 (2,438 x 35)	8 x 1.37 (2,438 x 35)	96 x 1.37
Air flow rate	cfm	120	120	120
Operating noise level	dBA	67	67	67
Weight	lbs (kg)	25.3 (11.5)	25.3 (11.5)	27.5
Dimensions (L x W x H)	in (mm)	20.4 x 15 x 22.8 (520 x 380 x 580)	20.4 x 15 x 22.8 (520 x 380 x 580)	20.4 x 15 x 22.8 (520 x 380 x 580)

Equipment

Product	Order No.	Description
NT 35/1 Eco	1.184-854.0	9-gallon wet/dry vacuum with TACT
NT 35/1 Eco Tact Te	1.184-882.0	9-gallon wet/dry vacuum with power tool outlet
NT 45/1 Tact	1.145-834.0	12-gallon wet/dry vacuum with TACT

Accessories

Part No.	Description		
■ 4.440-626.0	Vacuum Hose 8' x 35mm & handle	□ 6.906-242.0	Vacuum Hose 32.5 ft. x 35mm (fittings at both ends)
■ 6.900-514.0	Wand - Metal (2 pieces required)	□ 2.639-682.0	Hose End Repair Kit (35mm, for clip system hoses)
■ 6.906-240.0	Crevice Tool - Plastic, 9.85"	□ 6.903-035.0	Curved Pipe Tool - for cleaning pipes up to 4" diameter
■ 6.906-512.0	Plastic Floor Tool with Squeegee Blades and Bristle Strips - 11.8"	□ 6.903-036.0	Curved Pipe Tool - for cleaning pipes up to 8" diameter
■ 6.904-367.0	Standard Dust Filter Element	□ 6.906-108.0	Vehicle Interior Cleaning Tool
■ 6.907-479.0	Dry fleece Filter Bag for NT 35/1 (5-pack, one bag included with unit)	□ 6.900-922.0	20" Metal Crevice Tool- long reach
■ 6.904-208.0	Dry Paper Filter Bag for NT 45/1 & 611 (5-pack, one bag included with unit)	□ 2.860-114.0	Turbo Floor Tool - 10.6", suction driven
□ 6.906-513.0	Heavy Duty Floor Tool - 14" plastic, with squeegee & bristle strips	□ 6.903-862.0	Dusting Brush 35 mm
□ 6.906-384.0	Heavy Duty Floor Tool - 14" metal, adjustable height, wet or dry	□ 6.903-277.0	Squeegee Blade
□ 6.902-046.0	Stainless Steel Wand (2 pieces required)	□ 6.903-278.0	Brush Strips
□ 6.900-233.0	Upholstery Tool	□ 5.031-939.0	Anti-Static Plastic Handle
□ 6.904-242.0	HEPA Dust Filter Element (99.97% @ 0.3 microns)	□ 6.902-072.0	Adaptor 32 mm - 35mm
□ 6.904-360.0	Waterproof Dust Filter Element (PES)		
□ 6.904-351.0	NT 35/1 Fleece filter bag for fine dust applications (5-pack)		
□ 6.904-211.0	Wet Filter Bag- for damp or wet applications, pkg. of 5 bags		
□ 6.596-886.0	Plastic Tank Liner Inserts for HEPA Applications (10)		
□ 6.906-241.0	Vacuum Hose 13.1 ft. x 35mm (complete with fittings at both ends)		

■ Included □ Optional

Standard class – high suction.

These standard class wet and dry vacuum cleaners are ideal for wet and dry vacuuming of small areas with powerful suction performance. Robust, affordable and versatile, they effortlessly pick up dirt and liquid and are ideal for contract cleaners and for use in the automotive industry.



1



2

1 Container draining

An easily accessible drain hose enables convenient and safe container emptying.

2 Accessory storage

Accessories can be stored at the back of the container.

Technical data and equipment.

NT 48/1

- Tank with Drain hose system
- extremely efficient cylindrical dust filter

Technical data

Cleaning path	in	12
Air flow	cfm	142
Container capacity	gal	12
Power cord	ft	25
Vacuum motor	HP	1.8 w/ 80" water lift
Weight	lbs	22
Dimensions (L x W x H)	in	19" x 15.3" x 30.3"

Equipment

Product	Order No.	Description
NT 48/1	1.428-623.0	13-gallon wet/dry vacuum

Accessories

	Part No.	Description
■	6.414-789.0	Cylindrical Dust Filter
■	6.904-285.0	Paper Filter Bag (5-Pack, 1 Bag Included with Machine)
■	6.906-512.0	All-Purpose Nozzle
■	4.440-626.0	8' X 35 mm Hose with Comfortable Hand Grip
■	6.900-514.0	1.6' (0.5 m) Metal Suction Tube (35 mm ID)
■	6.906-240.0	Crevice Nozzle, DN35
□	6.904-211.0	Wet Filter Bag- for damp or wet applications, pkg. of 5 bags
□	5.731-595.0	Wet Filter
□	6.903-035.0	Curved Pipe Tool - for cleaning pipes up to 4" in diameter
□	6.903-036.0	Curved Pipe Tool - for cleaning pipes up to 8" in diameter
□	6.906-108.0	Vehicle Interior Cleaning Tool - designed for automobile interiors
□	6.900-922.0	20" Metal Crevice Tool- long reach
□	2.860-114.0	Turbo Floor Tool - 10.6", suction driven
□	2.860-113.0	Turbo Upholstery Tool 6.3", suction driven
□	6.902-072.0	Adaptor 32 mm - 35mm
□	5.031-939.0	Anti-Static Plastic Handle

■ Included □ Optional

Designed with water pick-up in mind.

The NT 68/1 offers more efficient water pick up with its front mounted and self-adjusting squeegee assembly. It's unique 18 gallon capacity is designed to empty complete without the need for tipping.



1 Designed for productivity

18 gallon capacity offers easy mobility for medium to large jobs.
Front-mounted squeegee offers more productive water pick up

2 Easy to use

Easy to use, train, operate.
Unique design results in 100% dumping without tipping.
Easy squeegee assembly lift.
Easy to use, train, operate..

Technical data and equipment

NT 68/1

- Tank with Drain hose system
- extremely efficient cylindrical dust filter

Technical data

Vacuum motor	HP	1.8 w/ 80" water lift
Air flow	cfm	142
Container capacity	gal	18
Power cord	ft	50
Squeegee width	in	24.5
Weight	lbs	64
Dimensions (L x W x H)	in	35.5" x 24.5" x 37.5"

Equipment

Product	Order No.	Description
NT 68/1	1.103-494.0	18-gallon wet vacuum with 24" front squeegee, with tools

Accessories

Part No.	Description
■ 4.440-626.0	Vacuum Hose 8' x 35mm & handle
■ 6.902-154.0	Wand - Metal (2 pieces required)
■ 6.906-512.0	Floor Tool with Squeegee Blades and Brush Strips - 11.8"
■ 5.731-595.0	Wet Filter
□ 6.414-789.0	Cylindrical Dust Filter
□ 6.906-240.0	Crevice Nozzle, 35mm
□ 6.906-513.0	Heavy Duty Floor Tool - 14" Plastic
□ 6.906-384.0	Heavy Duty Floor Tool - 14" Metal
□ 6.900-385.0	Crevice Tool 8.3"
□ 2.860-116.0	Nozzle Set (Crevice tool, upholstery tool, round brush)
□ 6.902-072.0	Adaptor 32mm - 35mm

■ Included □ Optional

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 800-456-6649
Fax 303-738-2818

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2
Canada

Phone 905-672-8233
Fax 905-672-3155

www.kaercher.com/ca